
Scopus Preview	Author search	Sources (⑦	Sign in			
Source details				Feedba			
IOP Conference Series: Earth and E Scopus coverage years: from 2010 to Present ISSN: 1755-1307 E-ISSN: 1755-1315	nvironmental Science		CiteScore 2019 0.4 Add CiteScore to your site	0			
Subject area: (Environmental Science: General Environmental Science: View all documents > Set document alert I Save to a	ce) (Earth and Planetary Sciences: General Earth and Planetary Scien ource list Journal Homepage	ces	^{SJR 2019} 0.175	Ō			
			SNIP 2019 0.514	Ū			
CiteScore CiteScore rank & trend Scopus content coverage							
i Improved CiteScore methodology × CiteScore 2019 counts the citations received in 2016-2019 to articles, reviews, conference papers, book chapters and data papers published in 2016-2019, and divides this by the number of publications published in 2016-2019. Learn more >							
CiteScore 2019	CiteScoreTracker 2020 ①						
$0.4 = \frac{11,544 \text{ Citations 2016 - 2019}}{32,872 \text{ Documents 2016 - 2019}} \qquad 0.5 = \frac{22,511 \text{ Citations to date}}{47,081 \text{ Documents to date}}$							
Calculated on 06 May, 2020 CiteScore rank 2019 ①	Last updated on 07 December, 2020 • Updated monthly						
Category Rank Percentile	-						
Environmental Science General Environmental #176/210 16th Science				-			



Keynote Speaker

Prof. Dr. Ocky Karna Rajasa, Ministry of Research Technology and Higher education Indonesia

Dr. Eleonor A. Tendecia, Southeast Asian Fisheries Development Center – Filipina

Prof. Dr. Kazuo Nadaoka, Tokyo Institute of Technology – Japan

Prof. Dr. Yasuhiro Igarashi, Toyama Prefectuarai University - Japan

Prof. Dr. Irwandi Jaswir, Internatioanl Islami University – Malaysia

Scientific Committee/Editor

Hadiyanto (Diponegoro University, Indonesia) Makoto Tsuchiya (University of the Ryukyus, Japan) Heru Susanto (Diponegoro University, Indonesia) Muhammad Mukhlisin (Semarang State Polytechnic, Indonesia) Jamari (Diponegoro University, Indonesia) Hussein Gasem (Diponegoro University, Indonesia) Ambariyanto (Diponegoro University, Indonesia) Muhammad Zainuri (Diponegoro University, Indonesia) Muhammad Ali (Mataram University) Sultana MH Faraz (Diponegoro University, Indonesia) Gerard Pals (Vrije Universiteit Amsterdam, Netherland) Randi Hagerman (University of California Davis, United States) Flora Tassone (University of California Davis, United States) Herawati Sudoyo (Eijkman Institute, Indonesia) Ocky Karna Rajasa (MRTHE, Indonesia) Craig Starger (Colorado State University, United States) CN Ravishankar (Central Institute of Fisheries Technology, India) Agus Sabdono (Diponegoro University, Indonesia) Maria Barbosa (Wageningen University, Netherland) Yasuhiro Igarashi (Japan) Irwandi Jaswir (IIUM, Malaysia) Michio Hidaka (University of the Ryukyus, Japan)

Preface

011001

THE FOLLOWING ARTICLE ISOPEN ACCESS

4th International Conference on Tropical and Coastal Region Eco Development Open abstract, 4th International Conference on Tropical and Coastal Region Eco Development View article, 4th International Conference on Tropical and Coastal Region Eco Development PDF, 4th International Conference on Tropical and Coastal Region Eco Development

011002

THE FOLLOWING ARTICLE ISOPEN ACCESS

Peer review statement Open abstract, Peer review statement View article, Peer review statement PDF, Peer review statement

Papers

012001 THE FOLLOWING ARTICLE ISOPEN ACCESS Sri Puryono and Suryanti Suryanti

Open abstract, Degradation of Mangrove Ecosystem in Karimunjawa Island Based on Public Perception and Management View article, Degradation of Mangrove Ecosystem in Karimunjawa Island Based on Public Perception and Management PDF, Degradation of Mangrove Ecosystem in Karimunjawa Island Based on Public Perception and Management

012081

THE FOLLOWING ARTICLE ISOPEN ACCESS

Growth, Mortality and Exploitation Rate of Spiny Lobster (*Panulirus Homarus*) from Kebumen and Cilacap Coastal

Irwani, Agus Sabdono and Diah Permata Wijayanti

Open abstract, Growth, Mortality and Exploitation Rate of Spiny Lobster (Panulirus Homarus) from Kebumen and Cilacap Coastal View article, Growth, Mortality and Exploitation Rate of Spiny Lobster (Panulirus Homarus) from Kebumen and Cilacap Coastal PDF, Growth, Mortality and Exploitation Rate of Spiny Lobster (Panulirus Homarus) from Kebumen and Cilacap Coastal

012082

THE FOLLOWING ARTICLE ISOPEN ACCESS

Is Integrated Multi-Trophic Aquaculture (Imta) Concept An Answer to Abraded Coastal Area? A Stakeholders' Perspective Analysis

T Elfitasari, L Klerkx, o Joffrey, S Řejeki, L L Widowati, R W Aryati and R H Bosma

Open abstract, Is Integrated Multi-Trophic Aquaculture (Imta) Concept An Answer to Abraded Coastal Area? A Stakeholders' Perspective Analysis View article, Is Integrated Multi-Trophic Aquaculture (Imta) Concept An Answer to Abraded Coastal Area? A Stakeholders' Perspective Analysis PDF, Is Integrated Multi-Trophic Aquaculture (Imta) Concept An Answer to Abraded Coastal Area? A Stakeholders' Perspective Analysis

012083

THE FOLLOWING ARTICLE ISOPEN ACCESS

State revenue of the fishery sector after the prohibition policy on illegal unreported and unregulated fishing

Muhamad Azhar, Budi Ispriyarso, Nabitaus Sa'adah, Putut Suharso, Henny Juliani, Joko Setyono and Suparmin Suparmin

Open abstract, State revenue of the fishery sector after the prohibition policy on illegal unreported and unregulated fishing View article, State revenue of the fishery sector after the prohibition policy on illegal unreported and unregulated fishing PDF, State revenue of the fishery sector after the prohibition policy on illegal unreported and unregulated fishing

012084

THE FOLLOWING ARTICLE ISOPEN ACCESS

Application of Liquid Smoke for *Chikuwa tilapia* R A Leviyani, R A Kurniasih and F Swastawati Open abstract, Application of Liquid Smoke for Chikuwa tilapia View article, Application of Liquid Smoke for Chikuwa tilapia PDF, Application of Liquid Smoke for Chikuwa tilapia

012085

THE FOLLOWING ARTICLE ISOPEN ACCESS

Biogas Production from Crab Picking (Portunus Pelagius) Wastes

A A Dewantoro, B A Pratama and R A Kurniasih

Open abstract, Biogas Production from Crab Picking (Portunus Pelagius) Wastes View article, Biogas Production from Crab Picking (Portunus Pelagius) Wastes PDF, Biogas Production from Crab Picking (Portunus Pelagius) Wastes

IOPscience

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.

PAPER • OPEN ACCESS

Characterization of Marine Bioflocculant-producing Bacteria Isolated From Biofloc of Pacific Whiteleg Shrimp, *Litopenaeus vannamei* Culture Ponds

Nurul Fakriah Che Hashim¹, Nurarina Ayuni Ghazali¹, Nakisah Mat Amin², Noraznawati Ismail³ and Nor Azman Kasan¹ Published under licence by IOP Publishing Ltd IOP Conference Series: Earth and Environmental Science, Volume 246, 4th International Conference on Tropical and Coastal Region Eco Development 30–31 October 2018, Semarang, Indonesia **Citation** Nurul Fakriah Che Hashim *et al* 2019 *IOP Conf. Ser.: Earth Environ. Sci.* **246** 012007

norazman@umt.edu.my

¹ Institute of Tropical Aquaculture (AKUATROP), Universiti Malaysia Terengganu, 21030 Kuala Terengganu, Malaysia. Telephone: +6019-4617864 Fax: +609-6695002

² School of Fundamental Science, Universiti Malaysia Terengganu, 21030 Kuala Terengganu, Malaysia.

³ Institute of Marine Biotechnology, Universiti Malaysia Terengganu, 21030 Kuala Terengganu, Malaysia.

https://doi.org/10.1088/1755-1315/246/1/012007

Buy this article in print

⋒ Journal RSS

Sign up for new issue notifications

Create citation alert

Abstract

PDF

Help

IOPscience

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.

PAPER • OPEN ACCESS

Analysis of β -cryptoxanthin from yellow pigmented marine bacterium *Erythrobacter* sp. kj5

E Setiyono¹, T H P Brotosudarmo¹, D Pringgenies², Heriyanto^{1,3}, M N U Prihastyanti¹ and Y Shioi¹ Published under licence by IOP Publishing Ltd IOP Conference Series: Earth and Environmental Science, Volume 246, 4th International Conference on Tropical and

Coastal Region Eco Development 30–31 October 2018, Semarang, Indonesia

Citation E Setiyono et al 2019 IOP Conf. Ser.: Earth Environ. Sci. 246 012004

edi.setiyono@machung.ac.id

¹ Ma Chung Research Center for Photosynthetic Pigments (MRCPP), Jl. Villa Puncak Tidar N-01, Malang 65151, East Java, Indonesia

² Department of Marine Science, Universitas Diponegoro, Jl. Prof. Soedarto Tembalang, Semarang-50275, Indonesia

³ Department of Plant Physiology and Biochemistry, Jagiellonian University, ul. Gronostajowa 7, 30-387 Krakow, Poland

https://doi.org/10.1088/1755-1315/246/1/012004

Buy this article in print

⋒ Journal RSS

Sign up for new issue notifications

Create citation alert

Abstract

PDF

Help

IOPscience

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.

PAPER • OPEN ACCESS

Is Integrated Multi-Trophic Aquaculture (Imta) Concept An Answer to Abraded Coastal Area? A Stakeholders' Perspective Analysis

T Elfitasari¹, L Klerkx², o Joffrey³, S Rejeki¹, L L Widowati¹, R W Aryati¹ and R H Bosma⁴ Published under licence by IOP Publishing Ltd IOP Conference Series: Earth and Environmental Science, Volume 246, 4th International Conference on Tropical and Coastal Region Eco Development 30–31 October 2018, Semarang, Indonesia **Citation** T Elfitasari *et al* 2019 *IOP Conf. Ser.: Earth Environ. Sci.* **246** 012082

t.elfitasari@undip.ac.id

¹ Department of Aquaculture, Faculty of Fisheries and Marine Sciences, Diponegoro University, Semarang, Indonesia

² Communication & Innovation Social Science, Wageningen University & Research, The Netherlands

³ WorldFish, Phnom Penh, Cambodia

⁴ Aquaculture & Fisheries, Wageningen University & Research, The Netherlands

https://doi.org/10.1088/1755-1315/246/1/012082 PDF Buy this article in print

م Journal RSS

Sign up for new issue notifications

Create citation alert

Abstract

PAPER • OPEN ACCESS

Degradation of Mangrove Ecosystem in Karimunjawa Island Based on Public Perception and Management

To cite this article: Sri Puryono and Suryanti Suryanti 2019 IOP Conf. Ser.: Earth Environ. Sci. 246 012080

View the article online for updates and enhancements.

Recent citations

- <u>How Blue Carbon Ecosystems Are</u> Perceived by Local Communities in the Coral Triangle: Comparative and Empirical Examinations in the Philippines and Indonesia Jay Mar D. Quevedo *et al*

Degradation of Mangrove Ecosystem in Karimunjawa Island Based on Public Perception and Management

Sri Puryono¹* and Suryanti Suryanti²

¹Regional Secretary, Province of Central Java, Indonesia. ²Faculty of Fisheries and Marine Science, Diponegoro University. Semarang. Indonesia. Corresponding author: spuryonodr@gmail.com

Abstract. The condition of mangrove ecosystem in Karimunjawa island was thought in degraded condition, arisen the questions concerning its possible causes. This research aimed to study the perception of the society concerning the degradation of mangrove ecosystem in Karimunjawa island, its causes, as well as to formulate the management solution to support its sustainability. The research was conducted in August 2017 and March 2018 in Karimunjawa island. Data was collected by questionnaire involving local society as the respondents. Respondents were questionned about the causes of mangrove degradation in Karimunjawa Island. The result showed that 59.40% of the respondents agreed that mangrove ecosystem in Karimunjawa island is degraded. The presented data showed the level of agreement of the respondents concerning the mentioned causing factors of mangrove degradation, including fishing activities (48.12%), mangrove logging (59.40%), increasing population (60.90%), development of aquaculture facilities (48.87%), development of ponds (61.65%), aquaculture activities (51.13%), and development of tourism facilities (39.10%). Analysis of correlation between the mangrove related activities and the degradation of mangrove ecosystem showed weak relations, where the coefficient of correlations was less than 50%. The awareness of the local community and the tourist to the condition of mangrove ecosystem was poor. However, the tourist has better interest to participate in the mangrove conservation activity. In order to maintain the sustainability of mangrove ecosystem, integrated management of mangrove through eco-tourism activity should be considered.

1. Introduction

Mangrove ecosystem as one of the coastal ecosystems has important role both ecologically and economically. Ecologically, mangrove plays a role in maintaining the stability of coastal environment [1]. Through the environmental services it provided, mangrove contribute to decrease the erosion and sedimentation rate in the coastal area, which lead to reduction of the erosion in the coastal area[2]. Moreover, the function also has an impact on more transparent coastal waters, ensure the nutrient supply which supports the existence of seagrass and coral ecosystems[3]. Mangrove forest also has important role as habitat of various organisms, both terrestrial and aquatic [4]. Thus, mangrove supports the biodiversity of coastal area.

Another important role which is related to human livelihood in the coastal area is in controlling sea water intrusion [5]. It has important implication in providing freshwater for the community which lives in the coastal area. Various resources which are produced directly or indirectly by mangrove ecosystem can not be neglected as well, such as fish resources [6,7], timber production [8] and fruit

Content from this work may be used under the terms of the Creative Commons Attribution 3.0 licence. Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI. Published under licence by IOP Publishing Ltd 1

products [9] which can be utilized as food sources as well as to support the civilization of human in the coastal area.

Small island is vulnerable to ecosystem dynamics, especially in the inhabited islands [10–12]. Excessive exploitation of small islands could cause structured damage to the ecosystem. However, mangrove ecosystem has important role in maintaining the stability of coastal area [13]. Small islands which are surrounding by sea along with the tidal and wave dynamic tend to be vulnerable to high erosion rate [14,15].

The development of mangrove ecosystem in the small islands show the change of coastal sediment structure caused by the increasing concentration of clay. The rock in the coastal area generally gets weathered and crumbled into sand, thus mangrove plays major role in protecting the coastal area. Unfortunately, mangrove ecosystem in the inhabited small island is generally degraded due to the irresponsible utilization [13].

Mangrove ecosystem in the small island is threatened where a lot of mangrove forest has been deforested for the development of settlements, aquaculture and agriculture [16]. The high exploitation was thought contribute to the damage of the mangrove land and terrestrial vegetation [17]. Mangrove ecosystem provides various goods and services to the society in the small island [18–20]. Mangrove woods are utilized for building materials, boats and firewood [21]. Therefore, the destruction of mangrove forests lead the decrease of its carrying capacity in maintaining the coastline and supporting the fisheries resources.

Karimunjawa is a small island in the territorial waters of Jepara Regency, Province of Central Java with intensive utilization level. The beauty of Karimunjawa waters become the tourism interest of domestic and international tourists. As the impact, land utilization for the development of tourism infrastructure was increased [22]. Thus, mangrove ecosystem became the most affected area due the high conversion rate for various purposes, such as settlements and homestays [23].

Even though Karimunjawa archipelago has become a popular tourism destination, but the perspective of the local community and the tourists concerning the existing condition of natural resources remains unknown, especially regarding mangrove ecosystem. The knowledge and awareness are important factors which effect the management of mangrove ecosystem. This research aimed to understand the perspective of the local community regarding the degradation of mangrove ecosystem in the Karimunjawa island, the cause of damage, to study the knowledge and willingness to participate of local community and tourists in the conservation of mangrove ecosystem and to formulate the management strategy of mangrove ecosystem.

2. Research methods

This research was conducted in two periods. The first period was conducted in August 2017 while the second period was conducted in March 2018. The research instrument utilized in this research was questionnaire. The respondents selected in this research were the local community of Karimunjawa island and the tourists. Data collection was conducted through door to door interview for the local community and incidental interview to the tourists. The questionnaires included 11 questions related to the degradation of mangrove ecosystem and 5 questions related to the knowledge and willingness to participate of the respondents in mangrove conservation. The Likert scale was utilized in the data collection of community's perspective, including three agreement states: (1) disagree; (2) doubt; and (3) agree.

The collected data was then tabulated and presented descriptively to describe the level of respondent's agreement concerning the factors affecting mangrove degradation of the degradation of mangrove ecosystem in Karimunjawa island. Statistical analysis used in this research was cross-tabulation with chi-square test and correlation test. Validity and reliability test was conducted to fulfill the statistical rule. Chi-square test was conducted to understand the distribution differences of respondent's perception. Cross-tabulation also provides the information about the domination of respondent's perspective. Further analysis was conducted through bivariate correlation test to prove the relationship of the mangrove degradation toward its causes. Literature study was conducted to

formulate the management strategy in order to achieve sustainable and integrated management plan in Karimunjawa island.

3. Results

In total, 133 respondents participated in the first period. The respondents of the first observation was comprised of the local community, while in the second period there were 198 respondents, including 98 respondents from the local community and 100 respondents from the tourists. Detailed level of agreement of the respondent's perception on the mangrove condition and the cause of degradation obtained from the data collection in the first period is presented in Table 1.

No.	Variable	wights Statement	Proportion of Answers (%)			
		Statement	Disagree	Doubt	Agree	
1.	Y	The mangrove ecosystem in Karimunjawa islan				
		has been degraded?	19,55	21,05	59,40	
2.	X1	Some of the fishermen do fishing activity in the				
		mangrove area.	40,60	39,10	20,30	
3.	X2	The increased fishing activity causes degradation				
		of the mangrove ecosystem.	27,82	24,06	48,12	
4.	X3	Some of the fishermen gather mangrove wood for				
		firewood.	41,35	21,05	37,59	
5.	X4	Some of the fishermen cut mangrove trees for sale				
		which cause disturbance on the function of				
		mangrove forest.	15,04	25,56	59,40	
6.	X5	Increasing population in the coastal area has				
		caused the extention of settlements and ponds				
		toward mangrove ecosystem, resulted in the	21.05	10.05	(0.00	
7	V	destruction of mangrove forest.	21,05	18,05	60,90	
7.	X6	The development of infrastructure for aquaculture				
		has caused the degradation of mangrove	20.20	20.02	40.07	
0	V7	ecosystem.	20,30	30,83	48,87	
8.	X7	The development of ponds in the coastal area has	C 02	22.22	(1.(5	
0	X8	caused the decrease of mangrove coverage.	6,02	32,33	61,65	
9.	Λδ	Aquaculture activity affected the ecological				
		function of mangrove ecosystem due to increasing pollutant loads.	18,05	30,83	51,13	
10.	X9	The development of offshore inns (guesthouses)	18,05	50,85	51,15	
10.	Λ9	contributes the degradation of mangrove				
			38,35	33,08	28,57	
11.	X10	ecosystem. The development of tourism facilities has caused	20,23	55,08	20,37	
11.	A10	degradation of mangrove ecosystem.	28,57	32,33	39,10	
·		ucgrauation of mangrove ecosystem.	20,57	52,55	59,10	

Table 1. Proportions of respondents' perception on the mangrove condition and its degrading cause

According to the information obtained from the questionnaire, 59.4% of the respondents agreed that the condition of mangrove ecosystem in Karimunjawa has been degraded. Several activities contribute to the degradation were including: increased fishing activity (48.12%), mangrove logging (59.40%), increasing population (69.90%), development of infrastructure for aquaculture (48.87%), development of ponds (61.65%), aquaculture (51.13%), and development of tourism facilities (39.10%).

Validity test for the first observation data showed that there was one invalid item for item X7. The reliability test of the valid items showed that the items were reliable and could be used for further

analysis. Thus, only 10 items could be used for bivariate correlation analysis. The analysis result is presented in Table 2.

Table 2. Correlation of activities in Karimunjawa island with degradation of mangrove eco
--

No.	Items	Factor	Pearson Correlation	
1.	X1	Fishing activity in the mangrove ecosystem.	,211*	
2.	X2	Increased fishing activity.	,371**	
3.	X3	Wood gathering for firewood.	,331**	
4.	X4	Mangrove logging.	,403**	
5.	X5	Increased human population.	,266**	
6.	X6	Development of aquaculture infrastructure.	,241**	
7.	X8	Aquaculture activities (fish farming).	,353**	
8.	X9	Development of offshore inns (guesthouses)	,200*	
9.	X10	Development of tourism facilities.	,376**	
* Completing is significant at the 0.05 level (2 to itel)				

*. Correlation is significant at the 0.05 level (2-tailed).

**. Correlation is significant at the 0.01 level (2-tailed).

Analysis of correlation showed there are several activities that have significant correlation with the degradation of mangrove ecosystem although the correlation levels were weak. Mangrove logging has the strongest correlation with mangrove degradation with 40.3%. The development of tourism facilities gets the second rank with the coefficient of 37.6%, followed by fishing activities with 37.1%. Aquaculture activity is the next correlated activity with 35.3%, followed by wood gathering for firewood with 33.1%. Other than the mentioned activities, the correlation coefficients were below 30%. However, among the observed activities, the increased community's activity and the development of tourism accessibility were not significantly correlated with the degradation of mangrove ecosystem.

The data obtained from the second observation was valid and reliable. Data includes the knowledge of local community and tourists regarding mangrove ecosystem. Detailed respondents' perception is presented in Table 3.

 Table 3. Knowledge and willingness to participate in mangrove conservation of local community and tourists

No. Item		Statement	Local Community			Tourists		
No. Item	No		Doubt	Yes	No	Doubt	Yes	
1.	Z1	Knowledge on mangrove ecosystem						
		/ vegetation.	17.35%	43.88%	38.78%	9%	50%	41%
2.	Z2	Knowlegde on mangrove species.	10.20%	40.82%	48.98%	18%	54%	28%
3.	Z3	Understanding the advantages of the						
		mangrove ecosystem.	18.37%	46.94%	34.69%	13%	44%	43%
4.	Z4	Understanding the impact of						
		mangrove ecosystem degradation.	19.39%	60.20%	20.41%	14%	65%	21%
5.	Z5	Willing to participate in the						
		conservation activity of mangrove						
		ecosystem.	72.45%	18.37%	9.18%	43%	19%	38%

Analysis on the knowledge of local community and tourists showed that both groups of respondents has poor knowledge regarding mangrove ecosystem. Cummulatively, only 39.9% of the respondents knows about mangrove ecosystem. Statistically, there was no significant difference between the knowledge of the respondents of local community and tourists in Karimunjawa island regarding mangrove ecosystem.

4th International Conference on Tropical and Coastal Region Eco Develop	ment	IOP Publishing
IOP Conf. Series: Earth and Environmental Science 246 (2019) 012080	doi:10.1088/1755-13	15/246/1/012080

Observation on the knowledge of mangrove species showed that local community has better knowledge than the tourists. The proportion of local community with appropriate knowledge of mangrove species was 49.0%, while only 28.0% of the tourists know the mangrove species properly. Statistical analysis proved that there was significant difference between the knowledge from the two groups of respondents.

The knowledge of the respondents on the advantages of mangrove ecosystem was generally low. Statistical analysis proved that there was no significant difference between the knowledge from the two groups of respondents. Cummulatively, only 38.9% of the respondents know about the advantages of mangrove ecosystem, while the partial proportions were 34.7% and 43.0% respectively for local community and tourists.

The knowledge of the respondents regarding the impact of mangrove degradation was very poor. The proportion of local community that know the impact was only 20.4%, while the tourist was only a little higher with 21.0%. Chi-square analysis showed that the two groups of respondents did not have significant difference in knowledge regarding the impact of mangrove degradation.

Regarding the willingness to participate on the conservation of mangrove ecosystem, there was obvious differences, were the proportion of local community who wills to participate wa only 9.2%, while the tourists had the proportion of 38.0%. However, the proportion of the respondents who don't will to participate was still huge, including 72.4% of the local community and 43.0% of the tourists. This result is surprising since most of the respondents do not want to support the conservation of mangrove. Significant difference of the two groups of respondents was proven from the statistical analysis.

4. Discussion

Based on the respondents' perspective the development. of pond in the Karimunjawa island was the most dominant factor which affect the reduced coverage of mangrove forest. The coastal ponds are generally developed on mangrove forest likely through the land conversion (mangrove clearance) [24,25]. In order to do that, mangrove forests were clear cut and excavated to build ponds. Preferred organism for the pond was tiger shrimp [26–28]. Unfortunately, the validity test showed that this item (question no. 7) was not valid, thus it can not be proved whether it has significant correlation to the degradation of mangrove ecosystem.

The conversion of mangrove area for brackish water ponds contributed the most dominant cause of mangrove degradation in most regions in Indonesia, even in the world [25,27]. Mangrove forests provide suitable environment to support aquaculture activities due to its carrying capacity. Unfortunately, the extensive conversion of mangrove for ponds caused the significant reduction of mangrove forest. Indeed, the existence of mangrove is required to protect the coastal area and to provide environmental services which support pond productivity and neutralize pollutant from pond effluent [29]. The loss of mangrove ecosytem in the coastal area increases the rate of erosion and accumulation of pollutants which lead to the decrease of pond productivity [30]. As the impact, coastal ponds are abandoned while the fish resources are depleted [31].

The increasing population in Karimunjawa is acknowledged by the respondents. Most of the respondents agreed that the increasing population has altered the damage of mangrove ecosystem due to the expansion of settlements and ponds development [32]. Increasing population would lead to the increase of land, infrastructure, and building materials to develop the settlements. Land conversion for settlements is the only choice for the community. However, it may cause the degradation of mangrove ecosystem. Accessibility to sea as the main source of livelihood becomes the important consideration in the determination of settlement's location [33,34].

Mangrove cutting has been conducted for various purposes, including for timber production and land provision for another utilization [5]. According to the result, most of the respondents agreed that mangrove logging also occurred in Karimunjawa island. The distance of Karimunjawa island is pretty far from the main islands which caused limited supply of logistics and energy. However, the isolated community generally utilized traditional methods to fulfill their needs. Wood plays important role in

the culture of traditional community, such as for house material, boat material, furnitures, as well as firewood [8].

Most of the respondents agreed that aquaculture has an impact on mangrove ecosystem. Aquaculture activity in the coastal area is always related to mangrove ecosystem for the whole processes, from land preparation to the maintenance. Preparation of land is generally conducted through mangrove clearing and the development of ponds [35]. The utilization of mangrove ecosystem in the small island causes more emphasized impact due to the limitation of land resources.

To support the aquaculture activities, some infrastructures and facilities need to be developed such as roads, water canals and transportation. According to the respondents' perspective, the development of aquaculture infrastructures and facilities also has a contribution on the degradation of mangrove ecosystem. The development causes the change of land-use and hydrological pattern of coastal environment [29].

Generally, the development of tourism facilities has similar impact as the development of settlements. Several facilities such as homestays, road, restaurants as well as transportation means both on land and at the sea are improved to fulfill the needs of the tourists [4,39]. The impact of this development is the change of land use in the coastal area.

Tourism activities in Karimunjawa archipelago have been lasted for a long time and has provided significant contribution in the regional development, both economically and ecologically. In order to maintain the sustainability and carrying capacity of Karimunjawa island, public awareness is required especially the local community and the tourists since both are the main stakeholders in the management of Karimunjawa island. Thus, the knowledge and interest of both groups concerning the sustainability of mangrove ecosystem in Karimunjawa island need to be known.

Generally, both local community and tourists do not really know about mangrove ecosystem. However, the knowledge of local community concerning the species of mangrove is better than the tourists. It could be due to the local community generally acknowledge mangrove as "bakau". In the meanwhile, the tourist's knowledge about mangrove is generally poor, since most of the come from the city where mangrove is not common scene.

Both local community and tourist have poor knowledge regarding the advantages of mangrove ecosystem as well as the impact of its degradation. It showed that both groups of respondents were unaware to mangrove ecosystem in Karimunjawa island. This could be due to the main tourism interest was dominant in the water area [40], while tourism interest on the land area, especially in the mangrove ecosystem is very limited.

The development of Karimunjawa island as tourism area has supported the acceleration of goods and services distribution. Thus, various logistic materials could be obtained trough trading activities. However, it has positive and negative impacts to the mangrove ecosystem [42]. The positive impact is the decreased mangrove logging for building materials as well as for firewood. While the negative impact is the reduced interaction between the community and mangrove ecosystem, thus the changes that occur in the mangrove ecosystem are not well monitored.

The low participation interest of the local community in Karimunjawa island was caused by their poor knowledge about the advantages of mangrove ecosystem and the impacts of its degradation. Moreover, mangrove conservation doesn't provide direct economic advantage to the community, thus they are not interested to participate [43]. The reluctance to participate in the conservation activity is emphasized by the development of tourism activities in Karimunjawa. The development of tourism activity slowly shifts the employment of the local community, which is previously dominated by fishermen to the tourism related business, such as homestay, transportation, souvenir, food, etc [42].

The management of coastal and small island resources is dependent to the participation of the surrounding community [44], moreover on the small islands which are more vulnerable to degradation. Unfortunately, the awareness of the community regarding the vulnerability of small islands and its sustainability is poor. The increasing exploitation as the impact of economic oriented activities frequently disobeys the ecological sustainability [40].

4th International Conference on Tropical and Coastal Region Eco DevelopmentIOP PublishingIOP Conf. Series: Earth and Environmental Science 246 (2019) 012080doi:10.1088/1755-1315/246/1/012080

In the Karimunjawa island, the economic growth is supported by the development of marine tourism activities [42]. As the impact, the land ecosystem is ignored. This is shown by the decreasing mangrove coverage. Ecological stress due to massive land conversion for various purposes along with active mangrove clearance becomes the main factors which contribute the degradation of mangrove ecosystem [18].

Local community has key role in the mangrove conservation activity [45]. Low participation of local community may lead to the poor planting, maintenance, monitoring and evaluation effort in terms of mangrove conservation. Education concerning the importance of mangrove ecosystem needs to be provided for the community to improve their knowledge [46]. However, it is not easy to be done. However, since the interest of the tourist to participate in the mangrove conservation is pretty high, thus the conservation effort could be conducted through tourism approach [40]. Thus, local community would be forced to actively participate in the mangrove rehabilitation effort. Various activities, such as tracking, boating, canoeing, planting, and fishing could be developed as tourism interests [47].

5. Conclusion

The local community of Karimunjawa island considered that the mangrove ecosystem has been degraded due to various human activities, including the development of ponds, increasing population, mangrove logging, aquaculture, development of aquaculture infrastructure, fishing and the development of tourism facilities. Local community and the tourist have poor knowledge about mangrove ecosystem, its advantages as well as its degradation impacts. Moreover, both local community and the tourist have poor interest to participate in the mangrove conservation effort, even though the tourist has better interest to participate than the local community. The proposed applicable solution to maintain the sustainability of mangrove ecosystem in Karimunjawa is through the utilization of mangrove as eco-tourism interest.

6. Acknowledgments

- 1. Head and staff of Karimunjawa Semarang National Park Office who has given permission in conducting research
- 2. Mariana Harahap, SPi which has helped the sampling and collection of field data

References

- [1] Marois D E and Mitsch W J 2015 Coastal protection from tsunamis and cyclones provided by mangrove wetlands a review Int. J. Biodivers. Sci. Ecosyst. Serv. Manag. **11** 71–83
- [2] Woodroffe C D, Rogers K, McKee K L, Lovelock C E, Mendelssohn I A and Saintilan N 2016 Mangrove sedimentation and response to relative sea-level rise Ann. Rev. Mar. Sci. 8 243–66
- [3] MacKenzie R A and Kryss C L 2013 Impacts of exotic mangroves and chemical eradication of mangroves on tide pool fish assemblages Mar. Ecol. Prog. Ser. **472** 219–37
- [4] Dencer-Brown A M, Alfaro A C, Milne S and Perrott J 2018 A review on biodiversity, ecosystem services, and perceptions of New Zealand's mangroves: can we make informed decisions about their removal? Resource 7 1–21
- [5] Zulkarnaini and Mariana 2016 Economic valuation of mangrove forest ecosystem in Indragiri estuary Int. J. Ocean. Oceanogr. **10** 13–7
- [6] Hutchison J, Spalding M and Ermgassen P zu 2014 The Role of Mangroves in Fisheris Enhancement (Cambridge, UK: University of Cambridge)
- [7] Hutchison J, Ermgassen P zu and Spalding M 2015 The current state of knowledge on mangrove fishery values Am. Fish. Soc. Symp. 83 3–15
- [8] López-Angarita J, Roberts C M, Tilley A, Hawkins J P and Cooke R G 2016 Mangroves and people: lessons from a history of use and abuse in four Latin American countries For.

IOP Publishing

IOP Conf. Series: Earth and Environmental Science 246 (2019) 012080 doi:10.1088/1755-1315/246/1/012080

Ecol. Manage. 368 151-62

- [9] Wonggo D, Berhimpon S, Kurnia D and Dotulong V 2017 Antioxidant activities of mangrove fruit (Sonneratia alba) taken from Wori Village, North Sulawesi, Indonesia Int. J. ChemTech Res. 10 284–90
- [10] Guillaumont P 2010 Assessing the economic vulnerability of small island developing states and the least developed countries J. Dev. Stud. **46** 828–54
- [11] Kelman I 2014 No change from climate change: vulnerability and small island developing states Geogr. J. 180 120–9
- [12] ECLAC 2011 Study on the vulnerability and resilience of Caribbean Small Island Developing States (SIDS) (New York, US)
- [13] Wang D G, Sun L, Tan Y H, Shi A Q and Cheng J 2017 Evaluation of mangrove ecosystem service functions of Ximen Island Marine Specially Protected Areas in Yueqing Bay, China IOP Conf. Ser. Earth Environ. Sci. 82 012064
- [14] Albert S, Leon J X, Grinham A R, Church J A, Gibbes B R and Woodroffe C D 2016 Interactions between sea-level rise and wave exposure on reef island dynamics in the Solomon Islands Environ. Res. Lett. 11 054011
- [15] Duvat V 2009 Beach erosion management in Small Island Developing States: Indian Ocean case studies Coast. Process. 126 149–60
- [16] Vo Q T, Oppelt N, Leinenkugel P and Kuenzer C 2013 *Remote sensing in mapping mangrove* ecosystems — an object-based approach Remote Sens. **5** 183–201
- [17] Malik A, Fensholt R and Mertz O 2015 Economic Valuation of Mangroves for Comparison with Commercial Aquaculture in South Sulawesi, Indonesia Forests **6** 3028–44
- [18] Khaleel K M and Jaleel C A 2009 Environmental challenges to the mangrove wetlands of North Malabar (Kerala), India: Their sustainable development and influence on local people Knowl. Manag. Aquat. Ecosyst. 392 1–8
- [19] Gevana D, Camacho L, Carandang A, Camacho S and Im S 2015 Land use characterization and change detection of a small mangrove area in Banacon Island, Bohol, Philippines using a maximum likelihood classification method Forest Sci. Technol. 11 197–205
- [20] Rudiastuti A W, Munawaroh, Setyawan I E and Pramono G H 2018 Coastal management strategy for small island: ecotourism potency development in Karimata Island, West Kalimantan IOP Conf. Ser. Earth Environ. Sci. 148 012013
- [21] Tolangara A 2014 Forest destruction, wood utilization and mangrove area in District Jailolo, West Halmahera Regency, Province Of North Mollucas and the conservation education Int. J. Eng. Res. Dev. 10 54–60
- [22] Laksono A N and Mussadun 2014 Dampak aktivitas ekowisata di Pulau Karimunjawa berdasarkan persepsi masyarakat J. Tek. PWK **3** 262–73
- [23] Suryanti, Hendrarto I B and Anggoro D 2011 Perubahan luas hutan mangrove di Pulau Kemujan Taman Nasional Karimunjawa Pena J. Ilmu Pengetah. dan Teknol. 20 1–9
- [24] Febryano I G, Sinurat J and Salampessy M L 2017 Social relation between businesman and community in management of intensive shrimp pond IOP Conf. Ser. Earth Environ. Sci. 55 1–7
- [25] Van T T, Wilson N, Thanh-Tung H, Quisthoudt K, Quang-Minh V, Xuan-Tuan L, Dahdouh-Guebas F and Koedam N 2015 Changes in mangrove vegetation area and character in a war and land use change affected region of Vietnam (Mui Ca Mau) over six decades Acta Oecologica 63 71–81
- [26] Muryani C 2010 Analisis perubahan garis pantai menggunakan SIG serta dampaknya terhadap kehidupan masyarakat di sekitar Muara Sungai Rejoso Kabupaten Pasuruan Forum Geogr. 24 173–82
- [27] Mustafa A, Sapo I and Paena M 2010 Keragaan budidaya tambak di Sulawesi Selatan dengan menggunakan data sensus Media Akuakultur 5 153–61

IOP Publishing

IOP Conf. Series: Earth and Environmental Science **246** (2019) 012080 doi:10.1088/1755-1315/246/1/012080

- [28] Lebel L, Garden P, Luers A, Manuel-Navarrete D and Giap D H 2016 Knowledge and innovation relationships in the shrimp industry in Thailand and Mexico Proc. Natl. Acad. Sci. 113 4585–90
- [29] Udoh J P 2016 Sustainable Nondestructive Mangrove-Friendly Aquaculture in Nigeria I: Ecological and Environmental Perspectives AACL Bioflux 9 50–70
- [30] Quinn C, Stringer L, Berman R, Le H, Msuya F, Pezzuti J and Orchard S 2017 Unpacking changes in mangrove social-ecological systems: lessons from Brazil, Zanzibar, and Vietnam Resources 6 14
- [31] Duncan C, Primavera J H, Pettorelli N, Thompson J R, Loma R J A and Koldewey H J 2016 Rehabilitating mangrove ecosystem services: A case study on the relative benefits of abandoned pond reversion from Panay Island, Philippines Mar. Pollut. Bull. 109 772– 82
- [32] Gunawan H, Sugiarti and Iskandar S 2017 Dynamics of mangrove community in revegetation area of Karangsong, North Coast of Indramayu District, West Java, Indonesia Biodiversitas 18 659–65
- [33] Marpaung B O Y and Silaban N W 2018 The spatial study of unplanned settlements on the coastal of Belawan Medan fishermen village IOP Conf. Ser. Earth Environ. Sci. 126 012151
- [34] Setioko B, Murtini T W and Pandelaki E E 2011 Conceptual spatial model of coastal settlement in urbanizing area: Case study on fisherman settlement, Tambak Mulyo-Semarang City Int. J. Archit. Sci. 8 60–6
- [35] Carter H N, Schmidt S W and Hirons A C 2015 An international assessment of mangrove management: incorporation in integrated coastal zone management Diversity 7 74– 104
- [36] Turcios A E and Papenbrock J 2014 Sustainable treatment of aquaculture effluents-What can we learn from the past for the future? Sustainability **6** 836–56
- [37] Herbeck L S, Unger D, Wu Y and Jennerjahn T C 2013 *Effluent, nutrient and organic matter* export from shrimp and fish ponds causing eutrophication in coastal and back-reef waters of NE Hainan, Tropical China Cont. Shelf Res. **57** 92–104
- [38] Fidyansari D and Hastuty S 2016 Valuasi ekonomi ekosistem mangrove di Desa Barowa Kecamatan Bua Kabupaten Luwu Perbal J. Pertan. Berkelanjutan **4** 1–14
- [39] Lee S Y, Primavera J H, Dahdouh-guebas F, Mckee K, Bosire J O, Cannicci S, Diele K, Fromard F, Koedam N, Marchand C, Mendelssohn I, Mukherjee N and Record S 2014 Ecological role and services of tropical mangrove ecosystems: a reassessment Glob. Ecol. Biogeogr. 23 726–43
- [40] Setiawan B, Rijanta R and Baiquni M 2017 Poverty and tourism: Strategies and opportunities in Karimunjawa Island, Central Java J. Indones. Tour. Dev. Stud. **5** 121–30
- [41] Baskara K A, Hendarto R M and Susilowati I 2017 *Economic's valuation of marine protected area (MPA) of Karimunjawa, Jepara-Indonesia* AACL Bioflux **10** 1554–68
- [42] Limbong F and Soetomo S 2014 Dampak perkembangan pariwisata terhadap lingkungan Taman Nasional Karimunjawa J. Ruang 2 351–60
- [43] Abdullah K, Said A M and Omar D 2014 Community-based conservation in managing mangrove rehabilitation in Perak and Selangor Procedia - Soc. Behav. Sci. 153 121– 31
- [44] Niyaz A and Storey D 2011 Environmental management in the absence of participation: A case study of the Maldives Impact Assess. Proj. Apprais. 29 69–77
- [45] Powell N and Osbeck M 2010 Approaches for understanding and embedding stakeholder realities in mangrove rehabilitation processes in Southeast Asia: Lessons learnt from Mahakam Delta, East Kalimantan Sustain. Dev. 18 260–70

- [46] Kustanti A, Nugroho B, Kusmana C, Darusman D, Nurrochmat D, Krott M and Schusser C 2014 Actor, interest and conflict in sustainable mangrove forest management a case from Indonesia Int. J. Mar. Sci. **4** 150–9
- [47] Wardhani M K 2011 Kawasan konservasi mangrove: suatu potensi ekowisata J. Kelaut. **4** 60– 76
- [48] Safarabadi A 2016 Assessing ecotourism potential for sustainable development of coastal tourism in Qeshm Island, Iran Eur. J. Geogr. 7 53–66







This to certify that

SURYANTI

Has contributed as

POSTER PRESENTER

in The 4th International Conference on Tropical and Coastal Region Eco-Development (ICTCRED) 2018

Semarang, 31st October 2018

Prof. Dr. Ir, Agus Sabdono, M.Sc.

Dean of Faculty of Fisheries and Marine Science

Prof. Ir. Tri Winarni Agustini, M.Sc., Ph.D.

Chair Person

s Dipindal dengan CamScanne