

LEMBAR
HASIL PENILAIAN SEJAWAT SEBIDANG ATAU PEER REVIEW
KARYA ILMIAH : PROSIDING

Judul Karya Ilmiah (Artikel) : Optimization of Gunungrowo Reservoir operation
 Jumlah Penulis : 3 orang (**Dyah Ari Wulandari**, Suseno Darsono, and Dwi Kurniani)
 Status Pengusul : penulis ke-1 dan korespondensi
 Identitas Prosiding : a. Judul Prosiding : The 2nd Conference for Civil Engineering Research Networks (ConCERN-2 2018)
 b. ISBN/ ISSN : 2261-236X
 c. Tahun Terbit / Tempat Pelaksanaan : Bandung, 27-29 November 2018
 d. Penerbit : EDP Sciences
 e. Alamat Repository PT / Web Prosiding : https://www.matec-conferences.org/articles/mateconf/abs/2019/19/mateconf_concern2018_04016/mateconf_concern2018_04016.html
 f. Terindex : Google Scholar
 Judul Prosiding : The 2nd Conference for Civil Engineering Research Networks (ConCERN-2 2018)
 g. ISBN/ ISSN : 2261-236X

Kategori Publikasi Artikel :

√

 Prosiding Forum Ilmiah Internasional
 (beri ✓ pada kategori yang tepat)

 Prosiding Forum Ilmiah Nasional

Hasil Penilaian *Peer Review* :

Komponen Yang Dinilai	Nilai Reviewer		Nilai Rata-rata /Nilai Akhir yang diperoleh
	Reviewer I	Reviewer II	
a. Kelengkapan unsur isi artikel (10%)	1,5	1,25	1,375
b. Ruang lingkup dan kedalaman pembahasan (30%)	3	4	3,5
c. Kecukupan dan kemutakhiran data/informasi dan metodologi (30%)	3	3,5	3,25
d. Kelengkapan unsur dan kualitas penerbit (30%)	3	3	3
Total (100%)	10,5	11,75	11,125
Nilai pengusul = 60% x 11,125 = 6,675	6,3	7,05	6,675

Reviewer I

Prof. Dr. Ir. Suharyanto M.Sc.
 NIP. 196309141988031012
 Unit kerja : Departemen Teknik Sipil FT UNDIP

Reviewer II

Prof. Dr. Ir. Suripin, M.Eng
 NIP. 196004271987031001
 Unit kerja : Departemen Teknik Sipil FT UNDIP

LEMBAR
HASIL PENILAIAN SEJAWAT SEBIDANG ATAU PEER REVIEW
KARYA ILMIAH : PROSIDING

Judul Karya Ilmiah (Artikel) : Optimization of Gunungrowo Reservoir operation
 Jumlah Penulis : 3 orang (**Dyah Ari Wulandari**, Suseno Darsono, and Dwi Kumiani)
 Status Pengusul : penulis ke-1 dan korespondensi
 Identitas Prosiding : a. Judul Prosiding : The 2nd Conference for Civil Engineering Research Networks (ConCERN-2 2018)
 b. ISBN/ ISSN : 2261-236X
 c. Tahun Terbit / Tempat Pelaksanaan : Bandung, 27-29 November 2018
 d. Penerbit : EDP Sciences
 e. Alamat Repository PT / Web Prosiding : https://www.matec-conferences.org/articles/mateconf/abs/2019/19/mateconf_concern2018_04016/mateconf_concern2018_04016.html
 f. Terindex : Google Scholar

Kategori Publikasi Artikel : ☒ Prosiding Forum Ilmiah Internasional
 (beri ✓ pada kategori yang tepat) ☐ Prosiding Forum Ilmiah Nasional

Hasil Penilaian *Peer Review* :

Komponen Yang Dinilai	Nilai Maksimal Prosiding		Nilai Akhir Yang Diperoleh
	Internasional ☒	Nasional ☐	
a. Kelengkapan unsur isi artikel (10%)	1,5		1,5
b. Ruang lingkup dan kedalaman pembahasan (30%)	4,5		3,0
c. Kecukupan dan kemutakhiran data/informasi dan metodologi (30%)	4,5		3,0
d. Kelengkapan unsur dan kualitas terbitan/artikel (30%)	4,5		3,0
Total (100%)	15,00		10,5
Nilai Pengusul = 60% x 10,5 = 6,30			

Catatan Penilaian artikel oleh Reviewer :

- Kesesuaian dan kelengkapan unsur isi artikel :**
 Artikel ditulis sesuai kaidah penulisan artikel ilmiah. Unsur isi artikel lengkap dan sesuai dengan panduan penulisan.
- Ruang lingkup dan kedalaman pembahasan:**
 Diskretisasi Decisin Variable (45,5 ribu m³) vs Storage (1 ribu m³) tidakimbang.
 Jumlah NS =1011 dengan disretisasi 1 ribu m3, apakah maks storage HANYA 1,011 juta m³ ?
 Terdapat typo batasan pada storage juga
- Kecukupan dan kemutakhiran data/informasi dan metodologi:**
 Persamaan rekursive kurang sesuai.
 Gambar 4 menunjukkan sering muka air waduk di bawah minimal. Mengapa bisa terjadi? (tidak jelas ini eksisting atau bagaimana? Apakah juga memungkinkan m.a. waduk di bawah minimal?)
 Lengkung elevasi-volume tidak ada (sangat perlu ada)
- Kelengkapan unsur dan kualitas terbitan:**
 Syarat-syarat prosiding internasional terpenuhi, namun pemeriksaan/editing kurang teliti. Sumbu horisontal (Period) pada Gambar 4 kurang jelas (tidak terbaca). Kualitas Gambar 6, 7 kurang prima.
 Prosiding discontinued scopus pada tahun 2019 dengan last coverage Vol 251, artikel terbit pada Vol 270 (sesudah discontinued).

Semarang,
 Reviewer 1

Prof. Dr. Ir. Suharyanto M.Sc.
 NIP. 196309141988031012
 Unit Kerja : Departemen Teknik Sipil FT UNDIP

LEMBAR
HASIL PENILAIAN SEJAWAT SEBIDANG ATAU *PEER REVIEW*
KARYA ILMIAH : PROSIDING

Judul Karya Ilmiah (Artikel) : Optimization of Gunungrowo Reservoir operation
Jumlah Penulis : 3 orang (**Dyah Ari Wulandari**, Suseno Darsono, and Dwi Kurniani)
Status Pengusul : penulis ke-1 dan korespondensi
Identitas Prosiding : a. Judul Prosiding : The 2nd Conference for Civil Engineering Research Networks (ConCERN-2 2018)
b. ISBN/ ISSN : 2261-236X
c. Tahun Terbit / Tempat Pelaksanaan : Bandung, 27-29 November 2018
d. Penerbit : EDP Sciences
e. Alamat Repository PT / Web Prosiding : https://www.matec-conferences.org/articles/mateconf/abs/2019/19/mateconf_concern2018_04016/mateconf_concern2018_04016.html
f. Terindex : Google Scholar

Kategori Publikasi Artikel : ☒ Prosiding Forum Ilmiah Internasional
(beri ✓ pada kategori yang tepat) ☐ Prosiding Forum Ilmiah Nasional

Hasil Penilaian *Peer Review* :

Komponen Yang Dinilai	Nilai Maksimal Prosiding		Nilai Akhir Yang Diperoleh
	Internasional ☒ 15	Nasional ☐	
a. Kelengkapan unsur isi artikel (10%)	1.5		1,25
b. Ruang lingkup dan kedalaman pembahasan (30%)	4.5		4,00
c. Kecukupan dan kemutakhiran data/informasi dan metodologi (30%)	4.5		3,50
d. Kelengkapan unsur dan kualitas terbitan/artikel (30%)	4.5		3,00
Total (100%)	15.00		11,75
Nilai Pengusul = 60% x 11,75 = 7,05			

Catatan Penilaian artikel oleh Reviewer :

1. Kesesuaian dan kelengkapan unsur isi artikel :

Paper telah disiapkan sesuai dengan standar normatif karya ilmiah akademis, metode yang digunakan sesuai dengan metode optimasi operasi waduk. Tulisan terstruktur dengan baik: abstrak, pendahuluan, metode, hasil dan pembahasan. Fokus penelitian ini adalah mengevaluasi operasi eksisting waduk, dan optimasi operasi waduk untuk mendapatkan pola operasi yang optimum.

2. Ruang lingkup dan kedalaman pembahasan:

Ruang lingkup dipaparkan dengan cukup jelas, baik di abstrak maupun isi, Hasil cukup baik untuk meningkatkan kinerja waduk. Tidak ada sesuatu yang baru pada dasarnya, namun hasilnya kajian ini dapat digunakan oleh pengelola waduk sebagai upaya yang dapat dilakukan untuk meningkatkan kinerja Waduk Gunungrowo, yang selama ini kinerjanya sangat rendah.

3. Kecukupan dan kemutakhiran data/informasi dan metodologi:

Data utama yang digunakan cukup mendukung dan relative mutakhir, Referensi yang digunakan cukup memadai, Sebagian besar dari sumber primer. Metode yang digunakan cukup relevan.

4. Kelengkapan unsur dan kualitas terbitan:

MATEC Web Conferences yang diterbitkan oleh EDP Sciences, Terindex pada DOAJ, Google Scholar, dll. EDP Sciences merupakan penerbit jurnal ilmiah, prosiding seminar, buku dan majalah yang tidak melakukan review terhadap artikel jurnal dan/atau seminar. Kualitas artikel tergantung penyelenggara Seminar/conference dan/atau MATEC, yang ternyata kurang cermat. Hal ini dapat dilihat dari beberapa tampilan gambar yang kurang lengkap. Hasil uji indikasi plagiasi dengan hasil similarity index 10%. Bidang karya ilmiah segaris dengan bidang keahlian serta pendidikan formal pengusul.

Semarang, 15 Januari 2022
Reviewer 2

Prof. Dr. Ir. Suripin, M.Eng
NIP. 196004271987031001
Unit Kerja : Departemen Teknik Sipil FT UNDIP

PROCEEDINGS CONCERN-2 2018

THE 2ND CONFERENCE FOR CIVIL ENGINEERING
RESEARCH NETWORKS 2018

Bandung, 27 - 29 November 2018

Editors :



Reini D. Wirahadikusumah

Budi Hasiholan

Patria Kusumaningrum

Institut Teknologi Bandung





ConCERN-2

The 2nd Conference for Civil Engineering
Research Networks 2018

CERTIFICATE

OF APPRECIATION

THIS CERTIFICATE IS PRESENTED TO

DYAH ARI WULANDARI

in recognition and appreciation as **Presenter** at ConCERN-2:
The 2nd Conference for Civil Engineering Research Networks
from the 27th to 29th of November at Institut Teknologi
Bandung, Indonesia

Ir. Biemo W. Soemardi, M.Sc., Ph.D.
ConCERN-2 Chairman

Prof. Ir. Ade Sjafruddin, M.Sc., Ph.D.
Dean of FCEE ITB



UNIVERSITI
TEKNOLOGI
PETRONAS

Accommodation

Aine Kusumawati
Rani Gayatri Kusumawardhani Pradoto
Jongga Jihanny

Media & Publication

Dyah Kusumastuti
Mohammad Farid
Kardina Nawassa Setyo Ayuningtyas

Documentation

Dhemi Harlan
Eka Oktariyanto Nugroho

Security, Safety & Permit

Eri Susanto Hariyadi
Arno Adi Kuntoro

Scientific Committee

Agung Wiyono	Institut Teknologi Bandung, Indonesia
Agus Setyo Muntohar	Universitas Muhammadiyah Yogyakarta, Indonesia
Anastasia Caroline Sutandi	Universitas Katolik Parahyangan, Indonesia
Andreas Wibowo	Ministry of Public Works and Housing, Indonesia
Anton Soekiman	Universitas Katolik Parahyangan, Indonesia
Budi Hasiholan	Institut Teknologi Bandung, Indonesia
Dhemi Harlan	Institut Teknologi Bandung, Indonesia
Dionysius M. Siringoringo	Yokohama National University, Japan
Djoko Legono	Universitas Gajah Mada, Indonesia
Doddi Yudianto	Universitas Katolik Parahyangan, Indonesia
Eri Hariyadi	Institut Teknologi Bandung, Indonesia
Ervina Ahyudanari	Institut Teknologi Sepuluh Nopember, Indonesia
Fakhrudin	Universitas Hasanuddin, Indonesia
Felix Hidayat	Universitas Katolik Parahyangan, Indonesia
Harmein Rahman	Institut Teknologi Bandung, Indonesia
Ikuo Towhata	University of Tokyo, Japan
Indra Djati Sidi	Institut Teknologi Bandung, Indonesia
Iswandi Imran	Institut Teknologi Bandung, Indonesia
Iwan Kridasantausa	Institut Teknologi Bandung, Indonesia
Jeongsoo Nam	Chungnam National University, South Korea
Joko Nugroho	Institut Teknologi Bandung, Indonesia
Lasminto Umboro	Institut Teknologi Sepuluh Nopember, Indonesia

Liyanto Eddy	University of Tokyo, Japan
Puti Farida Marzuki	Institut Teknologi Bandung, Indonesia
Rafik Taleb	University of Blida 1, Algeria
Rangga A. Sudisman	Universitas Pertamina, Indonesia
Reini Wirahadikusumah	Institut Teknologi Bandung, Indonesia
Rizal Z Tamin	Institut Teknologi Bandung, Indonesia
Rudy Hermawan Karsaman	Institut Teknologi Bandung, Indonesia
Russ Bona Frazila	Institut Teknologi Bandung, Indonesia
Shyh-Jiann Hwang	National Taiwan University, Taiwan
Sony Sulaksono Wibowo	Institut Teknologi Bandung, Indonesia
Sugeng Krisnanto	Institut Teknologi Bandung, Indonesia
Suppachai Sinthaworn	Srinakharinwirot University, Thailand
Suseno Darsono	Diponegoro University, Indonesia
Susumu Kono	Tokyo Institute of Technology, Japan
Susy Fatena Rostiyanti	Podomoro University, Indonesia
Tamon Ueda	Hokkaido University, Japan
Tjie-Liong Gouw	Bina Nusantara University, Indonesia
Tri Tjahjono	University of Indonesia, Indonesia
Tri Basuki Joewono	Parahyangan Catholic University, Indonesia
Vachara Peansupap	Chulalongkorn University, Thailand
Wasis Wardoyo	Institut Teknologi Sepuluh Nopember, Indonesia
Yo Hibino	Hiroshima University, Japan

Steering Committee

Herlien D. Setio
 Bambang Sugeng
 Krishna S. Pribadi
 M. Syahril B. Kusuma
 Masyhur Irsyam
 Irsan Soemantri B.
 Indah R. S. Salami
 Sony Sulaksono Wibowo

The conference was attended by researchers from 7 countries: Indonesia, Malaysia, Thailand, Australia, Russia, Japan, and Algeria.

There were 8 **keynote speakers** from various entities, i.e., government agency, local and international academicians, and international Official Development Assistance (ODA) agency, as follows:

1. Herry Vaza, Ph.D - Secretary of Research and Development Agency Ministry of Public Works and Housing, **Indonesia**
Indonesian Infrastructure Development Challenges and Strategies
2. Mr. Shinichi Yamanaka - Chief Representative, JICA Indonesia Office
JICA's Contribution to Indonesia's Infrastructure Development
3. Mr. Lee Chuan Seng - Former Deputy of Building Construction Authority, **Singapore**
The Development Journey of Digitization in Singapore's Construction Industry (2011 to Present)
4. Brawijaya, Ph.D - Directorate of Construction Services Development Ministry of Public Works and Housing, Indonesia
Strengthening Construction Safety Management in Indonesia
5. Dr. Bashar Mohammed - Associate Professor Civil & Environmental Engineering **Universiti Teknologi Petronas**
Rubber Concrete (Rubbercrete) and it's Application
6. Dr. Toong Khuan Chan - Senior Lecturer in Construction Management and Technology, University of Melbourne, **Australia**
A Rational Economic Approach to Technology Choice and Industry Development
7. Prof. Masyhur Irsyam - Professor of Civil and Environmental Engineering, Institut Teknologi Bandung, Indonesia
Palu Earthquake 2018, a Preliminary Geotechnical Engineering Report

In addition, there was 1 invited speaker from the industry:

1. Mr. Dwi Windarto - Director of Transit Oriented Development (TOD) and Legal of PT Kereta Cepat Indonesia China (High-speed Rail Indonesia-China).
Infrastructure Development of Jakarta-Bandung High-speed Rail

By using this website, you agree that EDP Sciences may store web audience measurement cookies and, on some pages, cookies



Journals

Books

from social networks. [More information and setup](#)
Conferences

EDPS Account


MATEC Web of Conferences

All issues

Series

Forthcoming

About

Search

Menu

[All issues](#) ▶ Volume 270 (2019)

[◀ Previous issue](#)

Table of Contents

[Next issue ▶](#)

Free Access to the whole issue

MATEC Web of Conferences

Volume 270 (2019)

The 2nd Conference for Civil Engineering Research Networks (ConCERN-2 2018)

Bandung, Indonesia, November 27-29, 2018

R.D. Wirahadikusumah, B. Hasiholan and P. Kusumaningrum (Eds.)

Export the citation of the selected articles [Export](#)[Select all](#)

Open Access

Statement of Peer review

Published online: 22 February 2019

PDF (56.0 KB)

Open Access

About the conference

Published online: 22 February 2019

PDF (348 KB)

- ✓ [Structural Engineering and Materials](#)
- ✓ [Geotechnical Engineering](#)
- ✓ [Transportation Engineering and Planning](#)

- ✓ [Water Resources Engineering and Management](#)
- ✓ [Construction Engineering and Management](#)
- ✓ [Infrastructure Engineering and Management](#)

☐ Open Access

Preface 00001

Reini D. Wirahadikusumah, Budi Hasiholan and Patria Kusumaningrum

Published online: 22 February 2019

DOI: <https://doi.org/10.1051/mateconf/201927000001>

PDF (58.76 KB)

☐ Open Access

Opening Address 00002

Ade Sjafruddin

Published online: 22 February 2019

By using this website, you agree that EDP Sciences may store web audience measurement cookies and, on some pages, cookies from social networks. [More information and setup](#)

OK

- *Structural Engineering and Materials*

☐ Open Access

Evaluation of behavior and performance of the braced/ unbraced four story of steel frame with semi rigid connection 01002

Daniel Rumbi Teruna

Published online: 22 February 2019

DOI: <https://doi.org/10.1051/mateconf/201927001002>

PDF (593.0 KB) | [References](#)

☐ Open Access

Design and reliability analysis of accommodation work barge mooring configuration at a tension leg platform in Makassar Strait, Indonesia 01003

Antonio Juan, Paramashanti, Rildova and Heri Setyawan

Published online: 22 February 2019

DOI: <https://doi.org/10.1051/mateconf/201927001003>

PDF (920.6 KB) | [References](#)

☐ Open Access

Experimental study of effect additional water on high performance geopolymer concrete 01004

Rachmansyah, Harianto Hardjasaputra and Meilanie Cornelia

Published online: 22 February 2019

DOI: <https://doi.org/10.1051/mateconf/201927001004>

PDF (478.3 KB) | [References](#)

☐ Open Access

Study on confined end-regions of RC walls under monotonic and cyclic loadings 01005

Rafik Taleb and Susumu Kono

Published online: 22 February 2019

DOI: <https://doi.org/10.1051/mateconf/201927001005>

PDF (720.4 KB) | [References](#)

☐ Open Access

Studies on nonlinear behavior of retrofitted reinforced concrete beam column joints after experiencing severe damage from earthquake load simulation 01006

Nelson Gosal, Iswandi Imran and Muhammad Riyansyah

Published online: 22 February 2019

DOI: <https://doi.org/10.1051/mateconf/201927001006>

PDF (768.2 KB) | [References](#)

☐ Open Access

Correlation between shear and normal strength for brittle reinforced concrete member considering internal stress condition of concrete 01007

Walid Ahmad Safi and Yo Hibino

Published online: 22 February 2019

DOI: <https://doi.org/10.1051/mateconf/201927001007>

PDF (686.2 KB) | [References](#)

- *Geotechnical Engineering*

☐ Open Access

Risk based decision making in highway slope geometry design 02001

By using this website, you agree that EDP Sciences may store web audience measurement cookies and, on some pages, cookies from social networks. [More information and setup](#)

OK

☐ Open Access

Study of flood characteristic in Cikalumpang River by using 2D flood model 04010

Akbar Rizaldi, Idham Riyando Moe, Mohammad Farid, Teguh Mulia Aribawa, Gatut Bayuadji and Tanto Sugiharto

Published online: 22 February 2019

DOI: <https://doi.org/10.1051/mateconf/201927004010>

PDF (747.1 KB) | [References](#)

☐ Open Access

Analysis of flood propagation and its impact on Negeri Lima Village due to the failure of Way Ela Dam 04011

Bagus Pramono Yakti, Mohammad Bagus Adityawan, Iwan Kridasantausa Hadihardaja, Yadi Suryadi, Joko Nugroho and Arno Adi Kuntoro

Published online: 22 February 2019

DOI: <https://doi.org/10.1051/mateconf/201927004011>

PDF (645.9 KB) | [References](#)

☐ Open Access

Study of the relation between hydraulic jump and the flood water level in the river on the downstream of a spillway 04012

Dwiva Anbiya Taruna, Mohammad Bagus Adityawan, Joko Nugroho, Mohammad Farid, Arno Adi Kuntoro and Widyaningtiyas

Published online: 22 February 2019

DOI: <https://doi.org/10.1051/mateconf/201927004012>

PDF (871.0 KB) | [References](#)

☐ Open Access

Flood control at km 130 Padaleunyi Toll 04013

Suci Anggraeni, Arno Adi Kuntoro, Mohammad Farid, Dhemi Harlan and M. Bagus Adityawan

Published online: 22 February 2019

DOI: <https://doi.org/10.1051/mateconf/201927004013>

PDF (478.4 KB) | [References](#)

☐ Open Access

Testing of smoothed particle hydrodynamics method for minor loss coefficient in three-dimensional water flow in circular vertical pipe contraction 04014

Muhammad Irham Sya'bani, RR Dwinanti Rika Marthanty, Herr Soeryantono and Jessica Sjah

Published online: 22 February 2019

DOI: <https://doi.org/10.1051/mateconf/201927004014>

PDF (414.9 KB) | [References](#)

☐ Open Access

Fuzzy rule-based model to optimize outflow in single reservoir operation 04015

Edy Anto Soentoro and Nina Pebriana

Published online: 22 February 2019

DOI: <https://doi.org/10.1051/mateconf/201927004015>

PDF (592.2 KB) | [References](#)

☐ Open Access

Optimization of Gunungrowo Reservoir operation 04016

Dyah Ari Wulandari, Suseno Darsono and Dwi Kurniani

Published online: 22 February 2019

DOI: <https://doi.org/10.1051/mateconf/201927004016>

PDF (490.9 KB) | [References](#)

By using this website, you agree that EDP Sciences may store web audience measurement cookies and, on some pages, cookies

Association rules and regression from social networks. [More information and setup](#) population by the evaluation of urban 04017

ling Lukman and Natalina

Published online: 22 February 2019

DOI: <https://doi.org/10.1051/mateconf/201927004017>

PDF (221.2 KB) | References

OK

☐ Open Access

The effect of small dams in Rawa Pening catchment area on sedimentation rate of Rawa Pening Lake 04018

Dyah Ari Wulandari, Dwi Kurniani, Sutarto Edhisono, Ferdian Ardianto and Denri Dahlan

Published online: 22 February 2019

DOI: <https://doi.org/10.1051/mateconf/201927004018>

PDF (302.7 KB) | References

☐ Open Access

2-D Numerical modelling of hydrodynamic and sediment transport in Agathis Lake 04019

Rian Mantasa Salve Prastica, Herr Soeryantono and Dwinanti Rika Marthanty

Published online: 22 February 2019

DOI: <https://doi.org/10.1051/mateconf/201927004019>

PDF (900.7 KB) | References

☐ Open Access

FVCOM model simulation of local scouring around bridge pile 04020

Sony Herdiansyah, Dantje Kardana Natakusumah and Dhemi Harlan

Published online: 22 February 2019

DOI: <https://doi.org/10.1051/mateconf/201927004020>

PDF (796.8 KB) | References

☐ Open Access

Computing urban flooding of meandering river using 2D numerical model (case study : Kebon Jati-Kalibata segment, Ciliwung river basin) 04021

Dian Indrawati, Bagus Yakti, Agustin Purwanti and Rono Hadinagoro

Published online: 22 February 2019

DOI: <https://doi.org/10.1051/mateconf/201927004021>

PDF (1.213 MB) | References

☐ Open Access

1D Numerical modelling of dam break using finite element method 04022

Nur Lely Hardianti Zendrato, Dhemi Harlan, Mohammad Bagus Adityawan and Dantje Kardana Natakusumah

Published online: 22 February 2019

DOI: <https://doi.org/10.1051/mateconf/201927004022>

PDF (441.2 KB) | References

☐ Open Access

Prediction of shoreline change using a numerical model: case of the Kulon Progo Coast, Central Java 04023

Asrini Chrysanti, Mohammad Bagus Adityawan, Widyaningtyas, Bagus Pramono Yakti, Joko Nugroho, Khilmi Zain, Iman Haryanto, Muhammad Sulaiman, Adhy Kurniawan and Hitoshi Tanaka

Published online: 22 February 2019

DOI: <https://doi.org/10.1051/mateconf/201927004023>

PDF (1.220 MB) | References

☐ Open Access

Comparative study on wave hindcasting using wind downscaling data at Bojong Salawe Beach 04024

By using this website, you agree that EDP Sciences may store web audience measurement cookies and, on some pages, cookies

from social networks. [More information and setup](#)

Impacts of infrastructure development in the villages of Batang Regency in terms of social, economy, education, and health 06003

Muhammad Fajri and Ayomi Rarasati

Published online: 22 February 2019

DOI: <https://doi.org/10.1051/mateconf/201927006003>

PDF (256.4 KB) | [References](#)

☐ Open Access

Criteria to consider in selecting and prioritizing infrastructure projects 06004

Seng Hansen, Eric Too and Tiendung Le

Published online: 22 February 2019

DOI: <https://doi.org/10.1051/mateconf/201927006004>

PDF (346.7 KB) | [References](#)

☐ Open Access

Islamic financing for infrastructure projects and its implementation barriers 06005

Ayomi Rarasati, Bambang Trigunaryah, Eric Too, Fiona Lamari and Faiq Bahwal

Published online: 22 February 2019

DOI: <https://doi.org/10.1051/mateconf/201927006005>

PDF (207.0 KB) | [References](#)

MATEC Web of Conferences

eISSN: 2261-236X



[Mentions légales](#)

[Contacts](#)

[Privacy policy](#)

A Vision4Press website

Study on confined end-regions of RC walls under monotonic and cyclic loadings

Rafik Taleb^{1,*} and Susumu Kono²

¹Department of Civil Engineering, University of Blida 1, Blida, [Algeria](#)

²Institute of Innovative Research, Tokyo Institute of Technology, Yokohama, Japan

Abstract. A study was conducted to clarify the influence of reinforcement detailing, slenderness and loading type on the capacity, damages and failure modes of confined boundary regions of reinforced concrete (RC) cantilever walls. It was found that the tensile strain prior to compressive strain affected the performance of thin wall boundaries and may lead to different failure modes compared to compression load only. It was also found that dense transverse reinforcement detailing in thin confined boundaries did not improve their performance. Some design and detailing practices were evaluated to determine their accuracy in preventing global buckling and bar buckling under extreme lateral loading. Numerical model that take into account reinforcing bar buckling was proposed to simulate the behaviour of specimens tested under monotonic condition. The model could simulate the observed response with good accuracy.

1 Introduction

Following the 2010 Chile and the 2012 New Zealand earthquakes, observed damages in RC wall buildings raised concern about the seismic performance of rectangular RC walls. In these earthquakes, severe damage happened to concrete walls in numerous walled buildings leading to partial or total collapse. Structural wall damages of boundary regions included spalling and crushing of concrete, often spread over the entire wall width, longitudinal reinforcement in those regions fractured under tension or buckled under compression, and apparent out-of-plan wall buckling was also observed in some damaged buildings [1,2,3]. It was reported that lack of adequate confinement and detailing in boundary regions was one of the main causes of those damages. These observations raise questions about the mechanisms that lead to reinforcing bars buckling, concrete crushing, and global wall buckling, as well as the quantity and configuration of transverse reinforcement at wall boundaries required to ensure good performance.

This study is a contribution to clarify the influence of reinforcement detailing, slenderness and loading type on the capacity, damages and failure modes of confined boundary regions of RC rectangular walls. One of the objectives of this study is to assess whether or not out-of-plan buckling and buckling of vertical reinforcement could be expected at the boundaries of concrete walls, and to explore the relationship between the phenomena of concrete crushing and reinforcing bar buckling. It is also important to predict the influence of ultimate failure mode

on ultimate drift capacity of RC walls and build numerical model able to take into account these damage situations.

2 Experimental Program

An experimental program was conducted in order to bring insight on the seismic performance of confined end regions of RC rectangular walls. The behaviour of boundary regions in a ductile RC wall subjected to lateral loading was studied by isolating the boundary regions of the wall as an axially loaded RC column. Although the approach does not account for the strain gradient expected across the section, the idealization is useful in providing an understanding of the mechanism involved during lateral loading of the RC wall. The objective was to investigate the influence of longitudinal and transverse reinforcement amount, slenderness and load type (Monotonic and cyclic) on their capacity, damage process and failure modes.

2.1 Description of the test specimens

Table 1 shows cross-sectional configurations and reinforcement layouts of the tested elements. Eight rectangular elements with two different sectional dimensions (B-type and C-type) having approximately similar cross-sectional area were constructed and tested. The element specimens were built without considering cover concrete so that the intermediate damage state due to spalling of cover concrete could be omitted, since the objective was to assess ultimate behaviour and failure

* Corresponding author: rafik.taleb.dz@gmail.com

Correlation between shear and normal strength for brittle reinforced concrete member considering internal stress condition of concrete

Walid Ahmad Safi^{1,*} and Yo Hibino¹

¹Graduate School of Engineering, Hiroshima University, Hiroshima, [Japan](#)

Abstract. Formulas used to predict shear strength of reinforced concrete in different standards do not always correspond to each other due to the complexity of the shear transfer mechanism. Currently there is no generally accepted method of shear strength prediction, however, traditionally, shear strength anticipation of a structural concrete elements is performed differently on members with or without shear reinforcement. These empirical approaches tend to predict the shear strength too conservatively; alternatively, shear strength of concrete can be easily predicted by Mohr-Coulomb theory. In case of high-axial load and low shear reinforcement, the strength is likely to be determined by the concrete's shear crack. Therefore, a method to predict the strength of concrete with Mohr-circle has been proposed but the circles crossed the boundary and could not evaluate the strength correctly. Mohr circle can be used for prediction of diagonal tension failure strength but the circle cannot be evaluated. In this paper, Mohr circles were investigated considering all steps of cyclic loading until shear crack occurred. It also investigates a correlation between shear strength and normal strength through recognition of the Mohr-Coulomb failure criteria for each specimen.

1 Introduction

Formulas used to predict shear strength of reinforced concrete in different standards do not always correspond to each other's prediction due to the complexity of the shear transfer mechanism. The shear strength anticipation of reinforced concrete members has been one of the fact-finding topic and therefore numerous researches have been launched (Nielsen et al. [1]; Vecchio and Collins [2, 3]; Bentz, Vecchio and Collins [4]). Currently there is no generally accepted method of shear strength prediction; however, traditionally, shear strength anticipation and checking of structural concrete elements is performed differently on members according to the shear reinforcement. Several well-established theories based on equilibrium considerations can be applied when shear reinforcement is provided, leading to safe design solutions. On the other hand, the actual shear failure mechanism cannot be demonstrated by these approaches and the shear strength is often estimated too conservatively.

As a solution for that issue, Muttoni [5] and Zhang [6] have investigated the shear strength of reinforced concrete members without stirrups based on a critical shear crack. It is realized that recently developed methods are restricted to the certain condition and property of material and cannot be directly applied to new technology.

Therefore, a method is desired for the prediction of shear strength to have applicability over all conditions based on rational shear failure mechanism.

In this paper it is attempted to address correlation between shear and normal strength based on recent improvements of shear strength prediction by Mohr-Coulomb theory to investigate the shear failure mechanism of reinforced concrete members.

2 Shear strength prediction with mohr-coulomb criterion

A shear strength prediction of reinforced concrete members with Mohr-Coulomb criterion has been proposed by Pujol [7]. When the Mohr circle's stress reaches the criterion internally, shear stress is given (See Fig. 1). The Mohr-Coulomb theory is a mathematical model (Fig. 1) describing the response of brittle materials such as concrete, or rubble piles, to shear stress as well as normal stress. The Mohr-Coulomb theory suggests a correlation between normal and shear stress as well as failure load and angle of friction. Coulomb's friction hypothesis is utilized to determine the combination of shear and normal stress that will cause a fracture of concrete. Mohr's circle is used to clarify which principal stresses will produce this combination of shear and

* Corresponding author: d174422@hiroshima-u.ac.jp

Critical success factors of collaborative approach in delivering sustainable construction

Shia Hui Liu¹, Yani Rahmawati^{1,*}, and Noor Amila Wan Abdullah Zawawi²

¹Civil and Environmental Engineering Department, Faculty of Engineering, Universiti Teknologi PETRONAS, Seri Iskandar, Malaysia

²Institute of Self-Sustainable Building, Universiti Teknologi PETRONAS, Seri Iskandar, Malaysia

Abstract. The essential aspect of sustainability in construction lead the complexities and involvement of multi parties in the construction project as well as its process. Conflicts of interests may appear in the process. Collaborative approach is essential for supporting decision making in delivering sustainable construction. This research identifies the collaboration critical factors. Scatter plot of mean and standard deviation analysis is done to rank the criticality of each collaboration factors in delivering sustainable construction. Eventually, factor analysis is done to identify the similarities between all the factors. There are twelve (12) factors identified from previous studies. Among all the collaboration factors, coordination among project stakeholders is identified as the most critical in delivering sustainable construction and followed by sharing responsibilities and mutual support. Based from factor analysis, five new factors of collaborative approach have been found.

1 Introduction

There are three key areas involved in sustainability. They are environmental responsibility; social awareness; and economic profitability. Achieving the right balance between these three key areas supports true sustainability. Given that there are a massive number of ongoing construction projects every year, the cumulative environmental impact from the projects becomes a serious problem that can cause significant damage, not only to ecosystems but also to the health and well-being of field workers and nearby residents of those projects [1]. Therefore, the construction industry has now emphasized in adopting the concept of sustainability to better protect the environment; being more profitable and competitive; as well as delivering buildings and structures that provide greater satisfaction, well-being and value to customers and users. Thus, sustainable construction is a trend nowadays and not only refers to the buildings and spaces but also the processes or activities used to construct the structures. Most of the structures and infrastructures are constructed under project-based setting. A construction project, especially those with sustainable construction intention, involves multi-disciplinary entities. Multi entities are needed in performing sustainable construction. The term entities in construction can refer to individuals, teams, units, departments, functional areas or organizations [2]. The entities can be categorised into three main roles which are owner/ developer; designer (architects and engineers); and contractor (main contractor, sub-contractor and specialist). Traditional

construction project practice has been based on rigid and impermeable boundaries that have made communication, cooperation and integration a major challenge [3]. Hence, collaborative approach is essential in breaking the boundaries between entities involved in a construction project and finally delivering a successful sustainable construction. Research has suggested that successful collaboration allowing potential for learning and innovations; leading to project success as well as creating future collaboration opportunity [4]. Fig 1 [5] illustrates the collaborative decision model in construction, whereby in supporting the involvement of multi disciplines participants collaboration is essential. This research aims to seek critical success factors of collaborative approach in supporting decision making to deliver sustainable construction.




Fig. 1. Decision making model in construction [5]

* Corresponding author: yani.rahmawati@utp.edu.my

Analysis of embankment slope stability: the comparison of finite element limit analysis with limit equilibrium methods

Kongkit Yingchaloenkitkhajorn^{1,*}

¹Department of Civil Engineering, College of Industrial Technology and Management, Rajamangala University of Technology Srivijaya, Nakhon Si Thammarat, **Thailand**

Abstract. This paper presented the analysis of embankment slope stability by considering the problem of embankment slope stability with special effects that it was filled with sand and was placed on purely cohesive clay. The finite element limit analysis of two-dimensional plane strain was employed to analyze the stability of this problem. The embankment slope height (H), the depth factors (d/H) and the embankment slope angle (β) for the finite element limit analysis of sand was modeled as a volume element with the properties of Mohr-Coulomb material in drained condition. And the clay was modeled as a volume element with the properties of Tresca material in undrained condition where the parameters were soil unit weight (γ), undrained shear strength (s_u) and friction angle (ϕ'). Parametric studies consisted of three dimensionless variables including depth factors (d/H), friction angle (ϕ') and embankment slope angle (β). Results were summarized in the form of the dimensionless stability number ($s_u/\gamma H(FS)$) and the design chart and application were presented. In addition, the comparison of the solution of stability number with the limit equilibrium methods and the failure mechanisms were also proposed in this paper.

1 Introduction

Embankment slope stability is commonly found in various road construction projects and at present, the prediction of the embankment slope stability is one of the important roles for civil engineers. In general, there are several effects on the embankment slope stability, such as embankment slope's physical properties, strength parameters, and embankment slope geometry and the construction process is also affected to the embankment slope as well. Moreover, the embankment slope can be categorized into natural embankment slope or construction processed embankment slope. Also, most of the fill slopes are often found in construction projects, which are characteristics of the embankment slope [1,2].

Limit equilibrium method (LEM) is one of the conventional methods which are used to evaluate embankment slope stability because LEM is a simple and inexplicable method. However, there are some limitations in this method, such as the shear assumption that occurs in the division of the components and the assumption of the failure curved lines. In general, LEM bases on the principle of moment and the equilibrium of force in order to evaluate the stability of the embankment slope. There are many important researches such as in [3,4,5,6,7] which analyzed the problems of embankment slope stability by using LEM, but only in 2D analysis system. In the analysis of the embankment slope stability, it is

necessary to assume the failure curved line and then divides the components of the failure curved line, which must base on the principle of moment and the equilibrium of force in order to base on the basic principles of LEM. Thereafter, the assumptions present in these researches should check for ensuring that the assumptions are correct and consistent with the principle of LEM.

Limit analysis can also use to analyze embankment slope stability problems and the use of these methods has been incorporated into the research such as in [8,9,10,11]. On the other hand, some researchers have studied in order to find solutions to the case of layered soil slope and cohesive-frictional slope such as in [12,13]. However, there are not many researches on the solution which is obtained from the analysis of embankment slope which is filled of sand and is placed on purely cohesive clay by using finite element limit analysis. Therefore, the research in this topic is still important and should place for the further research in this topic.

For the above reason, this paper proposed the analysis of embankment slope stability by considering the problems of embankment slope stability with special effects that it was filled of sand and was placed on purely cohesive clay by using finite element limit analysis both upper and lower bound on plane strain (2D Plane Strain). Moreover, the comparison of the solutions of stability numbers to the LEM and its applications were presented in this research.

* Corresponding author: Kongkit.y@rmutsv.ac.th