

**LEMBAR
HASIL PENILAIAN SEJAWAT SEBIDANG ATAU PEER REVIEW
KARYA ILMIAH : JURNAL ILMIAH**

Judul Karya Ilmiah (Artikel) : Laser Plasma Spectroscopy Using A Pulsed CO₂ Laser for the Analysis of Carbon in Soil

Jumlah Penulis Status : 6 orang

Pengusul Identitas : Penulis pertama/ ~~Penulis ke-~~ / ~~Penulis Korespondensi~~ **

Jurnal Ilmiah : a. Nama Jurnal : Journal of Applied Spectroscopy
 b. Nomor ISSN : 00219037, 15738647
 c. Volume, Nomor, Bulan, Tahun : Vol. 86, No. 1, Maret 2019
 d. Penerbit : Springer US
 e. DOI artikel (jika ada) : 10.1007/s10812-019-00797-2
 f. Alamat web jurnal : <https://link.springer.com/article/10.1007/s10812-019-00797-2>

g. Terindeks di Scimagojr/Scopus ~~atau~~
 —di....**

Kategori Publikasi Jurnal Ilmiah (beri tanda ✓ pada kategori yang tepat) : Jurnal Ilmiah Internasional / Internasional Bereputasi **
 Jurnal Ilmiah Nasional Terakreditasi
 Jurnal Ilmiah Nasional/Nasional Terindeks di DOAJ, CABI, COPERNICUS**

Hasil Penilaian *Peer Review* :

| Komponen Yang Dinilai | Nilai Reviewer | | Nilai Rata-rata |
|---|----------------|-------------|-----------------|
| | Reviewer I | Reviewer II | |
| a. Kelengkapan unsur isi jurnal (10%) | 3,5 | 3,5 | 3,5 |
| b. Ruang lingkup dan kedalaman pembahasan (30%) | 11,3 | 11,5 | 11,4 |
| c. Kecukupan dan kemutakhiran data/informasi dan metodologi (30%) | 11,4 | 11,3 | 11,35 |
| d. Kelengkapan unsur dan kualitas penerbit (30%) | 11,2 | 11,2 | 11,2 |
| Total = (100%) | | | 37,45 |
| Nilai untuk Pengusul : (60% x 37,45) = 22,47 | | | |

Semarang, 24 Februari 2021

Reviewer 1



Prof. Dr. Suryono, S.Si., M.Si.
 NIP. 197306301998021001
 Bidang ilmu/Unit kerja : Fakultas Sains dan Matematika/Fisika

Reviewer 2



Dr. Eng. Eko Hidayanto, S.Si., M.Si.
 NIP. 197301031998021001
 Bidang ilmu/Unit kerja : Fakultas Sains dan Matematika/Fisika

**LEMBAR
HASIL PENILAIAN SEJAWAT SEBIDANG ATAU PEER REVIEW
KARYA ILMIAH : JURNAL ILMIAH**

Judul Jurnal Ilmiah (Artikel) : Laser Plasma Spectroscopy Using A Pulsed CO₂ Laser for the Analysis of Carbon in Soil
 Nama/ Jumlah Penulis : 6 Orang
 Status Pengusul : Penulis pertama/ ~~Penulis ke~~ / ~~Penulis Korespondensi~~ **
 Identitas Jurnal Ilmiah : a. Nama Jurnal : Journal of Applied Spectroscopy
 b. Nomor ISSN : 00219037, 15738647
 c. Vol, No., Bln Thn : Vol. 86, No. 1, Maret 2019
 d. Penerbit : Springer US
 e. DOI artikel (jika ada) : 10.1007/s10812-019-00797-2
 f. Alamat web jurnal : <https://link.springer.com/article/10.1007%2Fs10812-019-00797-2>
 Alamat Artikel : <http://doc-pak.undip.ac.id/11087/3/C11.pdf>
 g. Terindex : Scopus

Kategori Publikasi Jurnal Ilmiah (beri pada kategori yang tepat) : Jurnal Ilmiah Internasional/Internasional Bereputasi
 Jurnal Ilmiah Nasional Terakreditasi Jurnal Ilmiah
 Nasional Tidak Terakreditasi

Hasil Penilaian *Peer Review* :

| Komponen Yang Dinilai | Nilai Maksimal Jurnal Ilmiah | | | Nilai Akhir Yang Diperoleh |
|---|--|--|--|----------------------------|
| | Internasional <input checked="" type="checkbox"/> | Nasional Terakreditasi <input type="checkbox"/> | Nasional Tidak Terakreditasi <input type="checkbox"/> | |
| a. Kelengkapan unsur isi jurnal (10%) | 4 | | | 3,5 |
| b. Ruang lingkup dan kedalaman pembahasan (30%) | 12 | | | 11,3 |
| c. Kecukupan dan kemutakhiran data/informasi dan metodologi (30%) | 12 | | | 11,4 |
| d. Kelengkapan unsur dan kualitas terbitan/jurnal (30%) | 12 | | | 11,2 |
| Total = (100%) | 40 | | | 37,4 |
| Nilai Pengusul = 60% x 37,4 = 22,44 | | | | |

Catatan Penilaian artikel oleh Reviewer :

1. Kesesuaian dan kelengkapan unsur isi jurnal:

Jurnal telah memiliki kesesuaian yang baik antar bagian, memiliki gap riset yang jelas, unsur-unsur jurnal ditulis dengan lengkap.

2. Ruang lingkup dan kedalaman pembahasan:

Jurnal memiliki ruang lingkup yang sesuai, pembahasan telah didukung dengan literatur terkini dan memiliki kedalaman yang baik sesuai dengan hasil yang diperoleh.

3. Kecukupan dan kemutakhiran data/informasi dan metodologi:

Jurnal memiliki kecukupan data yang baik, menggunakan metodologi riset yang telah sesuai yang didukung dengan referensi jurnal terbaru dan bermutu, perlu ditambahkan referensi yang mendukung.

4. Kelengkapan unsur dan kualitas terbitan:

Jurnal telah memiliki kelengkapan unsur yang baik dan kualitas terbitan yang sangat baik dari penerbit yang baik, jurnal yang terindek scopus, memiliki indek similaritas yang kecil, tata bahasa yang digunakan baik.

Semarang, 20 April 2021
 Reviewer 1



Prof. Dr. Suryono, S.Si., M.Si.
 NIP. 197306301998021001
 Unit Kerja : Fisika
 Bidang Ilmu: Fakultas Sains dan Matematika

**LEMBAR
HASIL PENILAIAN SEJAWAT SEBIDANG ATAU PEER REVIEW
KARYA ILMIAH : JURNAL ILMIAH**

Judul Jurnal Ilmiah (Artikel) : Laser Plasma Spectroscopy Using A Pulsed CO₂ Laser for the Analysis of Carbon in Soil
 Nama/ Jumlah Penulis : 6 Orang
 Status Pengusul : Penulis pertama/ ~~Penulis ke~~ / ~~Penulis Korespondensi~~ **
 Identitas Jurnal Ilmiah : a. Nama Jurnal : Journal of Applied Spectroscopy
 b. Nomor ISSN : 00219037, 15738647
 c. Vol, No., Bln Thn : Vol. 86, No. 1, Maret 2019
 d. Penerbit : Springer US
 e. DOI artikel (jika ada) : 10.1007/s10812-019-00797-2
 f. Alamat web jurnal : <https://link.springer.com/article/10.1007/s10812-019-00797-2>
 Alamat Artikel : <http://doc-pak.undip.ac.id/11087/3/C11.pdf>
 g. Terindex : Scopus

Kategori Publikasi Jurnal Ilmiah (beri pada kategori yang tepat) : Jurnal Ilmiah Internasional/Internasional Bereputasi
 Jurnal Ilmiah Nasional Terakreditasi Jurnal Ilmiah
 Nasional Tidak Terakreditasi

Hasil Penilaian *Peer Review* :

| Komponen Yang Dinilai | Nilai Maksimal Jurnal Ilmiah | | | Nilai Akhir Yang Diperoleh |
|---|--|--|--|----------------------------|
| | Internasional <input checked="" type="checkbox"/> | Nasional Terakreditasi <input type="checkbox"/> | Nasional Tidak Terakreditasi <input type="checkbox"/> | |
| a. Kelengkapan unsur isi jurnal (10%) | 4 | | | 3,5 |
| b. Ruang lingkup dan kedalaman pembahasan (30%) | 12 | | | 11,5 |
| c. Kecukupan dan kemutakhiran data/informasi dan metodologi (30%) | 12 | | | 11,3 |
| d. Kelengkapan unsur dan kualitas terbitan/jurnal (30%) | 12 | | | 11,2 |
| Total = (100%) | 40 | | | 37,5 |
| Nilai Pengusul = 60% x 37,5 = 22,50 | | | | |

Catatan Penilaian artikel oleh Reviewer :

1. Kesesuaian dan kelengkapan unsur isi jurnal:

Isi jurnal sangat sesuai dan lengkap dari komponen-komponen yang ada abstrak, pendahuluan, prosedur eksperimen, hasil dan pembahasan, lalu kesimpulan dan daftar pustaka yang digunakan.

2. Ruang lingkup dan kedalaman pembahasan:

Paper ini membahas tentang Analisis karbon (C) dalam tanah dengan spektroskopi plasma laser menggunakan laser pulsa karbon dioksida (CO₂) dengan batas deteksi C di dalam tanah adalah sekitar 23 mg/kg.

3. Kecukupan dan kemutakhiran data/informasi dan metodologi:


Data-data/informasi serta metodologi yang digunakan mutakhir.

4. Kelengkapan unsur dan kualitas terbitan:

Karya ini diterbitkan dalam jurnal berkualitas Q4 dengan SJR 0,2 oleh Springer GmbH & Co, Auslieferungs-Gesellschaft dengan unsur-unsur yang lengkap serta kualitas yang baik.

Semarang, 03 Juli 2021

Reviewer 2



Dr. Eng. Eko Hidayanto, S.Si., M.Si.

NIP. 197301031998021001

Unit Kerja : Fisika

Bidang Ilmu: Fakultas Sains dan Matematika

📄 Export 📄 Download 🖨️ Print ✉️ E-mail 📄 Save to PDF ☆ Add to List More... >

View at Publisher|

Document type

Article

Source type

Journal

ISSN

00219037

DOI

10.1007/s10812-019-00797-2

View more ▾

Journal of Applied Spectroscopy • Volume 86, Issue 1, Pages 162 - 165 • 15 March 2019

Laser Plasma Spectroscopy Using a Pulsed CO₂ Laser for the Analysis of Carbon in Soil

Khumaeni A.^a ✉️, Budi W.S.^a, Wardaya A.Y.^a, Idris N.^b, Kurniawan K.H.^c, Kagawa K.^d

📧 Save all to author list

^a Diponegoro University, Department of Physics, Faculty of Sciences and Mathematics, Tembalang, Semarang, Indonesia

^b Syiah Kuala University, Department of Physics, Faculty of Mathematics and Natural Sciences, Banda Aceh, Indonesia

^c Research Center of Maju Makmur Mandiri, Kembangan, Jakarta Barat, Indonesia

^d Fukui Science Academy, Fukui, Japan

1

Citation in Scopus

20

Views count ⓘ

View all metrics >

Abstract

Analysis of carbon (C) in soil has been successfully made by laser plasma spectroscopy using a pulsed carbon dioxide (CO₂) laser. Fine particles of soil sample were attached on a surface of the metal subtarget by adding a small amount of moisture; the metal was used to initiate the gas plasma. Experimentally, a pulsed laser was focused on the subtarget to induce a luminous plasma. The particles were vaporized and entered the plasma region. Dissociation and excitation happened in the high-temperature plasma region. The result certified that an analysis of C in soil can be demonstrated. A further measurement revealed that a calibration curve of C was successfully carried out. The limit of detection of C in the soil was around 23 mg/kg. © 2019, Springer Science+Business Media, LLC, part of Springer Nature.

Author keywords

carbon analysis; laser-induced breakdown spectroscopy; laser-induced plasma spectroscopy; soil sample

Reaxys Chemistry database information ⓘ

Cited by 1 document

Atomic spectrometry update-a review of advances in environmental analysis

Bacon, J.R. , Butler, O.T. , Cairns, W.R.L. (2020) *Journal of Analytical Atomic Spectrometry*

View details of this citation

Inform me when this document is cited in Scopus:

Set citation alert >

Related documents

Analysis of organic powder samples by using the metal-assisted subtarget effect in a Transversely-Excited Atmospheric (TEA) CO₂ laser-induced he gas plasma at 1 atm

Khumaeni, A. , Niki, H. , Deguchi, Y. (2009) *Journal of the Korean Physical Society*

Comparative study of Nd:YAG laser-induced breakdown spectroscopy and transversely excited atmospheric CO₂ laser-induced gas plasma spectroscopy on chromated copper arsenate preservative-treated wood

Khumaeni, A. , Lie, Z.S. , Niki, H. (2012) *Applied Optics*

Quantitative analysis of soil organic carbon using laserinduced breakdown spectroscopy: An improved method

Glumac, N.G. , Dong, W.K. , Jarrell, W.M. (2010) *Soil Science Society of America Journal*

View all related documents based on references

Find more related documents in Scopus based on:

Authors > Keywords >



Journal of Applied Spectroscopy

 [Editorial board](#)  [Aims & scope](#)

Journal of Applied Spectroscopy reports on key applications of spectroscopy in, physics, chemistry, material science, medicine, biology, ecology and spectral instrument-industry. An increasing number of papers presented here focus on the theory of lasers, as well as on the tremendous potential for the practical applications of lasers in numerous fields and industries. The Journal publishes new results of investigations in applied spectroscopy and other related fields on the following topics: atomic spectroscopy, molecular spectroscopy, luminescence, laser spectroscopy, nonlinear spectroscopy, spectroscopy of scattering media, spectroscopy of solids, spectroscopy of nanostructures, spectroscopy of gases and plasmas, spectroscopy in biology and medicine, spectroscopy in environment studies, devices and methods of spectroscopy, optical materials. — [show all](#)

For authors

[Submission guidelines](#)

[Ethics & disclosures](#)

[Contact the journal](#)

Explore

[Online first articles](#)

[Skip to main content](#)

Advertisement



[Search](#) 

- [Authors & Editors](#)
- [My account](#)

Menu

- [Authors & Editors](#)
- [My account](#)



[Journal of Applied Spectroscopy](#)

- [Journal home](#) >
- [Editors](#)

Editors

Editor-in-Chief

S.Ya. Kilin

*B.I. Stepanov Institute of Physics of the National Academy of Sciences of Belarus, Minsk, **Belarus***

Associate Editors

D.S. Mogilevtsev

B.I. Stepanov Institute of Physics of the National Academy of Sciences of Belarus, Minsk, Belarus

S.N. Kurilkina

B.I. Stepanov Institute of Physics of the National Academy of Sciences of Belarus, Minsk, Belarus

Executive Secretary

I.V. Dulevich

Editorial office of ZhPS, B.I. Stepanov Institute of Physics of the National Academy of Sciences of Belarus, Minsk, Belarus

Editorial Board

V.G. Baryshevsky, *Research Institute for Nuclear Problems of Belarusian State University, Minsk, Belarus*

I.D. Volotovskii, *Institute of Biophysics and Cell Engineering, Minsk, Belarus*

E.S. Voropay, *Belarusian State University, Minsk, Belarus*

S.V. Gaponenko, *B.I. Stepanov Institute of Physics of the National Academy of Sciences of Belarus, Minsk, Belarus*

L.L. Gladkov, *Belarusian State Academy of Communications, Minsk, Belarus*

A.L. Gurskii, *Belarusian State University of Informatics and Radioelectronics, Minsk, Belarus*

V.V. Demidchik, *Belarusian State University, Minsk, Belarus*

A.P. Ivanov, *B.I. Stepanov Institute of Physics of the National Academy of Sciences of Belarus, Minsk, Belarus*

N.V. Kuleshov, *Belarusian National Technical University, Minsk, Belarus*

G.E. Malashkevich, *B.I. Stepanov Institute of Physics of the National Academy of Sciences of Belarus, Minsk, Belarus*

O.G. Romanov, *Belarusian State University, Minsk, Belarus*

E.D. Skakovskii, *Institute of Physical Organic Chemistry, National Academy of Sciences of Belarus, Minsk, Belarus*

M.V. Tarasenko, *B.I. Stepanov Institute of Physics of National Academy of Sciences of Belarus, Minsk, Belarus*

S.N. Terkehov, *B.I. Stepanov Institute of Physics of National Academy of Sciences of Belarus, Minsk, Belarus*

E.A. Tikhonov, *Institute of Physics of National Academy of Sciences of Ukraine, Kyiv, Ukraine*

O.N. Tretinnikov, *B.I. Stepanov Institute of Physics of National Academy of Sciences of Belarus, Minsk, Belarus*

O.I. Shadyro, *Belarusian State University, Minsk, Belarus*

Advisory Editorial Board:

P. A. APANASEVICH (Belarus), M. S. BRODIN (Ukraine), U. WOGGON (Germany)

A. P. VOITOVICH, A. M. GONCHARENKO (Belarus), L. A. GRIBOV (Russia)

V. L. ERMOLAEV (Russia), T. KOBAYASHI (Japan), N. KONJEVIĆ (Serbia)

A. MEIJERINK (The Netherlands), J. ROBINSON (USA), J. SEPIOL (Poland)

B. SOEP (France), S. SUN (China), P.-Y. TURPIN (France)

ADDRESS OF THE EDITORIAL OFFICE:

68 Nezavisimosti Avenue

Minsk 220072

Belarus

Phone/Fax: 00 37517 284 17 80

Fax: 00 37517 284 08 79

E-mail: jas@dragon.bas-net.by

Authors and referees, please contact the Editor-in-Chief, Dr S. Ya. Kilin

e-mail: jas@dragon.bas-net.by

For other enquiries, please contact the Publishing Editor

For authors

[Submission guidelines](#) [Ethics & disclosures](#) [Contact the journal](#)



Volume 86, issue 1, March 2019

25 articles in this issue

1. [Quantum-Cascade Lasers in Medicine and Biology \(Review\)](#)

Authors (first, second and last of 4)

- P. I. Abramov
- E. V. Kuznetsov
- M. I. Skvortsova
- Content type: OriginalPaper
- Published: 15 March 2019
- Pages: 1 - 26

- Pages: 138 - 146

21. [**A Detailed Investigation of Certain Electronic Transitions of the BaD Molecule for Astrophysical Applications**](#)

Authors (first, second and last of 4)

- G. Shanmugapriya
- B. Karthikeyan
- N. El-Kork
- Content type: OriginalPaper
- Published: 15 March 2019
- Pages: 147 - 153

22. [**Study of the Interaction of Quercetin and Taxifolin with \$\beta\$ -Lactoglobulin by Fluorescence Spectroscopy and Molecular Dynamics Simulation**](#)

Authors

- Fatemeh S. Mohseni-Shahri
- Content type: OriginalPaper
- Published: 15 March 2019
- Pages: 154 - 161

23. [**Laser Plasma Spectroscopy Using a Pulsed CO₂ Laser for the Analysis of Carbon in Soil**](#)

Authors (first, second and last of 6)

- **A. Khumaeni**
- W. S. Budi
- K. Kagawa
- Content type: OriginalPaper
- Published: 15 March 2019
- Pages: 162 - 165

24. [**Reference Raman Spectral Database of Commercial Pesticides**](#)

Authors

- L. A. F. Dias
- E. I. Jussiani
- C. R. Appoloni
- Content type: OriginalPaper
- Published: 15 March 2019
- Pages: 166 - 175

25. [**Spectrophotometric Assessment of a Spectrally Overlapping Mixture of Cinchocaine Hydrochloride and Betamethasone Valerate in the Presence of Their Degradation Products**](#)

Authors (first, second and last of 4)

STRUCTURES AND FLUORESCENCE SPECTRA OF MEROCYANINE DYES IN POLYMER FILMS

A. V. Kulinich and A. A. Ishchenko*

UDC 535.34;535.372


Absorption and fluorescence spectra of positive and negative solvatochromic merocyanine dyes of the same structural type in polymer films of various polarities, e.g., polystyrene, poly(vinyl butyral), and poly-N-epoxypropylcarbazole, are studied. Negative solvatochromic merocyanines are more prone to aggregate than positive solvatochromic ones. Quantum-chemical DFT calculations explain this by the larger dipole moments of the former. Merocyanine aggregates have a sandwich structure that causes fluorescence quenching. Aggregation occurs at higher dye concentrations in the more polar polymers. The studied merocyanines exhibit noticeable solvatochromism in the polymers, like in solutions. Polyene–polymethine transformations in the merocyanines are the most important factor determining their ability to fluoresce in the polymers, despite the fact that the fluorescence intensity of the merocyanines increases on going from solutions to polymer matrices.

Keywords: merocyanine, polymer, solvatochromism, aggregation, absorption spectra, fluorescence.

Introduction. Polymer matrices colored by functional dyes are widely used as recording and information-storage media [1–3], passive Q-switches [4], active laser media [5, 6], and solar cell elements (both photovoltaic media themselves and luminescent solar concentrators) [7, 8]. The advantages of colored polymer matrices over liquid dye solutions are the simple manipulations, increased dye stability [because of decreased oxygen diffusion; transfer of the excess of vibrational energy from dye molecules to polymer, which is especially effective for chemically bound (grafted) dyes; suppression of photoisomerization in viscous media], and the ability to work under extreme conditions (vacuum, low temperatures).

The properties of merocyanine dyes in polymer media are practically unstudied. This issue is especially important because their electronic structures and; therefore, their photophysical properties depend directly on not only structural factors such as the polymethine chain length and donor–acceptor properties of terminal groups but also the medium properties [9]. The goal of the present work was to investigate the effects of merocyanine structures on their spectral and luminescent properties in polymer films.

Merocyanines possess positive, reverse, or negative solvatochromism depending on the chemical structure [9]. Their electronic structures can vary over broad ranges from a nonpolar polyene (A1) to an ideal polymethine (A2) with equilibrated chain bond lengths and orders and the maximum alternation of π -charges along the chromophore and further to a dipolar polyene (A3) [10]



Structure A2 is noncanonical for valence bond theory and is identified because absorption and fluorescence bands shift to long wavelength and narrow as it is approached. Also, the fluorescence quantum yield increases because vibronic coupling in electronic transitions is diminished [9, 10].

The effects of the dye chemical structure and the medium on polyene–polymethine relaxation (position along the structure sequence A1–A2–A3) in merocyanines in ordinary solvents have been studied in detail. The present work used a series of structurally related dyes **1–12** in which the donor and acceptor strength of both terminal groups, the lengths of the polymethine chains, and the electronic structure changed regularly in order to carry out a similar study in polymer films:

*To whom correspondence should be addressed.

QUANTITATIVE ANALYSIS OF TRACE METALS IN ENGINE OIL USING INDIRECT ABLATION-LASER INDUCED BREAKDOWN SPECTROSCOPY

Junshan Xiu,^{a*} Lili Dong,^b Yunyan Liu,^a and Jiyuan Li^a

UDC 533.9;543.42

In engine oil, the element composition and concentration changes as the engine operates. A rapid and effective detection of these changes, therefore, is needed to prevent accidents. Indirect ablation laser-induced breakdown spectroscopy (IA-LIBS) is a new technology introduced specially for oil samples. In this paper, 5 different oils are used for the analysis. The matrix effect on the calibration curves of analytical elements (Cu, Ti, Fe, and Ni) in these oils is investigated. The results show that the matrix effect is reasonably negligible under the conditions of our experiment. A generalized calibration curve can be established for analytical metals in different types of oils. We use the generalized calibration curves established to determine the concentrations of Cu, Ti, Fe, and Ni in mixed oils. The IA-LIBS results show that good agreement is obtained between the measured and known values.

Keywords: indirect ablation LIBS, metals in engine oils, matrix effect, calibration curves.

Introduction. Quantitative analysis of traces of metals in viscous liquids has a number of applications, for example, in detecting heavy metal pollution due to petroleum spills [1, 2], monitoring lubricating oil in engines [3], or screening cooking oils for the presence of hogwash oils [4]. Such metals as Fe, Cu, Ni, Ti, Cr, and Al can be added into engine oil by contamination or by wear in an engine during its operation. Therefore, the monitoring and determination of the metal content in engine oils is essential to identify the adverse consequences of contamination in engines and avoid losses [5]. However, the complexity of the matrix as well as high viscosity and high organic loads represent serious challenges for analytical chemistry to deal with engine oils.

In general, indirect analytical procedures involving elaborate sample preparation are regarded as established techniques for the determination of metals in liquids. The associated analytical techniques are atomic absorption spectrometry (AAS) [6, 7], inductively coupled plasma optical emission spectrometry (ICP-OES) [8], the spectrophotometric method [9], and mass spectrometry (ICP-MS) [10]. Good analytical performance can be obtained with a limit of detection (LOD) in the range from 10 to 100 ng/g (ppb in weight) for the dilution factor of the initial oil [11]. However, the above-mentioned indirect analytical methods exhibit disadvantages not only because of the highly complex and expensive equipment but also because of the required expertise and the time-consuming preparation of the sample. This increases the cost of the analysis and prevents *in situ* or online monitoring and measurement. Therefore, direct determination of metals in liquids is required.

Laser-induced breakdown spectroscopy (LIBS), as a rapid, sensitive, and multi-element analysis method, has attracted more and more attention in recent decades [12, 13]. Moreover, LIBS has been applied successfully to detect metals in engine oils [12–17]. Due to the complex process of ablation for liquids, a lower detection sensitivity is produced in this case as compared with the solid sample [13, 18]. In our previous work, we introduced an indirect ablation LIBS method for which a thin film of oil was coated on the polished surface of a pure aluminum target. The laser pulse was focused slightly under the target surface. It transmitted through the transparent thin liquid layer and induced hot metallic plasma, which, in turn, ablated the thin oil film and excited the emissions of metals in the coating oil film [19]. Indirect ablation LIBS for the detection of metals in engine oils is investigated, and lower LODs, ranging from several ppm to several hundred ppb, level are demonstrated for various metals [20].

*To whom correspondence should be addressed.

^aSchool of Physics and Optoelectronic Engineering, Shandong University of Technology, Zibo, 255049, China; email: xiujunshan@126.com; ^bSchool of Chemistry and Chemical Engineering, Shandong University of Technology, Zibo, 255049, China. Published in Zhurnal Prikladnoi Spektroskopii, Vol. 86, No. 1, pp. 51–57, January–February, 2019. Original article submitted May 23, 2017.