#### [TASJ] Submission Acknowledgement

Dari: Prof. Dr. Ir. Komang G. Wiryawan (jurnal@apps.ipb.ac.id)

Kepada: sgh\_undip@yahoo.co.id

Tanggal: Minggu, 28 Juni 2020 19.51 WIB

#### Dr. Sugiharto Sugiharto:

Thank you for submitting the manuscript, "Administration of Fermented Averrhoa bilimbi L. Fruit Filtrate through Drinking Water on Growth, Physiological Condition and Intestinal Ecology of Broiler Chickens: Fermented fruit filtrate on broiler growth and health" to Tropical Animal Science Journal. With the online journal management system that we are using, you will be able to track its progress through the editorial process by logging in to the journal web site:

Manuscript URL: http://journal.ipb.ac.id/index.php/tasj/authorDashboard/submission/31429

Username: sugiharto

If you have any questions, please contact me. Thank you for considering this journal as a venue for your work.

Prof. Dr. Ir. Komang G. Wiryawan

\_ Tropical Animal Science

Journal http://journal.ipb.ac.id/index.php/tasj

#### Revision required of your manuscript

Dari: Tropical Animal Science Journal (mediapeternakan@apps.ipb.ac.id)

Kepada: sgh\_undip@yahoo.co.id

Tanggal: Senin, 27 Juli 2020 09.42 WIB

Dear Sugiharto, Anugrah Pratama, Indri Mareta, Turrini Yudiarti, Hanny Wahyuni, Endang Widiastuti:

It is my pleasure to inform you that your submission to Tropical Animal Science Journal, "Administration of Fermented Averrhoa bilimbi L. Fruit Filtrate through Drinking Water on Growth, Physiological Condition and Intestinal Ecology of Broiler Chickens: Fermented fruit filtrate on broiler growth and health" had been examined by peer reviewers. Please find the comments and suggestions:

Submission URL: http://journal.ipb.ac.id/index.php/tasj/authorDashboard/submission/31429

If you decide to revise the manuscript, please give a response or rebuttal against each point which are suggested by peer reviewers. The revised document should include revision note file in table form and revised manuscript in MS Word file. Please return back the documents to the editor within 14 days via OJS, we would be glad if you submit your revised manuscript as soon as possible.

If you have any questions, please contact me.

Prof. Dr. Komang G Wiryawan Chief Editor Tropical Animal Science Journal kgwiryawan@yahoo.com

------

#### **Tropical Animal Science Journal**

Faculty of Animal Science Building, Bogor Agricultural University

Jln. Agatis, Kampus IPB Darmaga, Bogor 16680, Indonesia

Phone/Fax: +62-251-8421692

e-mail: mediapeternakan@apps.ipb.ac.id; mediapeternakan@yahoo.co.id

Website: http://journal.ipb.ac.id/index.php/tasj

Old website: <a href="http://medpet.journal.ipb.ac.id/">http://journal.ipb.ac.id/</a>; <a href="http://medpet.journal.ipb.ac.id/">http://medpet.journal.ipb.ac.id/</a>; <a href="http://me



Manuscript TASJ-31429\_MB1.pdf

785.3kB



Manuscript TASJ-31429\_MB1.docx 89.5kB



Form C1\_TASJ-31429.doc

953kB



# **Tropical Animal Science**



Faculty of Animal Science Building, IPB University (Bogor Agricultural University)
Jln. Agatis, Kampus IPB Darmaga, Bogor Indonesia 16680
Phone/Fax: +62 251 8421692
E-mail: mediapeternakan@apps.ipb.ac.id; mediapeternakan@yahoo.co.id
Website: http://journal.ipb.ac.id/index.php/tasj

#### PAPER EVALUATION

Paper Title: Administration of Fermented Averrhoa bilimbi L. Fruit Filtrate through Drinking Water on Growth, Physiological Condition and Intestinal Ecology of Broiler Chickens

Comments (please use additional paper if more space is needed)

A Reviewer I (MB1)  Please state the novelty of the research before resuming the objectives.  References  a) Please ensure that every reference cited in the text is also present in the reference list (and vice versa).  b) Please ensure that the number of the recent journals (the last 10 year journal publications) is more than 80%.  Please see the complete comments in the text  Reviewer II (MB2)  The methodology is not quite clear. The author fermented the fruit over several days 2, 4 and 6 days. The author did not state the filtrate from which fermentation days was used.  The birds sampled were 1 chick from each replicate for blood analysis at the age of 21 days and the same bird slaughtered at 33 days. Why was the same chick chosen and later slaughtered? The chick chosen should be randomized for the slaughter, simply because the bird selected may be the odd one out of the 10 in the replicate.  Your statistical analysis is too lengthy. Please explain why you need to use ANOVA to compare the means of the parameters measured. You can use linear regression to	Comments (please use additional paper if more space is needed)			
Please state the novelty of the research before resuming the objectives.  References  a) Please ensure that every reference cited in the text is also present in the reference list (and vice versa).  b) Please ensure that the number of the recent journals (the last 10 year journal publications) is more than 80%.  Please see the complete comments in the text  Reviewer II (MB2)  The methodology is not quite clear. The author fermented the fruit over several days 2, 4 and 6 days. The author did not state the filtrate from which fermentation days was used.  The birds sampled were 1 chick from each replicate for blood analysis at the age of 21 days and the same bird slaughtered at 33 days. Why was the same chick chosen and later slaughtered? The chick chosen should be randomized for the slaughter, simply because the bird selected may be the odd one out of the 10 in the replicate.  Your statistical analysis is too lengthy. Please explain why you need to use ANOVA and regressions. To me it is sufficient to use ANOVA to compare the means of the parameters measured. You can use linear regression to	No	Comments	Author's response	
the objectives.  References  a) Please ensure that every reference cited in the text is also present in the reference list (and vice versa).  b) Please ensure that the number of the recent journals (the last 10 year journal publications) is more than 80%.  Please see the complete comments in the text  Reviewer II (MB2)  The methodology is not quite clear. The author fermented the fruit over several days 2, 4 and 6 days. The author did not state the filtrate from which fermentation days was used.  The birds sampled were 1 chick from each replicate for blood analysis at the age of 21 days and the same bird slaughtered at 33 days. Why was the same chick chosen and later slaughtered? The chick chosen should be randomized for the slaughter, simply because the bird selected may be the odd one out of the 10 in the replicate.  Your statistical analysis is too lengthy. Please explain why you need to use ANOVA and regressions. To me it is sufficient to use ANOVA to compare the means of the parameters measured. You can use linear regression to				
2 References  a) Please ensure that every reference cited in the text is also present in the reference list (and vice versa).  b) Please ensure that the number of the recent journals (the last 10 year journal publications) is more than 80%.  3 Please see the complete comments in the text  B Reviewer II (MB2)  1 The methodology is not quite clear. The author fermented the fruit over several days 2, 4 and 6 days. The author did not state the filtrate from which fermentation days was used.  2 The birds sampled were 1 chick from each replicate for blood analysis at the age of 21 days and the same bird slaughtered at 33 days. Why was the same chick chosen and later slaughtered? The chick chosen should be randomized for the slaughter, simply because the bird selected may be the odd one out of the 10 in the replicate.  3 Your statistical analysis is too lengthy. Please explain why you need to use ANOVA and regressions. To me it is sufficient to use ANOVA to compare the means of the parameters measured. You can use linear regression to	1	•		
a) Please ensure that every reference cited in the text is also present in the reference list (and vice versa).  b) Please ensure that the number of the recent journals (the last 10 year journal publications) is more than 80%.  3 Please see the complete comments in the text  B Reviewer II (MB2)  1 The methodology is not quite clear. The author fermented the fruit over several days 2, 4 and 6 days. The author did not state the filtrate from which fermentation days was used.  2 The birds sampled were 1 chick from each replicate for blood analysis at the age of 21 days and the same bird slaughtered at 33 days. Why was the same chick chosen and later slaughtered? The chick chosen should be randomized for the slaughter, simply because the bird selected may be the odd one out of the 10 in the replicate.  3 Your statistical analysis is too lengthy. Please explain why you need to use ANOVA and regressions. To me it is sufficient to use ANOVA to compare the means of the parameters measured. You can use linear regression to		the objectives.		
is also present in the reference list (and vice versa).  b) Please ensure that the number of the recent journals (the last 10 year journal publications) is more than 80%.  Please see the complete comments in the text  Reviewer II (MB2)  The methodology is not quite clear. The author fermented the fruit over several days 2, 4 and 6 days. The author did not state the filtrate from which fermentation days was used.  The birds sampled were 1 chick from each replicate for blood analysis at the age of 21 days and the same bird slaughtered at 33 days. Why was the same chick chosen and later slaughtered? The chick chosen should be randomized for the slaughter, simply because the bird selected may be the odd one out of the 10 in the replicate.  Your statistical analysis is too lengthy. Please explain why you need to use ANOVA and regressions. To me it is sufficient to use ANOVA to compare the means of the parameters measured. You can use linear regression to	2	References		
versa). b) Please ensure that the number of the recent journals (the last 10 year journal publications) is more than 80%.  3 Please see the complete comments in the text  B Reviewer II (MB2)  1 The methodology is not quite clear. The author fermented the fruit over several days 2, 4 and 6 days. The author did not state the filtrate from which fermentation days was used.  2 The birds sampled were 1 chick from each replicate for blood analysis at the age of 21 days and the same bird slaughtered at 33 days. Why was the same chick chosen and later slaughtered? The chick chosen should be randomized for the slaughter, simply because the bird selected may be the odd one out of the 10 in the replicate.  3 Your statistical analysis is too lengthy. Please explain why you need to use ANOVA and regressions. To me it is sufficient to use ANOVA to compare the means of the parameters measured. You can use linear regression to		a) Please ensure that every reference cited in the text		
b) Please ensure that the number of the recent journals (the last 10 year journal publications) is more than 80%.  3 Please see the complete comments in the text  B Reviewer II (MB2)  1 The methodology is not quite clear. The author fermented the fruit over several days 2, 4 and 6 days. The author did not state the filtrate from which fermentation days was used.  2 The birds sampled were 1 chick from each replicate for blood analysis at the age of 21 days and the same bird slaughtered at 33 days. Why was the same chick chosen and later slaughtered? The chick chosen should be randomized for the slaughter, simply because the bird selected may be the odd one out of the 10 in the replicate.  3 Your statistical analysis is too lengthy. Please explain why you need to use ANOVA and regressions. To me it is sufficient to use ANOVA to compare the means of the parameters measured. You can use linear regression to		is also present in the reference list (and vice		
journals (the last 10 year journal publications) is more than 80%.  3 Please see the complete comments in the text  B Reviewer II (MB2)  1 The methodology is not quite clear. The author fermented the fruit over several days 2, 4 and 6 days. The author did not state the filtrate from which fermentation days was used.  2 The birds sampled were 1 chick from each replicate for blood analysis at the age of 21 days and the same bird slaughtered at 33 days. Why was the same chick chosen and later slaughtered? The chick chosen should be randomized for the slaughter, simply because the bird selected may be the odd one out of the 10 in the replicate.  3 Your statistical analysis is too lengthy. Please explain why you need to use ANOVA and regressions. To me it is sufficient to use ANOVA to compare the means of the parameters measured. You can use linear regression to		versa).		
more than 80%.  Please see the complete comments in the text  Reviewer II (MB2)  The methodology is not quite clear. The author fermented the fruit over several days 2, 4 and 6 days. The author did not state the filtrate from which fermentation days was used.  The birds sampled were 1 chick from each replicate for blood analysis at the age of 21 days and the same bird slaughtered at 33 days. Why was the same chick chosen and later slaughtered? The chick chosen should be randomized for the slaughter, simply because the bird selected may be the odd one out of the 10 in the replicate.  Your statistical analysis is too lengthy. Please explain why you need to use ANOVA and regressions. To me it is sufficient to use ANOVA to compare the means of the parameters measured. You can use linear regression to		b) Please ensure that the number of the recent		
B Reviewer II (MB2)  The methodology is not quite clear. The author fermented the fruit over several days 2, 4 and 6 days. The author did not state the filtrate from which fermentation days was used.  The birds sampled were 1 chick from each replicate for blood analysis at the age of 21 days and the same bird slaughtered at 33 days. Why was the same chick chosen and later slaughtered? The chick chosen should be randomized for the slaughter, simply because the bird selected may be the odd one out of the 10 in the replicate.  Your statistical analysis is too lengthy. Please explain why you need to use ANOVA and regressions. To me it is sufficient to use ANOVA to compare the means of the parameters measured. You can use linear regression to		journals (the last 10 year journal publications) is		
B Reviewer II (MB2)  The methodology is not quite clear. The author fermented the fruit over several days 2, 4 and 6 days. The author did not state the filtrate from which fermentation days was used.  The birds sampled were 1 chick from each replicate for blood analysis at the age of 21 days and the same bird slaughtered at 33 days. Why was the same chick chosen and later slaughtered? The chick chosen should be randomized for the slaughter, simply because the bird selected may be the odd one out of the 10 in the replicate.  Your statistical analysis is too lengthy. Please explain why you need to use ANOVA and regressions. To me it is sufficient to use ANOVA to compare the means of the parameters measured. You can use linear regression to		more than 80%.		
The methodology is not quite clear. The author fermented the fruit over several days 2, 4 and 6 days. The author did not state the filtrate from which fermentation days was used.  The birds sampled were 1 chick from each replicate for blood analysis at the age of 21 days and the same bird slaughtered at 33 days. Why was the same chick chosen and later slaughtered? The chick chosen should be randomized for the slaughter, simply because the bird selected may be the odd one out of the 10 in the replicate.  Your statistical analysis is too lengthy. Please explain why you need to use ANOVA and regressions. To me it is sufficient to use ANOVA to compare the means of the parameters measured. You can use linear regression to	3	Please see the complete comments in the text		
the fruit over several days 2, 4 and 6 days. The author did not state the filtrate from which fermentation days was used.  2 The birds sampled were 1 chick from each replicate for blood analysis at the age of 21 days and the same bird slaughtered at 33 days. Why was the same chick chosen and later slaughtered? The chick chosen should be randomized for the slaughter, simply because the bird selected may be the odd one out of the 10 in the replicate.  3 Your statistical analysis is too lengthy. Please explain why you need to use ANOVA and regressions. To me it is sufficient to use ANOVA to compare the means of the parameters measured. You can use linear regression to	В	Reviewer II (MB2)		
not state the filtrate from which fermentation days was used.  2 The birds sampled were 1 chick from each replicate for blood analysis at the age of 21 days and the same bird slaughtered at 33 days. Why was the same chick chosen and later slaughtered? The chick chosen should be randomized for the slaughter, simply because the bird selected may be the odd one out of the 10 in the replicate.  3 Your statistical analysis is too lengthy. Please explain why you need to use ANOVA and regressions. To me it is sufficient to use ANOVA to compare the means of the parameters measured. You can use linear regression to	1	The methodology is not quite clear. The author fermented		
used.  The birds sampled were 1 chick from each replicate for blood analysis at the age of 21 days and the same bird slaughtered at 33 days. Why was the same chick chosen and later slaughtered? The chick chosen should be randomized for the slaughter, simply because the bird selected may be the odd one out of the 10 in the replicate.  Your statistical analysis is too lengthy. Please explain why you need to use ANOVA and regressions. To me it is sufficient to use ANOVA to compare the means of the parameters measured. You can use linear regression to		the fruit over several days 2, 4 and 6 days. The author did		
The birds sampled were 1 chick from each replicate for blood analysis at the age of 21 days and the same bird slaughtered at 33 days. Why was the same chick chosen and later slaughtered? The chick chosen should be randomized for the slaughter, simply because the bird selected may be the odd one out of the 10 in the replicate.  Your statistical analysis is too lengthy. Please explain why you need to use ANOVA and regressions. To me it is sufficient to use ANOVA to compare the means of the parameters measured. You can use linear regression to		not state the filtrate from which fermentation days was		
blood analysis at the age of 21 days and the same bird slaughtered at 33 days. Why was the same chick chosen and later slaughtered? The chick chosen should be randomized for the slaughter, simply because the bird selected may be the odd one out of the 10 in the replicate.  3 Your statistical analysis is too lengthy. Please explain why you need to use ANOVA and regressions. To me it is sufficient to use ANOVA to compare the means of the parameters measured. You can use linear regression to		used.		
slaughtered at 33 days. Why was the same chick chosen and later slaughtered? The chick chosen should be randomized for the slaughter, simply because the bird selected may be the odd one out of the 10 in the replicate.  3 Your statistical analysis is too lengthy. Please explain why you need to use ANOVA and regressions. To me it is sufficient to use ANOVA to compare the means of the parameters measured. You can use linear regression to	2	The birds sampled were 1 chick from each replicate for		
and later slaughtered? The chick chosen should be randomized for the slaughter, simply because the bird selected may be the odd one out of the 10 in the replicate.  3 Your statistical analysis is too lengthy. Please explain why you need to use ANOVA and regressions. To me it is sufficient to use ANOVA to compare the means of the parameters measured. You can use linear regression to		blood analysis at the age of 21 days and the same bird		
randomized for the slaughter, simply because the bird selected may be the odd one out of the 10 in the replicate.  3 Your statistical analysis is too lengthy. Please explain why you need to use ANOVA and regressions. To me it is sufficient to use ANOVA to compare the means of the parameters measured. You can use linear regression to		slaughtered at 33 days. Why was the same chick chosen		
selected may be the odd one out of the 10 in the replicate.  Your statistical analysis is too lengthy. Please explain why you need to use ANOVA and regressions. To me it is sufficient to use ANOVA to compare the means of the parameters measured. You can use linear regression to		and later slaughtered? The chick chosen should be		
Your statistical analysis is too lengthy. Please explain why you need to use ANOVA and regressions. To me it is sufficient to use ANOVA to compare the means of the parameters measured. You can use linear regression to		randomized for the slaughter, simply because the bird		
why you need to use ANOVA and regressions. To me it is sufficient to use ANOVA to compare the means of the parameters measured. You can use linear regression to		selected may be the odd one out of the 10 in the replicate.		
sufficient to use ANOVA to compare the means of the parameters measured. You can use linear regression to	3	Your statistical analysis is too lengthy. Please explain		
parameters measured. You can use linear regression to		why you need to use ANOVA and regressions. To me it is		
		sufficient to use ANOVA to compare the means of the		
		parameters measured. You can use linear regression to		
support your ANOVA although it is not necessary. For		support your ANOVA although it is not necessary. For		
blood parameters you should use a two-way ANOVA, as		·		
you have two sampling days and 4 treatments. I suggest		*		
you remove the significance level (linear, quadratic and				
cubic) from the tables.				
4 You can use regression (linear or quadratic) when	4	You can use regression (linear or quadratic) when		
measuring microbial populations as these change over				



## **Tropical Animal Science** Journal



Faculty of Animal Science Building, IPB University (Bogor Agricultural University)
Jln. Agatis, Kampus IPB Darmaga, Bogor Indonesia 16680
Phone/Fax: +62 251 8421692
E-mail: mediapeternakan@apps.ipb.ac.id; mediapeternakan@yahoo.co.id
Website: http://journal.ipb.ac.id/index.php/tasj

	time, and over concentration of filtrate. Otherwise,	
	ANOVA is sufficient. Remember you have only 5 data	
	points at each concentration (x axis). You have 4	
	concentrations.	
5	If you find significance in quadratic and cubic regression	
	you need to present the graphs, the equations and also	
	discuss why it happens.	
6	Suggest you improve your discussions by omitting the use	
	of "quadratic"	
7	Need to improve the English	
8	Please see other comments in the text	

#### Revision required of your manuscript

Dari: Tropical Animal Science Journal (mediapeternakan@apps.ipb.ac.id)

Kepada: sgh\_undip@yahoo.co.id

Tanggal: Senin, 10 Agustus 2020 11.41 WIB

Dear Sugiharto, Anugrah Pratama, Indri Mareta, Turrini Yudiarti, Hanny Wahyuni, Endang Widiastuti:

It is my pleasure to inform you that your submission to Tropical Animal Science Journal, "Administration of Fermented Averrhoa bilimbi L. Fruit Filtrate through Drinking Water on Growth, Physiological Condition and Intestinal Ecology of Broiler Chickens: Fermented fruit filtrate on broiler growth and health" had been examined by Editor. Please find the comments and suggestions:

Submission URL: http://journal.ipb.ac.id/index.php/tasj/authorDashboard/submission/31429

If you decide to revise the manuscript, please give a response or rebuttal against each point which are suggested by Editor. The revised document should include revision note file in table form and revised manuscript in MS Word file. Please return back the documents to the editor within 14 days via OJS, we would be glad if you submit your revised manuscript as soon as possible.

If you have any questions, please contact me.

Prof. Dr. Komang G Wiryawan

Chief Editor
Tropical Animal Science Journal
<a href="mailto:kgwiryawan@yahoo.com">kgwiryawan@yahoo.com</a>

\_\_\_\_\_

**Tropical Animal Science Journal** 

Faculty of Animal Science Building, Bogor Agricultural University

Jln. Agatis, Kampus IPB Darmaga, Bogor 16680, Indonesia

Phone/Fax: +62-251-8421692

e-mail: mediapeternakan@apps.ipb.ac.id; mediapeternakan@yahoo.co.id

Website: http://journal.ipb.ac.id/index.php/tasj

Old website: http://medpet.journal.ipb.ac.id/; http://journal.ipb.ac.id/index.php/mediapeternakan



Form D\_TASJ-31429.doc 944.5kB



Manuscript TASJ-31429\_Reviewed by Editor.pdf 734.3kB

1/1

### [TASJ] New notification from Tropical Animal Science Journal

Dari: Prof. Dr. Loh Teck Chwen (jurnal@apps.ipb.ac.id)

Kepada: sgh\_undip@yahoo.co.id

Tanggal: Jumat, 14 Agustus 2020 11.55 WIB

You have a new notification from Tropical Animal Science Journal:

There is new activity in the discussion titled "Revisions of manuscript" regarding the submission "Administration of Fermented Averrhoa bilimbi L. Fruit Filtrate through Drinking Water on Growth, Physiological Condition and Intestinal Ecology of Broiler Chickens".

Link: https://journal.ipb.ac.id/index.php/tasj/authorDashboard/submission/31429

Prof. Dr. Ir. Komang G. Wiryawan
\_\_\_\_\_\_Tropical Animal Science

Journal http://journal.ipb.ac.id/index.php/tasj

#### [TASJ] Editor Decision

Dari: Prof. Dr. Komang G Wiryawan (jurnal@apps.ipb.ac.id)

Kepada: sgh\_undip@yahoo.co.id; anugrahrobby18@gmail.com; indrimareta092@gmail.com; tyudiarti@yahoo.co.id;

hihannyiw123@gmail.com; endwidia@yahoo.com

Tanggal: Selasa, 1 September 2020 12.23 WIB

Bogor, September 1, 2020

Dear Sugiharto Sugiharto, Anugrah Pratama, Indri Mareta, Turrini Yudiarti, Hanny Wahyuni, Endang Widiastuti:

I am pleased to inform you that your article submitted to Tropical Animal Science Journal, entitled "Administration of Fermented Averrhoa bilimbi L. Fruit Filtrate through Drinking Water on Growth Performance, Haematological Indices, Intestinal Ecology and Carcass Characteristics of Broiler Chickens" has been accepted for publication in this journal. We will send you the COPYEDITING of your manuscript as we will ask you for some correction of the typesetting.

Please find the attached invoice of the publication charge of your manuscript.

Thank you for your article submission, and we are looking forward to receive your incoming articles.

Prof. Dr. Komang G Wiryawan Chief Editor Tropical Animal Science Journal kgwiryawan@yahoo.com

Tropical Animal Science

Journal http://journal.ipb.ac.id/index.php/tasj



C-Acceptence Letter\_Sugiharto et al.pdf 55.8kB



C-INVOICE\_INV-20070.pdf 63.6kB