



1 of 1

[Download](#) [Print](#) [Save to PDF](#) [Add to List](#) [More...](#)

IOP Conference Series: Earth and Environmental Science • Open Access • Volume 1081, Issue 1 • 23 September 2022 • Article number 012006 • 3rd Maritime Safety International Conference, MASTIC 2022 • Virtual, Online • 15 July 2022 through 17 July 2022 • Code 183044

Document type

Conference Paper • Bronze Open Access

Source type

Conference Proceedings

ISSN

17551307

DOI

10.1088/1755-1315/1081/1/012006

[View more](#)

Experimental study of a ship with the self-righting moment in extreme condition

[Trimulyono A.](#) ; [Zakki A.F.](#) ; [Fuadi M.A.](#)[Save all to author list](#)^a Department of Naval Architecture, Faculty of Engineering, Universitas Diponegoro, Semarang, Indonesia1 67th percentile
Citation in Scopus8
Views count [View all metrics](#)[Full text options](#) [Export](#)**Abstract**[SciVal Topics](#)[Metrics](#)**Abstract**

Patrol vessel is an essential part of offshore security archipelago countries such as Indonesia. The main feature of patrol vessel is operating in rough waves during operation. Ship stability is one of the challenging aspects of patrol vessel because, in extreme conditions, the ship can capsize due to losing a self-righting moment. The present paper carried out a study of a patrol vessel with a self-righting moment in extreme conditions. The condition is a ship with rolling up to above 180° . Thus, the ship can capsize because of losses of the self-righting moment in rough condition. An experimental study is carried out to model a ship with a rolling angle above 180° . The principal dimension of ships L_{pp} , B , H , T , are 13.0 m, 4.2 m, 2.19 m and 1.15 m, respectively. The study was carried out with a physical model of ship 1:27.4. The model is made using 3D printing to maintain the hull integrity. In the present paper, only the full load condition was tested in the experiment condition. It was showed the ship design was proven to have a self-righting moment in the rolling angle above 180° © 2022 Institute of Physics Publishing. All rights reserved.

Cited by 1 document

Design of Anti-Capsize Ship for Patrol Vessel with the Self-Righting Moment

Trimulyono, A. , Fuadi, M.A. , Zakki, A.F. (2023) *Journal of Marine Science and Engineering*

[View details of this citation](#)

Inform me when this document is cited in Scopus:

[Set citation alert](#)**Related documents**

Interdependence between iron ore production and maritime transport

Todorut, A.V. , Paliu-Popa, L. , Cirnu, D. (2016) *Metalurgija*

Design of Anti-Capsize Ship for Patrol Vessel with the Self-Righting Moment

Trimulyono, A. , Fuadi, M.A. , Zakki, A.F. (2023) *Journal of Marine Science and Engineering*

Meshing generation strategy for prediction of ship resistance using CFD approach

Yulianti, S. , Samuel, S. , Nainggolan, T.S. (2022) *IOP Conference Series: Earth and Environmental Science*

[View all related documents based on references](#)

[Find more related documents in Scopus based on:](#)

[Authors](#)



Source details

IOP Conference Series: Earth and Environmental Science

Scopus coverage years: from 2010 to Present

ISSN: 1755-1307 E-ISSN: 1755-1315

Subject area: Earth and Planetary Sciences: General Earth and Planetary Sciences
Environmental Science: General Environmental Science

Source type: Conference Proceeding

[View all documents >](#)

[Set document alert](#)

[Save to source list](#) [Source Homepage](#)

CiteScore 2021

0.6



SJR 2021

0.202



SNIP 2021

0.409



[CiteScore](#) [CiteScore rank & trend](#) [Scopus content coverage](#)

Improved CiteScore methodology

CiteScore 2021 counts the citations received in 2018-2021 to articles, reviews, conference papers, book chapters and data papers published in 2018-2021, and divides this by the number of publications published in 2018-2021. [Learn more >](#)

CiteScore 2021

$$0.6 = \frac{45,063 \text{ Citations 2018 - 2021}}{74,324 \text{ Documents 2018 - 2021}}$$

Calculated on 05 May, 2022

CiteScoreTracker 2022

$$0.8 = \frac{60,010 \text{ Citations to date}}{75,405 \text{ Documents to date}}$$

Last updated on 05 February, 2023 • Updated monthly

CiteScore rank 2021

Category	Rank	Percentile
Earth and Planetary Sciences	#153/191	20th
General Earth and Planetary Sciences		
Environmental Science	#191/228	16th
General Environmental Science		

[View CiteScore methodology >](#) [CiteScore FAQ >](#) [Add CiteScore to your site](#)

Preface of MASTIC 2022 Proceedings

Welcome to 3rd Maritime Safety International Conference (MASTIC) 2022. After successfully held first and second MASTIC, Department of Marine Engineering, Faculty of Marine Technology, Institut Teknologi Sepuluh Nopember (ITS), Surabaya collaborated with The Center of Excellence for Maritime Safety and Marine Installation (PUI KEKAL) proudly presents the 3rd MASTIC 2022. Since we are still facing the global COVID-19 pandemic, the committee decided to hold this conference virtually on July 16, 2022, while the organizer was in Surabaya, Indonesia. This virtual conference theme is **"Future Challenges for the improvement of Maritime Safety Systems, Marine Operation and Environment"**.

There are three prominent keynote speakers. First speaker is Ir. Hengki Angkasawan who will deliver **keynotes about the concept of E-Navigation and E-pilotage**. Second is Prof. Takeshi Nakazawa, who **delivers keynotes about New initiative in Improving Human Resources for Safer Maritime Transport and Operations**. The last speaker is Mr. Denzal John Hargreaves, with the topic the role of Classification Societies to achieve a balance between Safety and Technological Advances. The committee of MASTIC received 77 full paper submissions. From those submissions, there were 60 accepted papers after some rigor review process and were presented in MASTIC 2022 which consists of three parallel sessions with four rooms. The paper represents 6 different countries (Indonesia, Japan, Germany, South Korea, United Arab Emirates dan Timor Leste). Hence, on behalf of MASTIC committee, I would like to extend gratitude to all the authors who contribute to the submission of the result of their latest research. Also, I would like to express my deep appreciation to the Technical Program Committee and the reviewers for their support in the reviewing process to keep the quality of manuscripts. The virtual MASTIC 2022 was conducted via the Zoom platform and was attended by more than 220 participants, including presenters, authors, and co-authors.

MASTIC could be a prestigious forum for educational institutions, researchers, and practitioners to exchange information and share research in the field of safety in ship operation and maritime industry. This conference could be successfully held due to the supports from our partnership sponsors, which are PT. Samudera Indonesia, Indonesian Classification Bureau (BKI), Petrokimia Gresik, Semen Gresik, and Indonesia Port Corporation (Pelindo).

We would also appreciate for the IOP conference publisher so that we could make an agreement to publish the MASTIC proceeding to the IOP Conference Series: Earth and Environmental Science (EES).

Once again, thank you for your support, I wish that the aims of MASTIC 2022 still can be achieved and gives great benefits for all of authors though we could not face each other's in person. I also hope that the MASTIC 2022 proceeding can be useful for the readers in supporting their research related in marine safety or marine engineering and further contributing to develop the technology in maritime field.

General Chair of MASTIC 2022

Dr. Dhimas Widhi Handani

Institut Teknologi Sepuluh Nopember, Surabaya, Indonesia

July 16, 2022



List of Conference Committee

The 3rd Maritime Safety International Conference (MASTIC) 2022

ADVISORY COMMITTEE

1	Bambang Pramujati ST MSc Eng PhD	Vice Rector of Institut Teknologi Sepuluh Nopember
2	Agus M. Hatta, ST., M.Sc., Ph.D.	Director of DIKST Institut Teknologi Sepuluh Nopember
3	Fadillatul Taufany, S.T., Ph.D.	Director of DRPM Institut Teknologi Sepuluh Nopember
4	Beny Cahyono, S.T., M.T., Ph.D	Head of Department of Marine Engineering, Institut Teknologi Sepuluh Nopember
5	D.Eng.Ir.AA Masroeri, M.Eng	Department of Marine Engineering, Institut Teknologi Sepuluh Nopember
6	Prof. Himsar Ambarita	Department of Mechanical Engineering, Universitas Sumatera Utara

EDITORS

1	Prof. Dr. Ketut Buda Artana. S.T., M.Sc	Department of Marine Engineering, Institut Teknologi Sepuluh Nopember
2	Dr. I Made Ariana,S.T.,M.Sc	Department of Marine Engineering, Institut Teknologi Sepuluh Nopember
3	AAB.Dinariyana Dwi P.,S.T.,M.ES.,Ph.D.	Department of Marine Engineering, Institut Teknologi Sepuluh Nopember
4	Dr. Eng. Trika Pitana,S.T.,M.Sc	Department of Marine Engineering, Institut Teknologi Sepuluh Nopember
5	Dr. Eng. I Putu Sindhu Asmara, S.T., M.T.	Surabaya State Shipping Polytechnic
6	Dr. Emmy Pratiwi, S.T.	Department of Marine Engineering, Institut Teknologi Sepuluh Nopember

ORGANIZING COMMITTEE

1	Dr. Dhimas Widhi Handani	Department of Marine Engineering, Institut Teknologi Sepuluh Nopember
2	Dr. Fadilla Indrayuni Prastyasari M.Sc.	Department of Marine Engineering, Institut Teknologi Sepuluh Nopember
3	Thariq A. Akbar S.T.	Department of Marine Engineering, Institut Teknologi Sepuluh Nopember
4	Dwi Suasti Antara, M.MT.	Department of Marine Engineering, Institut Teknologi Sepuluh Nopember
5	Hayy Nur Abdillah, S.T., M.T	Department of Marine Engineering, Institut Teknologi Sepuluh Nopember
6	Putu Widhi Aprilia, S.T.	Department of Marine Engineering, Institut Teknologi Sepuluh Nopember
7	Ni Luh Pujiyanti	Department of Marine Engineering, Institut Teknologi Sepuluh Nopember
8	Nur Azizah	Department of Marine Engineering, Institut Teknologi Sepuluh Nopember

9	Qatrinnada Tiara M.	Department of Marine Engineering, Institut Teknologi Sepuluh Nopember
10	Syifa Asillah Putri L	Department of Marine Engineering, Institut Teknologi Sepuluh Nopember
11	Muhammad Birawa Balapati	Department of Marine Engineering, Institut Teknologi Sepuluh Nopember
12	Andreas Mahendri Putra	Department of Marine Engineering, Institut Teknologi Sepuluh Nopember
13	I Gusti Ngurah Raditya P	Department of Marine Engineering, Institut Teknologi Sepuluh Nopember
14	Sucahyo Bawono	Department of Marine Engineering, Institut Teknologi Sepuluh Nopember
15	Fatahillah Syach	Department of Marine Engineering, Institut Teknologi Sepuluh Nopember

KEYNOTE SPEAKER

1	Ir. Hengki Angkasawan	Indonesia Ministry of Transportation
2	Prof. Takeshi Nakazawa	International Association of Maritime Universities
3	Dr. Denzal John Hargreaves	Regional Manager – Southeast Asia, Pacific and India DNV

CHAIRPERSON

1	A.A.B. Dinariyana DP., Ph.D.	Department of Marine Engineering, Institut Teknologi Sepuluh Nopember
2	Dr. I G. N. Sumanta Buana	Department of Naval Architecture, Institut Teknologi Sepuluh Nopember
3	Dr. Emmy Pratiwi	Department of Marine Engineering, Institut Teknologi Sepuluh Nopember
4	Dr. Fadilla Indrayuni P.	Department of Marine Engineering, Institut Teknologi Sepuluh Nopember
5	Sunarsih, S.T., M.Eng., PH.D	Department of Marine Engineering, Institut Teknologi Sepuluh Nopember
6	Handi Rahmanuri, M.Sc	Department of Marine Engineering, Institut Teknologi Sepuluh Nopember
7	Dr. I Putu Sindhu A.	Surabaya State Shipping Polytechnic
8	Dr. Adi Kurniawan	Department of Marine Engineering, Institut Teknologi Sepuluh Nopember
9	Dr. Septia Hardy S.	Department of Naval Architecture, Institut Teknologi Sepuluh Nopember
10	Dr. Nurhadi Siswantoro	Department of Marine Engineering, Institut Teknologi Sepuluh Nopember
11	Dr. Dhimas W. H.	Department of Marine Engineering, Institut Teknologi Sepuluh Nopember
12	Dr. Achmad Baidowi	Department of Marine Engineering, Institut Teknologi Sepuluh Nopember

Table of contents

Volume 1081

2022

◀ Previous issue Next issue ▶

The 3rd Maritime Safety International Conference (MASTIC 2022) 15/07/2022 - 17/07/2022 Online

Accepted papers received: 12 August 2022

Published online: 23 September 2022

Open all abstracts

Preface

OPEN ACCESS 011001

Preface of MASTIC 2022 Proceedings

+ Open abstract  View article  PDF

OPEN ACCESS 011002

Peer Review Statement

+ Open abstract  View article  PDF

Papers

OPEN ACCESS 012001

System Dynamics Modelling Scenarios for The Import Receiving Infrastructures Capacity Plan & Development in anticipating Future Deficits of Natural Gas Supply in Indonesia.

A A Purwosaputra, K B Artana and A A B Dinariyana

+ Open abstract  View article  PDF

OPEN ACCESS 012002

Dynamic Safety Modelling for Ship Management Performance

Adi Mas Nizar, Masumi Nakamura, Takashi Miwa and Makoto Uchida

+ Open abstract  View article  PDF

OPEN ACCESS 012003

Risk Assessment of Subsea Power Cables in South Sumatera Province Waters

Zulfaidah Ariany, Sarwoko, Budhi Santoso and Winarno D. Rahardjo

+ Open abstract  View article  PDF

OPEN ACCESS 012004

A study of interceptor performance for deep-v planing hull


S. Samuel, Serliana Yulianti, Parlindungan Manik and Abubakar Fathuddiin



















+ Open abstract  View article  PDF

OPEN ACCESS 012005

The Control of PMSM Motor to Drive Propeller in Ship Propulsion System

M.A. Jami'in, M.B. Rahmat, P.P.A. Nugroho, M. Santoso and E. Julianto

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy. 

- OPEN ACCESS** 012006
Experimental study of a ship with the self-righting moment in extreme condition
 A Trimulyono, A F Zakki and M A Fuadi
 + Open abstract  View article  PDF
-
- OPEN ACCESS** 012007
Risk Assessment of Delay for CEMS and WHRU Installation Project on Plant Shutdown at Central Processing Gas Gundih
 Ivan Ali Sanjaya, Ketut Buda Artana and AAB Dinariyana
 + Open abstract  View article  PDF
-
- OPEN ACCESS** 012008
The Design of Ship Operation Cost Estimation Simulator Uses a Case Study of The Bung Tomo Trainer Ship
 U Widyarningsih, Sutoyo, A A N P Yuda, A Mirianto, Z Zuhri and N V Harini
 + Open abstract  View article  PDF
-
- OPEN ACCESS** 012009
Case Study of Ship Traffic Crowds in The Malacca Strait-Singapore by Using Vessel Traffic System
 F Nofandi, U Widyarningsih, R A Rakhman, A Mirianto, Z Zuhri and N V Harini
 + Open abstract  View article  PDF
-
- OPEN ACCESS** 012010
Analysis The Effect of Outrigger (Cadik) Variations on Motion Response of Fishing Boat Using CFD Method
 Akbar Bagus Darmawan, Yeddid Yonatan Eka Darma and Jangka Rulianto
 + Open abstract  View article  PDF
-
- OPEN ACCESS** 012011
Current research outlook on solar-assisted new energy ships: representative applications and fuel & GHG emission benefits
 Tuswan Tuswan, Saefulloh Misbahudin, Sony Junianto, Hartono Yudo, Ari Wibawa Budi Santosa, Andi Trimulyono, Ocid Mursid and Deddy Chrismianto
 + Open abstract  View article  PDF
-
- OPEN ACCESS** 012012
The Adaptive Engineering Asset Management Framework for Sustainable Gas Terminal Infrastructures
 Oktaviani Turbaningsih and Ulfa Mutaharah
 + Open abstract  View article  PDF
-
- OPEN ACCESS** 012013
Illegal, Unreported and Unregulated (IUU) Fishing in Indonesia: Problems and Solutions
 Adam Leonardo and Nowar Deeb
 + Open abstract  View article  PDF
-
- OPEN ACCESS** 012014
Ship to Ship Manoeuvring Simulation to Determine Elements of Tugboat Handling
 I Putu Sindhu Asmara and Adi Wirawan Husodo
 + Open abstract  View article  PDF
-
- OPEN ACCESS** 012015
Development of the Elements of Tugboat Handling for Berthing and Unberthing of Container Ships
 I P S Asmara, D Kristianto, M A Mustaghfirin, Y Pranarsi, Adianto, A Z Arhanto and C A Firmansyah

A Computational of benchmark model of resistance test at Indonesian Hydrodynamic Laboratory

D Purnamasari, M Nasir and Rina

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012026

Hydraulic Stability of BPPT – lock on Breakwater Head

Salesiano Cuimbra, Haryo Dwito Armono and Wahyudi

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012027

Meshing generation strategy for prediction of ship resistance using CFD approach

Serliana Yulianti, S Samuel, T S Nainggolan and Muhammad Iqbal

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012028

Virtual private network (VPN) model for AIS real time monitoring

A Maulidi, M Abdullah and DW Handani

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012029

Risk Assessment of Ship Collision on FSO Abherka and Oil Spill Modelling Due to Structural Damage

Rafiuddin Adyaksa Sukma, Dhimas Widhi Handani, Taufik Fajar Nugroho and Widiastuti Tyasayumranani

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012030

Feasibility Study of 7.8 m Fiberglass Boat Using Longitudinal Hollow Steel on Sagging and Hogging Condition

Hartono Yudo, Ocid Mursid, Wilma Amiruddin and Imam Pujo Mulyatno

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012031

Stability Assessments of RoPax Open Car Deck on Longitudinal Wave

Hasanudin Hasanudin, Achmad Zubaydi and Wasis Dwi Aryawan

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012032

Development of the Hub and Spoke network model in natural disaster management

E Rasyid, K B Artana and K Sambodho

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012033

The operational concept of Mini LNG Carrier: Preventing sedimentation on the seabed

Abdul Kadir, I. Istadi, I. Iskendar, Agus Subagio, Baharuddin Ali, N. Nurcholis and W. Waluyo

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012034

The Performance of KH and KG Flexible Riser with Distributed Buoyancy Modules Configuration

Muhammad Pratikto Priyanto, Danasesha Paradinda Putra and Iis Iskandar

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.

012035



Experimental study of a ship with the self-righting moment in extreme condition

A Trimulyono^{1*}, A F Zakki¹, M A Fuadi¹

¹Department of Naval Architecture, Faculty of Engineering, Universitas Diponegoro, Semarang, [Indonesia](#).

*Correspondence: anditrimulyono@lecturer.undip.ac.id

Abstract. Patrol vessel is an essential part of offshore security archipelago countries such as Indonesia. The main feature of patrol vessel is operating in rough waves during operation. Ship stability is one of the challenging aspects of patrol vessel because, in extreme conditions, the ship can capsize due to losing a self-righting moment. The present paper carried out a study of a patrol vessel with a self-righting moment in extreme conditions. The condition is a ship with rolling up to above 180°. Thus, the ship can capsize because of losses of the self-righting moment in rough condition. An experimental study is carried out to model a ship with a rolling angle above 180°. The principal dimension of ships Lpp, B, H, T, are 13.0 m, 4.2 m, 2.19 m and 1.15 m, respectively. The study was carried out with a physical model of ship 1:27.4. The model is made using 3D printing to maintain the hull integrity. In the present paper, only the full load condition was tested in the experiment condition. It was showed the ship design was proven to have a self-righting moment in the rolling angle above 180°.

1. Introduction

Patrol vessel is an essential part of offshore security archipelago countries such as Indonesia. The main feature of patrol vessels is operating in rough waves during operation. Ship stability is one of the challenging aspects of high-speed craft because the ship has a small breadth that leads to small self-righting moments in roll motion. This situation could endanger the vessel when a vessel is rolling above 180°; as a result, a ship can capsize due to losing a self-righting moment. Priohutomo has studied patrol vessels with control manoeuvring ships using an experimental approach in wave basins [1]. The study of the number of bilge keel in patrol vessels was done by Widyatmoko [2]. The study of ship construction and strength of patrol vessels has been conducted by Koostanto [3], moreover CFD simulation was performed by Samuel [4]. The effect of spray strip on on high-speed craft has been conducted by Samuel [5]. Self-righting moment of the patrol vessel was carried out by Putra using a numerical approach. The results showed self-righting moments could be achieved by extending the breadth of the upper deck structure [6]. Previously, the self-righting moment study was done using a numerical method using Hydromax [7]. It shows that the study of a physical model of patrol vessel with a self-righting moment is rolling above 180° still few. Thatcher has divided some remarks of self-righting methods into three methods, i.e., inherent stability self-righting, inflatable bag, and ballast movement [8]. Capsize is one cause of marine accidents in the world, as shown in Fig. 1 [9], although it is a very small portion based on Fig. 1. Moreover, a patrol vessel is commonly used as a search and rescue (SAR) vessel; as a result,



Dynamic Safety Modelling for Ship Management Performance

Adi Mas Nizar^a, Masumi Nakamura^b, Takashi Miwa^a, Makoto Uchida^a

^aGraduate School of Maritime Sciences, Kobe University, Japan

^bNational Institute of Technology (KOSEN), Yuge College, Japan

email: 185w604w@stu.kobe-u.ac.jp

Abstract. Recent development and projection of ship operations as a sociotechnical system is getting more complex. In order to successfully emulate a high-reliability organization with a balance between operational efficiency and safety, the shipping companies have to grab a well understanding of the operating performance. However, because the teams are distributed spatially and temporally, a misalignment of shared situation awareness casually exists. We extended Rasmussen's dynamic safety theory and adjusted it in the context of ship management performance. A modelling study using system dynamics was done to illuminate how the feedback loops construct the interaction between safety, efficiency, and workload. The simulation result shows that the operations behave following the safety and efficiency pressures created by existing goals and boundaries. The model is also able to capture these trade-offs in different variety of operation scenarios. Application such modelling may provide the managers with a better understanding and valuable insight to implement the strategies to sustain safe operations.

1. Introduction

Balancing between efficiency and safety in ship operation is common practice, as well as other general industries. While doing it, each level of the organization's components in ship operation frequently makes a trade-off between efficiency and thoroughness to manage the available resources [1]. Naturally, an organization such as a shipping or ship management company based their decision to pursue optimum cost-effectiveness, but on the other hand, it also prepares the stage for the accident [2]. In a sociotechnical system where safety is viewed as a control problem, an accident occurs whenever this control system cannot handle component failure or external troubles [3]. Therefore, examining the behaviour in each interaction between components becomes more prominent.

Ship management operation has a characteristic of the distributed team between shore staff and onboard seafarers. Different time operations make the team distributed not only geographically but also temporally [4]. Even the accident number in maritime operations is decreasing, human error, especially the failure of situation awareness, remains dominant [5]. The failure to attain situation awareness occurs not only because the difficulty in communicating mental models between the team members onboard, but also between onboard and shore side [6]. The overall situation awareness is perceived differently by an individual based on incomplete and inaccurate information. Such condition makes the team remain locked into a false picture of the situation until accidents or incidents occur [4].

The interaction between onboard seafarers and shore management and its behavior in terms of efficiency, safety, and workload needs to be closely observed in a feedback loop environment.



A study of interceptor performance for deep-v planing hull

S. Samuel¹, Serliana Yulianti¹, Parlindungan Manik¹, Abubakar Fathuddiin²

¹Department of Naval Architecture, Faculty of Engineering, Diponegoro University, Semarang, 50275, Indonesia

²Blue Gulf Cat, Sheikh Rashid bin Saeed St, Abu Dhabi, 41655, United Arab Emirates

Corresponding author: serliana.yuliantii@gmail.com

Abstract. The acting on the planing hull is the most complex hydrodynamics simulation. Therefore, an analysis was done to evaluate drag, lift force, and seakeeping in two degrees of freedom (2-DOF) which is heave and trim. It was fundamental aspects of the overall high-speed vessel. This article focused on the hydrodynamic performance of a complete interceptor configuration that could control the motion behavior of deep-V planing hull in calm water conditions. The benchmark study was undertaken by comparing numerical results with experimental study by Park et al. Models with and without interceptors had been analyzed by numerical simulation performed using Reynold Averaged Navier Stokes (RANS) to describe turbulence model with k epsilon based on computational fluid dynamic (CFD). In this study, the interceptor proper applies at a speed of less than Froude number 0.87. Interceptor reduce by 21% drag at Froude number 0.87 and also reduce by 16% trim and 6% heave at Froude number 0.58. Nevertheless, applied interceptor in high Froude number such as more than Froude number 1.16 caused interceptor lose effectiveness due to producing a decisive moment which made negative trim (bow-down) and increase total drag.

Keywords: CFD, drag, full interceptor, heave, lift force, planing craft

1. Introduction

The interceptor is a thin rectangle mounted on the vessel's transom to modify local flow near the stern. The interceptor generates substantial additional pressure towards the vessel's stern. This concept is adopted from an aerodynamic device called a gurney flap on race cars to increase down-force on the car's rear wing. The interceptor mechanism aims to increase the lift to drag ratio pressure on the vessel, which is slightly different from the situation on race cars. The aerodynamic aspect of a racing car does not affect drag friction. However, drag friction is significantly affected even in steady flow on the vessel. The interceptor will modify the pressure distribution in the same way as the gurney flap. However, the interceptor can affect the balance, which impacts the generation of the stern wave system and the resistance due to the waves. In addition, the increase in lift force also reduces sinkage and wetted surface areas as well as frictional resistance to the hull.

An experimental study conducted by Day and Cooper reported that the interceptor could reduce drag on sailing yachts [1]. Furthermore, Van Oossanen conducted a 45 m motor yacht with an interceptor dimension of 50 mm using the CFD approach. The study resulted in a reduction in the trim of 1 degree and decrease in drag of 7% at Froude number 0.6 [2].



Meshing generation strategy for prediction of ship resistance using CFD approach

Serliana Yulianti¹, S Samuel¹, T S Nainggolan¹ and Muhammad Iqbal²

¹Department of Naval Architecture, Faculty of Engineering, Diponegoro University, Semarang, 50275, Indonesia

²Department of Naval Architecture, Ocean, and Marine Engineering, University of Strathclyde, Glasgow, UK

Corresponding author: samuel@ft.undip.ac.id

Abstract. CFD is a numerical approach used to solve fluid problems. In the CFD simulation process, the meshing stage is crucial to produce high accuracy. Meshing is a process where the geometric space of an object is broken down into many nodes to translate the physical components that occur while representing the object's physical shape. The research objective was to analyze the characteristics of the mesh technique in the *Finite Volume Method* (FVM) using the RANS (*Reynolds - Averaged Navier - Stokes*) equation. The numerical simulation approach used three mesh techniques, namely overset mesh, morphing mesh, and moving mesh. The $k-\epsilon$ turbulent model and VOF (*Volume of Fluid*) were used to model the water and air phases. The mesh technique approach in CFD simulation showed a pattern under experimental testing. This research showed the difference in value to the experimental results, namely by using the moving mesh method, the difference in resistance difference was 8% at high-speed conditions, the difference in trim value at overset mesh was 11%, and the difference in heave value with the moving mesh method was 14% at low speed. The conclusion reported that overset mesh had better than other mesh methods.

Keywords: CFD, Fridsma hull, morphing mesh, moving mesh, overset mesh

1. Introduction

An experiment conducted by G. Fridsma in 1969 has sparked many researchers to conduct similar research related to planing hulls. Fridsma conducted experimental analysis on ships with the planing type, hereinafter known as Fridsma ship, with several L/B configurations, displacement, deadrise angle, LCG (Longitudinal Center of Gravity), and so on [1]. Supported by the ship's simple geometry, until now, there has been much research discussing the Fridsma ship.

The rapid development of technology makes research more effective to do. One technology supporting the research of ships is a numerical simulation method based on Computational Fluid Dynamics (CFD). CFD is a system program that can plan and analyze an engineering product using mathematical solutions. In the analysis using CFD, especially ship type planing, the methods used to predict the resistance and movement of the planing hull included FVM (Finite Volume Method), FEM (Finite Element Method), FDM (Finite Difference Method), and analytical-experimental. According to Yousefi in 2013, the most appropriate method used to predict drag, trim, and heave on ships was FVM because

