

**LEMBAR**  
**HASIL PENILAIAN SEJAWAT SEBIDANG ATAU PEER REVIEW**  
**KARYA ILMIAH : JURNAL ILMIAH**

Judul Karya Ilmiah (Artikel) : The Effect of Red Dragon Fruit (*Hylocereus polyrhizus*) Peel Ethanol Extract on Oxidative Stress in Sprague Dawley Rats (*Rattus norvegicus*)

Penulis Artikel : Seno Santoso, Santoso Jaeri, **Amallia Nuggetsiana Setyawati**, Nani Maharani

Status Pengusul : Penulis korespondensi

Identitas Jurnal Ilmiah :

- a. Nama Jurnal : Tropical Journal of Natural Product Research
- b. Nomor ISSN : (P) ISSN: 2616-0684  
(O) ISSN: 2616-0692
- c. Volume, Nomor, Bulan, Tahun : June 2022; 6(6):872-874
- d. Penerbit : Faculty of Pharmacy, Nigeria University
- e. DOI artikel (jika ada) : <https://doi.org/10.26538/tjnpr/v6i6.7>
- f. Alamat web jurnal / Link artikel : <https://www.tjnpr.org/index.php/home/article/view/16/15>
- g. Terindeks di SCOPUS : Q4 SJR: 0.13  
<https://www.scopus.com/sourceid/21100933230>
- h. Link turnitin : [https://docpak.undip.ac.id/13684/5/TURNITIN\\_The\\_Effect\\_of\\_Red\\_Dragon.pdf](https://docpak.undip.ac.id/13684/5/TURNITIN_The_Effect_of_Red_Dragon.pdf)
- i. Link korespondensi : <https://doc-pak.undip.ac.id/13684/4/korespondensi.tjnpr.pdf>

Kategori Publikasi Jurnal Ilmiah Hasil Penilaian *Peer Review* : Jurnal Ilmiah Internasional Bereputasi

Komponen Yang Dinilai	Nilai Maksimal Jurnal Ilmiah			Nilai Akhir Yang Diperoleh
	Internasional / Internasional Bereputasi 40.0	Nasional Terakreditasi	Nasional	
a. Kelengkapan unsur isi artikel (10%)	4.0			3
b. Ruang lingkup dan kedalaman pembahasan (30%)	12.0			7
c. Kecukupan dan kemutahiran data/informasi dan metodologi (30%)	12.0			8
d. Kelengkapan unsur dan kualitas terbitan/ jurnal (30%)	12.0			9
<b>Total = (100%)</b>	40			2
<b>Nilai Pengusul =</b>				40% x 27 = 10,8

Catatan penilaian Artikel oleh Reviewer :

- a. Kelengkapan unsur isi artikel : Kelengkapan artikel lengkap, abstrak sampai simpulan terstruktur dengan baik
- b. Ruang lingkup dan kedalaman pembahasan : Ruang lingkup keilmuan mendukung keilmuan pengusul
- c. Kecukupan dan kemutahiran data/informasi dan metodologi : Baik
- d. Kelengkapan unsur dan kualitas terbitan/ jurnal : Tropical Journal of Natural Product Research, merupakan jurnal internasional Q3 dengan SJR 0,13

10 April 2023  
 Reviewer 1/2 \*  
 Tanda tangan



Dra. Ani Margawati, M.Kes., Ph.D.  
 NIP. 196505251993032001  
 Unit kerja : FK UNDIP  
 Bidang ilmu : IKM dan Anthropology Kesehatan  
 Jabatan/Pangkat : Lektor Kepala

**LEMBAR**  
**HASIL PENILAIAN SEJAWAT SEBIDANG ATAU PEER REVIEW**  
**KARYA ILMIAH : JURNAL ILMIAH**

Judul Karya Ilmiah (Artikel) : The Effect of Red Dragon Fruit (*Hylocereus polyrhizus*) Peel Ethanol Extract on Oxidative Stress in Sprague Dawley Rats (*Rattus norvegicus*)

Penulis Artikel : Seno Santoso, Santoso Jaeri, Amallia Nuggetsiana Setyawati, Nani Maharani

Status Pengusul : Penulis korespondensi

Identitas Jurnal Ilmiah :

- a. Nama Jurnal : Tropical Journal of Natural Product Research
- b. Nomor ISSN : (P) ISSN: 2616-0684  
(O) ISSN: 2616-0692
- c. Volume, Nomor, Bulan, Tahun : June 2022; 6(6):872-874
- d. Penerbit : Faculty of Pharmacy, Nigeria University
- e. DOI artikel (jika ada) : <https://doi.org/10.26538/tjnpr/v6i6.7>
- f. Alamat web jurnal / Link artikel : <https://www.tjnpr.org/index.php/home/article/view/16/15>
- g. Terindeks di SCOPUS : Q4 SJR: 0.13  
Link indeks: <https://www.scopus.com/sourceid/21100933230>
- h. Link turnitin : [https://docpak.undip.ac.id/13684/5/TURNITIN\\_The\\_Effect\\_of\\_Red\\_Dragon.pdf](https://docpak.undip.ac.id/13684/5/TURNITIN_The_Effect_of_Red_Dragon.pdf)
- i. Link korespondensi : [https://docpak.undip.ac.id/13684/5/TURNITIN\\_The\\_Effect\\_of\\_Red\\_Dragon.pdf](https://docpak.undip.ac.id/13684/5/TURNITIN_The_Effect_of_Red_Dragon.pdf)

Kategori Publikasi Jurnal Ilmiah : Jurnal Ilmiah Internasional Bereputasi \*\*  
 Hasil Penilaian Peer Review :

Komponen Yang Dinilai	Nilai Maksimal Jurnal Ilmiah			Nilai Akhir Yang Diperoleh
	Internasional / Internasional Bereputasi 40.0	Nasional Terakreditasi	Nasional	
a. Kelengkapan unsur isi artikel (10%)	4.0			4
b. Ruang lingkup dan kedalaman pembahasan (30%)	12.0			12
c. Kecukupan dan kemutakhiran data/informasi dan metodologi (30%)	12.0			12
d. Kelengkapan unsur dan kualitas terbitan/ jurnal (30%)	12.0			12
<b>Total = (100%)</b>	<b>40</b>			<b>40</b>
<b>Nilai Pengusul =</b>				<b>40% x 40.0 = 16.0</b>

Catatan penilaian Artikel oleh Reviewer :

- a. Kelengkapan unsur isi artikel : Unsur isi artikel lengkap dari abstrak sampai pd referensi, penulisan sudah sesuai kaidah artikel ilmiah.
- b. Ruang lingkup dan kedalaman pembahasan : Pembahasan pada artikel mengenai effect red dragon ini jelas dan dibahas dengan baik, referensi mendukung, state of art tergambar
- c. Kecukupan dan kemutakhiran data/informasi dan metodologi : Metode riset tepat dan sesuai, riset juga telah didasari ethical clearance, referensi yang dipakai semuanya uptodate krg dari 10 tahun
- d. Kelengkapan unsur dan kualitas terbitan/ jurnal : Jurnal Tropical Journal of nature adalah jurnal Internasional bereputasi terindeks scopus Q4, turnitin index 12%

Tanggal, bulan, tahun  
 Reviewer 1/2 \*



dr. Achmad Zulfa Juniarto, M.Si.Med., Sp.And (K), M.M.R., Ph.D.  
 NIP. 197006081997021001  
 Unit kerja : FK UNDIP  
 Bidang ilmu : Biologi Kedokteran  
 Jabatan/Pangkat : Lektor Kepala

TROPICAL JOURNAL OF  
**NATURAL  
PRODUCT  
RESEARCH**  
**TJNPR**

[www.tjnpr.org](http://www.tjnpr.org) VOL. 19(1), JAN 2017



**Tropical Journal of  
NATURAL PRODUCT RESEARCH**

This journal is indexed in Open J-Gate,  
Crossref, Creative Commons, Index  
Copernicus, Google Scholar.

All published papers are DOI assigned.

Official Journal of Natural Product Research Group  
University of Benin

**Editor-in-Chief, Prof. Abiodun Falodun (Profile (<https://tjnpr.org/index.php/home/editorprofile>))**



**Tropical Journal of Natural Product Research**  
Official Journal of Natural Product Research Group

ISSN: 2616-0684 (Print)  
ISSN: 2616-0692 (Online)

Home (<https://www.tjnpr.org/index.php/home/index>) / Editorial Team

# Editorial Team

## Editorial Board

### Editor-in-Chief

#### Professor Abiodun Falodun

Professor of Pharmaceutical Chemistry

Natural product Research Group

University of Benin, Nigeria.

Email: [editor.tjnpr@gmail.com](mailto:editor.tjnpr@gmail.com); [editor.tjnpr@uniben.edu](mailto:editor.tjnpr@uniben.edu)

(<mailto:editor.tjnpr@gmail.com>; [editor.tjnpr@uniben.edu](mailto:editor.tjnpr@uniben.edu))

Phone: +2348073184488

### Associate Editors:

- **Professor Dr. Dr. Peter Langer**, Institute of Organic Chemistry, University of Rostock, (Germany)
- **Professor Frederick O. Ekhaize**, Microbiology, University of Benin, Nigeria.
- **Professor Martins Emeje**: Professor of Drug Delivery/Nanomedicine in the Department of Pharmaceutical Technology and Raw Materials Development (PT&RMD) at the National Institute of Pharmaceutical Research and Development.

### Editorial Assistant:

- **Erharuyi Osayemwenre**, Faculty of Pharmacy, University of Benin, Nigeria.

### Board Members

- **Professor Ikhlas A. Khan**, National Center for Natural Product Research, Mississippi (USA)
- **Professor Nosa Egiebor**, College of Environmental Science & Forestry, State University of New York
- **Professor Samuel Qiu**, South China Botanical Gardens, Chinese Academy of Sciences (China)
- **Professor Xavier Barril**, De Fisicoquimica-Facultat De Farmacia Universitat de Barcelona, (Spain)
- **Professor Abiodun Ogundiani**, Pharmaceutical Chemistry, OAU, Ile-Ife, (Nigeria)
- **Professor Thomas Kodadek**, The Scripps Research Institute, Scripps Florida (USA)
- **Professor Anthony B Ebeigbe**, Physiology, College of Medical Sciences, University of Benin, (Nigeria)
- **Professor Eric KI Omogbai**, Pharmacology and Toxicology, University of Benin, Nigeria
- **Professor Dr. Udo Kragl**, Institute of Organic Chemistry, University of Rostock, (Germany)
- **Professor Cyril O. Usifoh**, Faculty of Pharmacy, University of Benin, Nigeria.
- **Professor Azuka C Opara**, Clinical Pharmacy & Pharmacy Practice, University of Benin, (Nigeria).

- **Professor Ikhide G. Imumorin**, Biological Sciences, Georgia Institute of Technology, Atlanta (USA)
- **Professor Mark T. Hamann**, Medical University College, South Carolina (USA)
- **Professor Barbara Nebe**, University of Rostock, (Germany)
- **Professor Anthony I. Okoh**, University of Fort Hare, Alice (South Africa)
- **Professor Dr. M. Iqbal Choudhary**, HEJ, University of Karachi, (Pakistan)
- **Professor Omoanghe S. Isikhuemhen**, North Carolina A&T State University, (USA)
- **Professor Ezekiel Green**, University of Johannesburg, (South Africa)
- **Professor John Igoli**, Strathclyde Institute of Pharmacy and Biomedical Sciences, UK
- **Professor Peter Akah**, Pharmacology & Toxicology, University of Nigeria, Nigeria
- **Professor H.A.B. Coker**, Faculty of Pharmacy, University of Lagos (Nigeria)
- **Dr Kingsly Agho**, School of Science and Health, Western Sydney University (Australia)
- **E. Igbinosa**, Microbiology, University of Benin, Nigeria
- **Pius Fasinu**, School of Pharmacy, Campbell University (USA)
- **Professor Larry A Walker**, National Center for Natural Products Research, Mississippi, USA
- **Dr. Alireza Heidari**, Faculty of Chemistry, California South University (CSU), Irvine, California, USA
- **Professor Iyere O Onoagbe**, Faculty of Life Sciences, University of Benin, (Nigeria)
- **Professor Broderick Eribo**, Department of Biology, Howard University, Washington DC, (USA)
- **Professor Simon Gibbons**, School of Pharmacy, University College London, UK
- **Professor Masashi Mizuno**, Laboratory of Food & Nutritional Chemistry, Kobe University, Japan
- **Professor FBC Okoye**, Professor of Medicinal and Pharmaceutical Chemistry, Nnamdi Azikiwe University, Awka



(<https://tjnpr.org/index.php/home/about/submissions>)




More Graphical Abstracts (<https://tjnpr.dynetng.org/index.php/home/graphicalabstracts>)

## Indexing & Abstracting

SJR



(<https://www.scopus.com/sourceid/21100933230>)



(<https://www.scopus.com/sourceid/21100933230>)

### Keywords



### ABOUT TJNPR

- About the Journal (<https://tjnpr.dynetng.org/index.php/home/about>)
- Aims & Scope (<https://tjnpr.dynetng.org/index.php/home/aimandscope>)
- Editor Profile (<https://tjnpr.dynetng.org/index.php/home/editorprofile>)
- Editorial Board (<https://tjnpr.dynetng.org/index.php/home/about/editorialTeam>)

### RESOURCES

### Editorial Policy & Malpractice Statement

(<https://tjnpr.dynetng.org/index.php/home/ethicsandmalpractices>)

Guide for Authors (<https://tjnpr.dynetng.org/index.php/home/authorguidelines>)

Guidelines for Reviewers (<https://tjnpr.dynetng.org/index.php/home/reviewersguidelines>)

Open Access Policy (<https://tjnpr.dynetng.org/index.php/home/openaccesspolicy>)

### MY ACCOUNT

Authors (<https://tjnpr.dynetng.org/index.php/home/login>)

Editors (<https://tjnpr.dynetng.org/index.php/home/login>)

Reviewers (<https://tjnpr.dynetng.org/index.php/home/login>)


Subscribers (<https://tjnpr.dynetng.org/index.php/home/login>)

### ISSUES

Current (<https://tjnpr.dynetng.org/index.php/home/issue/current>)

Archives (<https://tjnpr.dynetng.org/index.php/home/issue/archive>)

Copyright © 2022 | Tropical Journal of Natural Product Research (TJNPR), All Right Reserved.



(<https://www.tjnpr.org/index.php/home/about/aboutThisPublishingSystem>)



**Editor-in-Chief, Prof. Abiodun Falodun (Profile (<https://tjnpr.org/index.php/home/editorprofile>))**



**Tropical Journal of Natural Product Research**  
Official Journal of Natural Product Research Group

ISSN: 2616-0684 (Print)  
ISSN: 2616-0692 (Online)

Home (<https://www.tjnpr.org/index.php/home/index>)  
/ Archives (<https://www.tjnpr.org/index.php/home/issue/archive>)  
/ Vol. 6 No. 6 (2022): Tropical Journal of Natural Product Research

**Published:** 2022-07-06

## Articles

### Prospects for the Use of Essential Oils as Repellants and/or Insecticides (<https://www.tjnpr.org/index.php/home/article/view/4>)

Kirill Tkachenko, Elizaveta Varfolomeeva  
831-835

PDF (<https://www.tjnpr.org/index.php/home/article/view/4/3>)

DOI (<https://www.tjnpr.org/index.php/home/article/view/4/4>)

### Overview of the Potential Role of Trace Elements in COVID-19 [doi.org/10.26538/tjnpr/v6i6.2](https://doi.org/10.26538/tjnpr/v6i6.2)

(<https://www.tjnpr.org/index.php/home/article/view/6>)

Sara T. Ismail, Eman A. Sulaiman  
836-841

PDF (<https://www.tjnpr.org/index.php/home/article/view/6/5>)

DOI (<https://www.tjnpr.org/index.php/home/article/view/6/6>)

### Croton gratissimus Burch. (Lavender croton): A Review of the Traditional Uses, Phytochemistry, Nutritional Constituents and Pharmacological Activities [doi.org/10.26538/tjnpr/v6i6.3](https://doi.org/10.26538/tjnpr/v6i6.3)

(<https://www.tjnpr.org/index.php/home/article/view/9>)

Joseph O. Erhabor, Motlalepula G. Matsabisa, Omolola R. Oyenih, Ochuko L. Erukainure  
842-855

PDF (<https://www.tjnpr.org/index.php/home/article/view/9/7>)

DOI (<https://www.tjnpr.org/index.php/home/article/view/9/9>)

## Isolation and Characterization of Sugarcane (*Saccharum officinarum* L.) Bagasse Cellulose Hydrolyzed with Acid Variation

(<https://www.tjnpr.org/index.php/home/article/view/10>)

Begum Fauziyah, Mohammad Yuwono, Isnaeni, Nadhifatun Nahdhia, Fatimatus Sholihah  
856-862

PDF (<https://www.tjnpr.org/index.php/home/article/view/10/8>)

DOI (<https://www.tjnpr.org/index.php/home/article/view/10/10>)

## Phytochemical Screening and Biological Activities of a Remedy from A-thi-sa-ra-wak Scripture as a Folkloric Diabetic Medicine

[doi.org/10.26538/tjnpr/v6i6.5](https://doi.org/10.26538/tjnpr/v6i6.5)

(<https://www.tjnpr.org/index.php/home/article/view/14>)

Piyapong Yupparach, Adisak Sumalee, Ampa Konsue  
863-867

PDF (<https://www.tjnpr.org/index.php/home/article/view/14/11>)

DOI (<https://www.tjnpr.org/index.php/home/article/view/14/12>)

## Phytochemical Screening and Antioxidant Activity of Longevity Remedy from National Thai Traditional Medicine Scripture (Formulary Special Edition)

[doi.org/10.26538/tjnpr/v6i6.6](https://doi.org/10.26538/tjnpr/v6i6.6)

(<https://www.tjnpr.org/index.php/home/article/view/15>)

Ampa Konsue, Ladachart Taepongsorat  
868-871

PDF (<https://www.tjnpr.org/index.php/home/article/view/15/13>)

DOI (<https://www.tjnpr.org/index.php/home/article/view/15/14>)

## The Effect of Red Dragon Fruit (*Hylocereus polyrhizus*) Peel Ethanol Extract on Oxidative Stress in Sprague Dawley Rats (*Rattus norvegicus*)

[doi.org/10.26538/tjnpr/v6i6.7](https://doi.org/10.26538/tjnpr/v6i6.7)

(<https://www.tjnpr.org/index.php/home/article/view/16>)

Seno Santoso, Santoso Jaeri, Amallia Nuggetsiana Setyawati, Nani Maharani  
872-874

PDF (<https://www.tjnpr.org/index.php/home/article/view/16/15>)

## The Potential of Lampung Robusta Green Coffee (*Coffea Canephora*) Extract Toward T Cell Activation in ISA-brown Laying Chickens

(<https://www.tjnpr.org/index.php/home/article/view/17>)

Djalal Rosyidi, Lilik E. Radiati, Dahliatul Qosimah, Indah A. Amri, Dodik Prasetyo, Agri K. Anisa  
875-878

PDF (<https://www.tjnpr.org/index.php/home/article/view/17/16>)

DOI (<https://www.tjnpr.org/index.php/home/article/view/17/17>)

## Synthesis of Nanoyttria Nanoparticles Using *Moringa oleifera* Seed as a Biological Factory and the Biocontrol Impact of the Nanoparticles on Houseflies (*Musca domestica*)

[doi.org/10.26538/tjnpr/v6i6.9](https://doi.org/10.26538/tjnpr/v6i6.9)

(<https://www.tjnpr.org/index.php/home/article/view/18>)

Rasha S. Nuaman, Raghad J. Fayyad, Rasha S. Hameed, Maan A.A. Shafeeq  
879-883

PDF (<https://www.tjnpr.org/index.php/home/article/view/18/18>)

DOI (<https://www.tjnpr.org/index.php/home/article/view/18/19>)

## Anti-Hyperglycemic and Anti-Inflammatory Activities of *Moringa oleifera* Lam Leaves Extract

[doi.org/10.26538/tjnpr/v6i6.10](https://doi.org/10.26538/tjnpr/v6i6.10)

(<https://www.tjnpr.org/index.php/home/article/view/1496>)

Jessica Novia, Denny Juvi, Riskianto Riskianto, Marcelia Sugata, Dela Rosa  
884-888

PDF (<https://www.tjnpr.org/index.php/home/article/view/1496/2333>)

DOI (<https://www.tjnpr.org/index.php/home/article/view/1496/2334>)

## Variations in Phytochemicals and Antioxidant Activity of *Clitoria ternatea* Flowers and Leaves

[doi.org/10.26538/tjnpr/v6i6.11](https://doi.org/10.26538/tjnpr/v6i6.11)

(<https://www.tjnpr.org/index.php/home/article/view/1571>)

Danh Vu, Dien To  
889-893

PDF (<https://www.tjnpr.org/index.php/home/article/view/1571/2401>)

DOI (<https://www.tjnpr.org/index.php/home/article/view/1571/2402>)

## Taxonomic and Biodiversity Study of Sandfly Species in the Fez Region, Central Morocco

[doi.org/10.26538/tjnpr/v6i6.12](https://doi.org/10.26538/tjnpr/v6i6.12)

(<https://www.tjnpr.org/index.php/home/article/view/20>)

Najoua Darkaoui, Abdellatif J. Idrissi, Fatima Z. Talbi, Youness El Fattouhi, Abdelkarim Taam, Nordine Nouayti, Moussa Benboubker, Abdelhakim E.O. Lalami  
894-899

PDF (<https://www.tjnpr.org/index.php/home/article/view/20/20>)

DOI (<https://www.tjnpr.org/index.php/home/article/view/20/21>)

### Classification of Dysmenorrhea among Students at Ubon Ratchathani Rajabhat University, Thailand According to the Māhaachortàrat Scripture

[doi.org/10.26538/tjnpr/v6i6.13](https://doi.org/10.26538/tjnpr/v6i6.13)

(<https://www.tjnpr.org/index.php/home/article/view/21>)

Phanida Kamuttachat, Pitchanan Thiantongin  
900-905

PDF (<https://www.tjnpr.org/index.php/home/article/view/21/22>)

DOI (<https://www.tjnpr.org/index.php/home/article/view/21/23>)

### Antibacterial Activity and Mechanism of Action of Crude Aqueous Extracts from Agricultural Waste against Foodborne Pathogenic Bacteria

[doi.org/10.26538/tjnpr/v6i6.14](https://doi.org/10.26538/tjnpr/v6i6.14)

(<https://www.tjnpr.org/index.php/home/article/view/23>)

Nawal E. Al-Hazmi  
906-909

PDF (<https://www.tjnpr.org/index.php/home/article/view/23/24>)

DOI (<https://www.tjnpr.org/index.php/home/article/view/23/25>)

### Probiotics from Thai Fermented Foods Reduced Anxiety and Enhanced Neuroplasticity in a Wistar Rat Model

[doi.org/10.26538/tjnpr/v6i6.15](https://doi.org/10.26538/tjnpr/v6i6.15)

(<https://www.tjnpr.org/index.php/home/article/view/24>)

Vijitra L.-In, Worachot Saengha, Thipphiya Karirat, Ampa Konsue, Eakapol Wangkahart, Teeraporn Katisart  
910-914

PDF (<https://www.tjnpr.org/index.php/home/article/view/24/26>)

DOI (<https://www.tjnpr.org/index.php/home/article/view/24/27>)

### Analysis of Potential Poly (ADP-Ribose) Polymerase 2 (PARP2) Inhibitor in Nyale Worm (*Eunice* sp.) Extract for Ovarian Cancer: An In Silico Approach

[doi.org/10.26538/tjnpr/v6i6.16](https://doi.org/10.26538/tjnpr/v6i6.16)

(<https://www.tjnpr.org/index.php/home/article/view/25>)

Putu D. Arjita, Rozikin Rozikin, Gede A. Adnyana, Putu B.A. Saputra, Sabrina I. Zoraya  
915-920

PDF (<https://www.tjnpr.org/index.php/home/article/view/25/28>)

DOI (<https://www.tjnpr.org/index.php/home/article/view/25/29>)

### Evaluation of Antioxidant and Cholinesterase Inhibitory Activities of Various Extracts of *Cassia spectabilis*

[doi.org/10.26538/tjnpr/v6i6.17](https://doi.org/10.26538/tjnpr/v6i6.17)

(<https://www.tjnpr.org/index.php/home/article/view/26>)

Suciati Suciati, Hanifa R. Putri, Wachidatur Rizqiyah, Chrismawan Ardianto  
921-925

PDF (<https://www.tjnpr.org/index.php/home/article/view/26/30>)

DOI (<https://www.tjnpr.org/index.php/home/article/view/26/31>)

### Evaluation of In vivo Antiplasmodial Activity of the Methanol Root Bark Extract and Fractions of *Bombax costatum* (Bombacaceae) in Plasmodium berghei-Infected Mice

[doi.org/10.26538/tjnpr/v6i6.18](https://doi.org/10.26538/tjnpr/v6i6.18)

(<https://www.tjnpr.org/index.php/home/article/view/27>)

Bila H. Ali, Ilyas Mohammed, Musa A. Muhammed, Sani Y. Mohammed, Dauda Garba, Olorukooba A. Busola, Imam I. Khadijah, Mailafiya M. Manager  
926-930

PDF (<https://www.tjnpr.org/index.php/home/article/view/27/32>)

DOI (<https://www.tjnpr.org/index.php/home/article/view/27/33>)

### Phytochemistry and Acute Toxicity Study of Aqueous and Methanol Stem Bark Extract of *Terminalia catappa*

[doi.org/10.26538/tjnpr/v6i6.19](https://doi.org/10.26538/tjnpr/v6i6.19)

(<https://www.tjnpr.org/index.php/home/article/view/29>)

Rosephine Enadeghe, Ekene V. Asoya, Joshua Iluma, Oluwadamilola Kolawole, Andrew E. Omoregie  
931-937

PDF (<https://www.tjnpr.org/index.php/home/article/view/29/34>)

DOI (<https://www.tjnpr.org/index.php/home/article/view/29/35>)

### Dodoneine, its Bicyclic Lactone and a Dihydroxyl-lupeol Palmitate from *Tapinanthus globiferus*

[doi.org/10.26538/tjnpr/v6i6.20](https://doi.org/10.26538/tjnpr/v6i6.20)

(<https://www.tjnpr.org/index.php/home/article/view/30>)

John V. Anyam, John B. Nvau, Kachollom Thomas, Eman Santali Irvine A. Gray, John. O. Igoli  
938-942

PDF (<https://www.tjnpr.org/index.php/home/article/view/30/36>)

DOI (<https://www.tjnpr.org/index.php/home/article/view/30/37>)

## Effects of *Aframomum melegueta* K. Schum. Leaf on Monosodium Glutamate and High Fat Diet-Induced Obesity in Wistar Rat

[doi.org/10.26538/tjnpr/v6i6.21](https://doi.org/10.26538/tjnpr/v6i6.21)

(<https://www.tjnpr.org/index.php/home/article/view/32>)

Adetoun E. Morakinyo, Bolajoko A. Akinpelu, Oluokun O. Oyedapo  
943-950

PDF (<https://www.tjnpr.org/index.php/home/article/view/32/38>)

DOI (<https://www.tjnpr.org/index.php/home/article/view/32/39>)

## Biocidal Evaluation of Ethanol Leaf Extract of *Jatropha tanjorensis* by Inhibition of Dehydrogenase Activity of *Staphylococcus aureus* and *Candida albicans*

[doi.org/10.26538/tjnpr/v6i6.22](https://doi.org/10.26538/tjnpr/v6i6.22)

(<https://www.tjnpr.org/index.php/home/article/view/33>)

Cosmas O. Ujowundu, Arthur C. Morah, Favour N. Ujowundu, Ignatious O. Onyeocha, Kalu O. Igwe, Emeka S. Asiwe, James O. Kalu, Viola A. Onwuliri  
951-956

PDF (<https://www.tjnpr.org/index.php/home/article/view/33/40>)

DOI (<https://www.tjnpr.org/index.php/home/article/view/33/41>)

## Proanthocyanidin-Rich-Fraction of *Vitis vinifera* Seed Abrogates Convulsion Indices: Glutamatergic/ NMDA Inhibition, Enhancement of Anti-Neu N, and NRF2 Expression

[doi.org/10.26538/tjnpr/v6i6.23](https://doi.org/10.26538/tjnpr/v6i6.23)

(<https://www.tjnpr.org/index.php/home/article/view/31>)

Opeyemi S. Osuntokun, Samuel O. Oyedokun, Gbola Olayiwola, Damilare A. Adekomi  
957-96

PDF (<https://www.tjnpr.org/index.php/home/article/view/31/42>)

## Phytochemical Analysis, Antibacterial and Antioxidant Activities of Leaf Extracts of *Strychnos Innocua* Del.

[doi.org/10.26538/tjnpr/v6i6.24](https://doi.org/10.26538/tjnpr/v6i6.24)

(<https://www.tjnpr.org/index.php/home/article/view/34>)

Rachel G. Ayo, Jonathan I Achika, Olubunmi O. Bolarin-Akinwande, Dollapo Fawole  
962-968

PDF (<https://www.tjnpr.org/index.php/home/article/view/34/44>)

DOI (<https://www.tjnpr.org/index.php/home/article/view/34/45>)

## Gotu Kola Supplement Ameliorates Stress-Induced Liver Injury in Mice

doi.org/10.26538/tjnpr/v6i6.25

(<https://www.tjnpr.org/index.php/home/article/view/35>)

Anthony T. Eduviere, Mamerhi T. Enaohwo, Prosper E. Awhin, Lily O. Otomewo, Omogor Iwalio  
969-973

DOI (<https://www.tjnpr.org/index.php/home/article/view/35/47>)

## Evaluation of the Antidiarrhoeal Activity of the Methanol Pulp Extract and Fractions of *Annona muricata* Linn (Annonaceae)

doi.org/10.26538/tjnpr/v6i6.26

(<https://www.tjnpr.org/index.php/home/article/view/36>)

Igweonu A. Chinyere, Peter I. Emmanuel, Onyeali V. Chidinma, Nworu C. Sylvester  
997-1003

PDF (<https://www.tjnpr.org/index.php/home/article/view/36/48>)

DOI (<https://www.tjnpr.org/index.php/home/article/view/36/49>)

## Antibacterial Activity and Molecular Docking Analysis of the Stem Bark Extracts of *Persea americana* Mill (Lauraceae)

doi.org/10.26538/tjnpr/v6i6.27

(<https://www.tjnpr.org/index.php/home/article/view/37>)

Adewale O. Olatayo, Ayantade D.V. Ayansina, Samuel O. Dahunsi  
980- 990

PDF (<https://www.tjnpr.org/index.php/home/article/view/37/50>)

DOI (<https://www.tjnpr.org/index.php/home/article/view/37/51>)

## Protective Effect of Aqueous Extract of *Hypoestes rosea* Against Indomethacin-Induced Gastric Ulcer in Sprague Dawley Rats

doi.org/10.26538/tjnpr/v6i6.28

(<https://www.tjnpr.org/index.php/home/article/view/38>)

Agala E. Egbe, Joseph I. Inyang, Okon A. Eyo  
991-996

PDF (<https://www.tjnpr.org/index.php/home/article/view/38/52>)

DOI (<https://www.tjnpr.org/index.php/home/article/view/38/53>)

## Effects of *Thesium viride* Extract and Fractions on Some Liver Biochemical Parameters in CCl<sub>4</sub>-Induced Damage in Wistar Rats

doi.org/10.26538/tjnpr/v6i6.30

(<https://www.tjnpr.org/index.php/home/article/view/41>)

Sani Shehu, Ezzeldin M. Abdurahman, Umar H. Danmalam, Abdullahi Mohammed, Salisu Shehu, Uwaisu Iliyasu

1004-1009

PDF (<https://www.tjnpr.org/index.php/home/article/view/41/59>)

DOI (<https://www.tjnpr.org/index.php/home/article/view/41/60>)

### Assessment of Post-Thaw In-Vitro Quality of Male Wistar Rat Spermatozoa Preserved in Diluent with Natural Honey as Supplemen

doi.org/10.26538/tjnpr/v6i1.21

(<https://www.tjnpr.org/index.php/home/article/view/207>)

Cyril A. Agbor, Christe E. Fischer, Eric A. Agaba, Williams A. Nnenna  
133-137

PDF (<https://www.tjnpr.org/index.php/home/article/view/207/283>)

DOI (<https://www.tjnpr.org/index.php/home/article/view/207/284>)



(<https://tjnpr.org/index.php/home/about/submissions>)






More Graphical Abstracts (<https://tjnpr.dynetng.org/index.php/home/graphicalabstracts>)

## Indexing & Abstracting



(<https://www.scopus.com/sourceid/21100933230>)



(<https://www.scopus.com/sourceid/21100933230>)

### Keywords



## ABOUT TJNPR

About the Journal (<https://tjnpr.dynetng.org/index.php/home/about>)

Aims & Scope (<https://tjnpr.dynetng.org/index.php/home/aimandscope>)

Editor Profile (<https://tjnpr.dynetng.org/index.php/home/editorprofile>)

Editorial Board (<https://tjnpr.dynetng.org/index.php/home/about/editorialTeam>)

## RESOURCES

### Editorial Policy & Malpractice Statement

(<https://tjnpr.dynetng.org/index.php/home/ethicsandmalpractices>)

Guide for Authors (<https://tjnpr.dynetng.org/index.php/home/authorguidelines>)

Guidelines for Reviewers (<https://tjnpr.dynetng.org/index.php/home/reviewersguidelines>)

Open Access Policy (<https://tjnpr.dynetng.org/index.php/home/openaccesspolicy>)

### MY ACCOUNT

Authors (<https://tjnpr.dynetng.org/index.php/home/login>)

Editors (<https://tjnpr.dynetng.org/index.php/home/login>)

Reviewers (<https://tjnpr.dynetng.org/index.php/home/login>)


Subscribers (<https://tjnpr.dynetng.org/index.php/home/login>)

### ISSUES

Current (<https://tjnpr.dynetng.org/index.php/home/issue/current>)

Archives (<https://tjnpr.dynetng.org/index.php/home/issue/archive>)

Copyright © 2022 | Tropical Journal of Natural Product Research (TJNPR), All Right Reserved.



(<https://www.tjnpr.org/index.php/home/about/aboutThisPublishingSystem>)



# Tropical Journal of Natural Product Research


Available online at <https://www.tjnpr.org>*Original Research Article*

## The Effect of Red Dragon Fruit (*Hylocereus polyrhizus*) Peel Ethanol Extract on Oxidative Stress in Sprague Dawley Rats (*Rattus norvegicus*)

Seno Santoso<sup>1</sup>, Santoso Jaeri<sup>2</sup>, Nani Maharani<sup>3</sup>, Amallia Nuggetsiana Setyawati<sup>4\*</sup><sup>1</sup>Faculty of Medicine, Diponegoro University, Semarang, Indonesia<sup>2</sup>Department of Molecular Biology and Biochemistry, Faculty of Medicine, Diponegoro University, Semarang, Indonesia<sup>3</sup>Department of Pharmacology and Therapy, Faculty of Medicine, Diponegoro University, Semarang, Indonesia<sup>4</sup>Department of Biology and Biochemistry, Diponegoro University, Semarang, Indonesia**ARTICLE INFO***Article history:*

Received 08 November 2021

Revised 27 May 2022

Accepted 20 June 2022

Published online 02 July 2022

**Copyright:** © 2022 Santoso *et al.* This is an open-access article distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

**ABSTRACT**

Heat stress can induce DNA, lipid, and protein damage by releasing inflammatory mediators and metabolic reactive oxygen species. The antiradical activity of red dragon fruit (*Hylocereus polyrhizus*) has been reported in several studies, but there is little information on the effect of its extract on heat stress exposure. Therefore, this study was conducted to investigate the effects of red dragon peel ethanol extract on acute heat stress in Sprague Dawley rats (*Rattus norvegicus*). Ethanol extract was prepared from red dragon fruits. Thirty rats were divided into five groups and treated for 14 days. Rats were fed a standard diet in the negative and positive control groups (K1 and K2, respectively). Furthermore, treatment groups P1, P2, and P3 received dragon fruit peel ethanol extract on the 14th day at doses of 400, 800, or 1,600 mg/kg BW, respectively. On the 15th day, heat exposure was used to create stress in K2, P1, P2, and P3. The oxidation state was determined by analyzing malondialdehyde (MDA) levels. The results of the MDA levels in rats in the K1, K2, P1, P2, and P3 groups were  $19.50 \pm 0.85$ ,  $49.30 \pm 3.70$ ,  $20.65 \pm 4.19$ ,  $20.37 \pm 2.63$ , and  $22.44 \pm 6.68$  ng/mL, respectively. Furthermore, significant ( $p < 0.001$ ) values were observed in the K2 group, as well as nominal differences between the treatment groups P1, P2, and P3 ( $p > 0.05$ ). Based on these findings, red dragon fruit extract improves an oxidative stress biomarker in acute heat-induced stress rats. However, the impact is not dose-dependent.

**Keywords:** Fruit peel extract, Heat stress, Malondialdehyde, Oxidative stress, Red dragon.

**Introduction**

Heat stress causes an increase in reactive oxygen species (ROS), which results in the formation of extracellular superoxide. It upregulates the modulation of transcription nuclear factor (NF- $\kappa$ B), which can lead to the synthesis of hormones, inflammatory cytokines, and metabolic changes in the body.<sup>1</sup> As a result, pro-inflammatory cytokines and inflammatory mediators will increase in response to this condition.<sup>2</sup> Antioxidants help to reduce lipid peroxide generation and eliminate free radicals, which helps to reduce the inflammatory reactions to heat stress. Therefore, oxidative stress is prevented. Exogenous nutritional supplementation is also often utilized to counteract the harmful effects of heat stress.<sup>3</sup> Red dragon fruit (*Hylocereus polyrhizus*) was first discovered in Mexico and was reported to have significantly high antiradical activity due to the presence of phenolic compounds. Betacyanin, anthocyanins, and other flavonoids are also important characteristics of plant pigment.<sup>4</sup> This fruit is common in Indonesia because of its colour, taste, and ease of cultivation. Betacyanin is highest in the peels of the red dragon, which is responsible for the red-violet color. The antioxidant activity of this fruit's extract is higher than that of its white counterpart.<sup>5</sup>

\*Corresponding author. E mail: [amallia.setyawati@fk.undip.ac.id](mailto:amallia.setyawati@fk.undip.ac.id)  
Tel: +62-8132629445

**Citation:** Santoso S, Jaeri S, Maharani N, Setyawati AN. The Effect of Red Dragon Fruit (*Hylocereus polyrhizus*) Peel Ethanol Extract on Oxidative Stress in Sprague Dawley Rats (*Rattus norvegicus*). Trop J Nat Prod Res. 2022; 6(6):872-874. [doi.org/10.26538/tjnpr/v6i6.7](https://doi.org/10.26538/tjnpr/v6i6.7)

Official Journal of Natural Product Research Group, Faculty of Pharmacy, University of Benin, Benin City, Nigeria.

There is evidence of the red dragon's metabolic benefits, such as lower MDA levels in a variety of metabolic disorders.<sup>6</sup> The betacyanin content in the peels has increased its application in food products.<sup>7</sup> However, there is still a lack of information on the effects of this fruit on a heat stress-induced oxidative marker called malondialdehyde.

Therefore, this study was aimed at investigating the effects of red dragon peel extract on malondialdehyde levels after acute heat stress in Sprague Dawley rats (*Rattus norvegicus*).

**Materials and Methods***Source of plant material*

Red dragon fruits were purchased from the local market in March 2019. The identity was authenticated by the Laboratory of Biology, Faculty of Medicine, Diponegoro University, Semarang, Indonesia with an ID number: 112/IV/2019.

*Source of animals*

Sprague Dawley rats weighing 150-300 grams on average, 2-3 months old before adaptation, were obtained from the animal laboratory, Faculty of Medicine, Universitas Diponegoro, Semarang, Indonesia. There was no anatomical abnormality in the rats. Each rat was kept in a cage in a room with a temperature of 25°C and a 12:12 hour light/dark cycle. They were then acclimated for seven days with a semi-pure laboratory rat diet based on the AIN-93M formulation and water *ad libitum*.

*Ethical approval*

The ethics committee of the Faculty of Medicine, Universitas Diponegoro, Semarang, Indonesia, approved this study before the commencement of the experiments (Approval No.: 122/EC/H/KEPK/FK-UNDIP/X/2019).

### Preparation of red dragon fruit peel extract

The red dragon fruits (4.8 kg) were macerated in a distilled solvent with a pH of 5 and then adjusted with citric acid. It was peeled by hand, sliced into little pieces (2 mm), and dried for 24 hours at 50°C. Furthermore, it was mixed with 96% ethanol every 6 hours for 60 minutes. After that, the solution was separated from the rest of the mixture. This drying operation was repeated 3 times before filtering with Whatman No. 4 filter paper. The filtrate was dried at 56–60°C for 4 hours to remove the solvent and extract material, then stored at 4°C, and protected from light until further tests.<sup>8</sup>

### Experimental grouping

This was a randomized post-test-only control group study. The rats were randomly divided into five groups of six rats each. The treatment was administered on the first day after adaptation. For 14 days, groups K1 and K2 were given standard feed. Red dragon fruit peel extract was given in graded doses of 400, 800, and 1,600 mg/kg BW to groups P1, P2, and P3, respectively, for 14 days. On the 15th day, groups K2, P1, P2, and P3 were exposed to heat stress for 70 min at a temperature of 43°C using a 20-watt incandescent bulb. The dosage was established using data from a previous study in which red dragon fruit peel extract at 500 mg/kg BW was found to be an effective treatment for acetate lead poisoning.<sup>9</sup>

### Collection of blood samples

The rats in this study were euthanized on day 15 using 100 mg/kg BW of pentobarbital. Subsequently, blood samples were collected and sent to a laboratory for analysis.

### Laboratory analysis

Lipid peroxidation was measured by determining the reaction between MDA and thiobarbituric acid (TBA). The MDA colorimetric assay kit (Sigma Aldrich) employed a colorimetric (532 nm)/fluorometric ( $\lambda_{\text{ex}} = 532/\lambda_{\text{em}} = 553 \text{ nm}$ ) approach, proportionate to the MDA present.

### Statistical analysis

To compare and identify the level and difference of MDA between treatment groups, the data were statistically analyzed using one-way ANOVA and post hoc analysis. These analyses were performed using the statistical package for social sciences (SPSS; version 21), and a *p*-value of 0.05 was considered significant. Furthermore, the data are presented as mean  $\pm$  SD with 95% confidence intervals.

## Results and Discussion

Abnormalities such as infection, thermoregulatory problems, or decreased body weight were not noticed during the experiment. At the end of the experiment, the body weight of the animals was increased. Meanwhile, five dead rats were excluded, and the remaining 25 samples were randomized into 5 groups. As shown in Table 1, the difference in body weight between the groups of Sprague Dawley rats was insignificant ( $p > 0.05$ ). Table 2 demonstrates the MDA level in heat-stressed Sprague Dawley rats after administration of red dragon fruit peel extract in graded doses. The results revealed that the distribution was normal. The results of the subsequent comparison between groups are shown in Table 3. There was a significant difference ( $p < 0.05$ ) between groups K1, P1, P2, and P3 compared to K2 in the level of MDA. Therefore, the results showed that the administration of red dragon fruit dried extract improves MDA levels induced by heat stress. However, no reduction in MDA levels was observed when the fruit extract dose was increased to 400, 800, or 1,600 mg/kg BW. Heat stress can impair cellular antioxidant enzyme activity and oxidative stress markers, leading to dehydration and cell damage.<sup>10</sup> Furthermore, the activation of heat stress-induced receptors results in tissue damage.<sup>11</sup> Protein carbonyl due to secondary lipid peroxidation causes high lipid oxidative stress and affects protein oxidation.<sup>12</sup> Damage to the cell membrane and lipid peroxidation can increase oxidative stress. Meanwhile, an elevated level of MDA is one of the established biomarkers of oxidative stress.<sup>13</sup>

**Table 1:** Average body weight of Sprague Dawley rats.

Group	Body weight (g)	Normality test	<i>p</i> *
K1	198.20 $\pm$ 19.318	0.716	
K2	205.20 $\pm$ 36.465	0.481	
P1	201.20 $\pm$ 12.153	0.653	0.064
P2	167.00 $\pm$ 19.455	0.836	
P3	205.60 $\pm$ 15.852	0.388	

K1: Standard feed; K2: Standard feed, heat exposed; K3: Heat exposed, RDF 400 mg/kg BW; K4: Heat exposed, RDF 800 mg/kg BW; K5: Heat exposed, RDF 1,600 mg/kg BW; RDF: Red dragon fruit peel extract treatment; \*: One-way ANOVA.

**Table 2:** Level of MDA between experimental groups

Group	Level of MDA (ng/mL)	Normality test	<i>p</i> *
K1	19.50 $\pm$ 0.85	0.716	
K2	49.30 $\pm$ 3.70	0.481	
P1	20.65 $\pm$ 4.19	0.653	0.064
P2	20.37 $\pm$ 2.63	0.836	
P3	22.44 $\pm$ 6.68	0.388	

P1: Dragon fruit peel extract (400 mg/kg BW) treatment group; P2: Dragon fruit peel extract (800 mg/kg BW) treatment group; P3: Dragon fruit peel extract (1,600 mg/kg BW) treatment group. The treatment was administered for 14 days. On the 15th day, the K2, P1, P2, and P3 groups were subjected to heat-stress exposure; \*: One-way ANOVA.

**Table 3:** MDA level of difference between groups

Variable	K1	K2	P1	P2	P3
K1	-	<0.001*	0.968	0.946	0.854
K2	-	<0.001*	<0.001*	0.001*	0.001*
P1	-	1.000	0.984	P1	0.984
P2	-	-	-	-	0.960
P3	-	-	-	-	-

K1: Standard feed; K2: Standard feed, heat exposed; K3: Heat exposed, RDF 400 mg/kg BW; K4: Heat exposed, RDF 800 mg/kg BW; K5: Heat exposed, RDF 1,600 mg/kg BW; RDF: Red dragon fruit peel extract treatment; \*: Post Hoc analysis, significant level at  $p < 0.05$

The levels of MDA in rats exposed to heat stress in the K2 group were higher than in the K1 group, according to the measurements. The K2 group had a 252.82% higher average MDA level than the K1 group. This study shows that heat stress can induce the production of lipid peroxidation as an inflammatory response due to free radicals. Under this condition, lipid peroxidation and protein oxidation occurred in large amounts in the experimental animals. The generation of peroxy radicals is mediated by lipid hydroperoxides, which are formed when oxygen is coupled with lipids.<sup>14</sup> The cells of heat-stressed rats showed signs of malfunction. The antioxidant components in red dragon fruit, namely phenol and flavonoid compounds, efficiently inhibit lipid oxidation by counteracting free and peroxide radicals. Therefore, the high content of betacyanins, polyphenols, and ascorbic acid in red dragon fruit boosts oxidative defense.<sup>15</sup> MDA levels were higher in the K2 group exposed to heat stress without red dragon fruit peel extract than in the P1 group. The K2 group differs significantly in MDA levels from those in the P2 and P3 groups. This result indicates that administration of this extract to Sprague Dawley rats in groups P1, P2, and P3 can reduce MDA levels to levels similar to those in group K1. This implies that

MDA, a lipid peroxidation product, is capable of destroying DNA, proteins, enzyme activity, and the initiator of cell death. Lipid peroxidation, which occurs in two ways, nonenzymatic and enzymatic, is a threat to the cell membrane.<sup>16</sup> MDA levels were greater and lower in the P1 group than in the P2 and P3 groups. Furthermore, the MDA levels in the P2 group were lower than in the P3 group. There was no significant difference between groups P1, P2, and P3. This implies that at 400 mg/kg BW, the administration of red dragon fruit peel extract significantly reduced the MDA levels in the heat-stressed group.

In another study, the red dragon fruit peel extract was employed to ensure optimum filtration and concentration.<sup>17</sup> The phenolic and flavonoid components may be optimally bound using 96% ethanol as a solvent. Antioxidant activity is enhanced by increased phenolic and flavonoid content. This is the first study to look at the impact of different red dragon fruit extract dosages on MDA levels after acute heat stress. Therefore, the effect of red dragon fruit on heat stress established in this study may have clinical implications in the future. However, there are some limitations to this study. First, the presence of phenolic acid compounds was not investigated before the study. This is because the red dragon fruit's crude ethanolic extract has not been determined. Second, this study focused particularly on oxidative biomarkers to better understand how stress is produced. Also, it needs to include more markers to fully comprehend the role of oxidative stress in heat-stressed rats. Finally, histological evaluation post-treatment was not performed. As a result, the histological and immunohistochemical examinations can be used to further investigate the oxidative process and offer more quantitative measurements.

## Conclusion

The findings of this study reveal that the red dragon fruit extract improves lipid peroxidation MDA in acute heat stress-induced rats, however, the effect is not dose-dependent.

## Conflict of Interest

The authors declare no conflict of interest.

## Authors' Declaration

The authors hereby declare that the work presented in this article is original and that any liability for claims relating to the content of this article will be borne by them.

## Acknowledgements

The authors are grateful to all the staff of the Animal Laboratory, Faculty of Medicine, Universitas Diponegoro, Semarang, Indonesia for their assistance during the animal study.

## References

- Lan R, Li S, Chang Q, Zhao Z. Chitosan Oligosaccharides Protect Sprague Dawley Rats from Cyclic Heat Stress by Attenuation of Oxidative and Inflammation Stress. *Anim*. 2019; 9(12):1074.
- Brownstein AJ, Ganesan S, Summers CM, Pearce S, Hale BJ, Ross JW, Gabler N, Seibert JT, Rhoads RP, Baumgard LH, Selsby JT. Heat stress causes dysfunctional autophagy in oxidative skeletal muscle. *Physiol Rep*. 2017; 5(12):e13317.
- Rhoads RP, Baumgard LH, Suagee JK, Sanders SR. Nutritional interventions to alleviate the negative consequences of heat stress. *Adv Nutr*. 2013; 4(3):267-276.
- Nerdy N and Manurung K. Spectrophotometric method for antioxidant activity test and total phenolic determination of red dragon fruit leaves and white dragon fruit leaves. *Rasayan J Chem*. 2018; 11(3):1183-1192.
- Fidrianny I, Nadia I, and Rika H. Antioxidant profile and phytochemical content of different parts of super red dragon fruit (*Hylocereus costaricensis*) collected from West Java-Indonesia. *Asian J Pharm Clin Res*. 2017; 10(12):290-294.
- Rodriguez A and Delia B. Update on natural food pigments-A mini-review on carotenoids, anthocyanins, and betalains. *Food Res Int*. 2019; 124:200-205.
- Haitao J, Wanli Z, Xiangxin L, Chang S, Weibo J, Jiankang C. Nutrition, phytochemical profile, bioactivities, and applications in the food industry of pitaya (*Hylocereus* spp.) peels A comprehensive review. *Trends Food Sci. Technol*. 2021; 116:199-217.
- Lourith N and Kanlayavattanakul M. Antioxidant and stability of dragon fruit peel color. *Agro Food Ind HiTech*. 2013; 24:56-58.
- Wulandari E, I'tishom R, Sudjarwo SA. Therapy Effect of Red Dragon Fruit (*Hylocereus polyrhizus*) Peel Extract to Increase the Number of Sertoli Cells On BALB/c Mice (*Mus musculus*) Exposed to Lead Acetate. *Fol Med Indones* 2020; 56(2):108-113.
- Habashy WS, Milfort MC, Rekaya R, Aggrey SE. Cellular antioxidant enzyme activity and biomarkers for oxidative stress are affected by heat stress. *Int J Biometeorol*. 2019; 63(12):1569-1584.
- Emami NK, Jung U, Voy B, Dridi S. Radical Response: Effects of Heat Stress-Induced Oxidative Stress on Lipid Metabolism in the Avian Liver. *Antioxid*. 2020; 10(1):35.
- Jacobs PJ, Oosthuizen MK, Mitchell C, Blount JD, Bennett NC. Oxidative stress in response to heat stress in wild caught Namaqua rock mice, *Micaelamys namaquensis*. *J Therm Biol*. 2021; 98:102958.
- Tsikas D. Assessment of lipid peroxidation by measuring malondialdehyde (MDA) and relatives in biological samples: Analytical and biological challenges. *Anal Biochem*. 2017; 524:13-30.
- Conrad M, Kagan VE, Bayir H, Pagnussat GC, Head B, Traber MG, Stockwell BR. Regulation of lipid peroxidation and ferroptosis in diverse species. *Genes Dev*. 2018; 32(9-10):602-619.
- Al-Mekhlafi NA, Mediani A, Ismail NH, Abas F, Dymerski T, Lubinska-Szczygeł M, Verasilp S, Gorinstein S. Metabolomic and antioxidant properties of different varieties and origins of Dragon fruit. *Microchem J*. 2021; 160:105687.
- Gaschler MM and Stockwell BR. Lipid peroxidation in cell death. *Biochem Biophys Res Commun*. 2017; 482(3):419-425.
- Panjaitan RGP and Novitasari N Anti-diabetic Activity of the Red Dragon Fruit Peel (*Hylocereus polyrhizus*) in ethanol extract against diabetic rats. *Pharmacogn J*. 2021; 13(5):1079-1085.

## LAMPIRAN ETHICAL CLEARANCE

**PENGUSUL:** dr. Amallia Nuggetsiana Setyawati, M.Si.Med, Sp.A

### **JUDUL ARTIKEL:**

The Effect of Red Dragon Fruit (*Hylocereus polyrhizus*) Peel Ethanol Extract on Oxidative Stress in Sprague Dawley Rats (*Rattus norvegicus*)

### **Publikasi**

Judul : : The Effect of Red Dragon Fruit (*Hylocereus polyrhizus*) Peel Ethanol Extract on Oxidative Stress in Sprague Dawley Rats (*Rattus norvegicus*)

Penerbit: : Natural Product Research Group, University of Benin

Jurnal : : Tropical Journal of Natural Product Research (TJNPR)

Volume : : 6

Nomer : : 6

Tahun : : 2022

Tanggal Publikasi : : 1 Juni 2022

SJR : : 0.13

Penulis : : Seno Santoso, Santoso Jaeri, Amallia Nuggetsiana Setyawati, Nani Maharani

*Corresponding author* : Amallia Nuggetsiana Setyawati



KOMISI ETIK PENELITIAN KESEHATAN (KEPK)  
FAKULTAS KEDOKTERAN UNIVERSITAS DIPONEGORO  
SEMARANG

Sekretariat : Kantor Dekanat FK Undip Lt.1  
Jl. Dr. Soefomo 18. Semarang, Email : komisetik@gmail.com  
Telp/Fax. 024-76028010, Pes. 7820

**ETHICAL CLEARANCE**

**No. 122/EC/H/KEPK/FK-UNDIP/X/2019**

Komisi Etik Penelitian Kesehatan Fakultas Kedokteran Universitas Diponegoro Semarang, setelah membaca dan menelaah Usulan Penelitian dengan judul :

**Pengaruh Pemberian Ekstrak Kulit Buah Naga Merah dengan Dosis Bertingkat terhadap Kadar Malondialdehid Tikus Sprague Dawley yang Terpapar *Heat Strees***

Nama Peneliti : **Seno**

Pembimbing : **1. dr. Amallia Nuggetsiana Setyawati, M.Si.Med**  
**2.dr. Santoso, M.Si.Med, Sp.N**

Penelitian : Dilaksanakan di Laboratorium Biologi Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Negeri Semarang untuk tempat Pemeliharaan, Perlakuan Hewan Coba, dan Pemeriksaan Kadar Malondialdehid Darah Tikus Sprague Dawley yang Terpapar *Heat Strees*

Setuju untuk dilaksanakan, dengan memperhatikan prinsip-prinsip yang dinyatakan dalam Deklarasi Helsinki 1975, yang diamandemen di Seoul 2008 dan Pedoman Nasional Etik Penelitian Kesehatan (PNEPK) Departemen Kesehatan RI 2011.

Pada laporan akhir peneliti harus melampirkan cara pemeliharaan & dekapitasi hewan coba dan melaporkan ke KEPK bahwa penelitian sudah selesai dilampiri Abstrak Penelitian.

Semarang, 9 Oktober 2019

Komisi Etik Penelitian Kesehatan  
Fakultas Kedokteran Undip  
Ketua,  
  
Prof. Dr. dr. Suprihati, M.Sc, Sp.THT-KL(K)  
NIR.19500621 197703 2 001





