

LEMBAR
HASIL PENILAIAN SEJAWAT SEBIDANG ATAU *PEER REVIEW*
KARYA ILMIAH : PROSIDING INTERNASIONAL

Judul Prosiding (Artikel) : Spectral theory for self-adjoint linear relation (SALR) on a Hilbert space and its application in homogenous abstract cauchy problem

Nama/ Jumlah Penulis : Susilo Hariyanto, R K Sari, Farikhin, Y D Sumanto, **Solikhin**, A Aziz

Status Pengusul : penulis ke-5

Identitas Prosiding : a. Nama Prosiding : Journal of Physics: Conference Series
b. Nomor ISSN : Online ISSN: 1742-6596 Print ISSN: 1742-6588
c. Vol, No., Bln Thn : 1321 (2019) 022070
d. Penerbit : IOP Publishing
e. DOI artikel (jika ada) : 10.1088/1742-6596/1321/2/022070
f. Alamat web penerbit : <https://iopscience.iop.org/article/10.1088/1742-6596/1321/2/022070>
g. Terindex : Scopus, Q4

Kategori Publikasi Prosiding :

√

 Prosiding Internasional terindek pada scimagojr dan scopus
(beri √ pada kategori yang tepat)

 Prosiding Internasional terindek scopus, IEEE Eexplore

--

 Prosiding Nasional

Hasil Penilaian *Peer Review* :

Komponen Yang Dinilai	Nilai Reviewer		Nilai Rata-Rata
	Reviewer 1	Reviewer 2	
a. Kelengkapan unsur isi jurnal (10%)	2,9	2,9	2,9
b. Ruang lingkup dan kedalaman pembahasan (30%)	8,7	8,975	8,8375
c. Kecukupan dan kemutahiran data/informasi dan metodologi (30%)	8,7	8,975	8,8375
d. Kelengkapan unsur dan kualitas terbitan/jurnal (30%)	8,7	8,975	8,8375
Total = (100%)	29,0	29,825	29,4125
Nilai Pengusul = (40%/5) x 29,4125 = 2,3530			

Semarang,
Reviewer 1

Nama : Prof. Dr. Sunarsih, M.Si.
NIP. 195809011986032002
Unit Kerja : FSM Undip
Bidang Ilmu : Matematika

Reviewer 2

Nama : Drs. Bayu Surarso, M.Sc Ph.D.
NIP. 19631105 198803 1 001
Unit Kerja : FSM Undip
Bidang Ilmu : Matematika

LEMBAR
HASIL PENILAIAN SEJAWAT SEBIDANG ATAU *PEER REVIEW*
KARYA ILMIAH : PROSIDING INTERNASIONAL

Judul Prosiding (Artikel) : Spectral theory for self-adjoint linear relation (SALR) on a Hilbert space and its application in homogenous abstract cauchy problem

Nama/ Jumlah Penulis : Susilo Hariyanto, R K Sari, Farikhin, Y D Sumanto, **Solikhin**, A Aziz

Status Pengusul : penulis ke-5

Identitas Prosiding : a. Nama Prosiding : Journal of Physics: Conference Series
b. Nomor ISSN : Online ISSN: 1742-6596 Print ISSN: 1742-6588
c. Vol, No., Bln Thn : 1321 (2019) 022070
d. Penerbit : IOP Publishing
e. DOI artikel (jika ada) : 10.1088/1742-6596/1321/2/022070
f. Alamat web penerbit : <https://iopscience.iop.org/article/10.1088/1742-6596/1321/2/022070>
g. Terindex : Scopus, Q4

Kategori Publikasi Prosiding : ☒ Prosiding Internasional terindek pada scimagojr dan scopus
(beri ✓ pada kategori yang tepat) ☐ Prosiding Internasional terindek scopus, IEEE Eexplore
☐ Prosiding Nasional

Hasil Penilaian *Peer Review* :

Komponen Yang Dinilai	Nilai Maksimal prosiding			Nilai Akhir Yang Diperoleh
	Internasional terindek Smimagojr &scopus 30	Internasioan scopus IEEE 	Nasional 	
a. Kelengkapan unsur isi prosiding (10%)	3			2,9
b. Ruang lingkup dan kedalaman pembahasan (30%)	9			8,7
c. Kecukupan dan kemutahiran data/informasi dan metodologi (30%)	9			8,7
d. Kelengkapan unsur dan kualitas terbitan/prosiding (30%)	9			8,7
Total = (100%)	30			29,0
Nilai Pengusul = (40%/5) x 29,0 = 2,32				

- Catatan Penilaian artikel oleh Reviewer :
1.

Kesesuaian dan kelengkapan unsur isi prosiding:
Kelengkapan unsur isi jurnal baik mulai dari pendahuluan, pembahasan hingga kesimpulan dan daftar pustaka lengkap
2.

Ruang lingkup dan kedalaman pembahasan:
Lingkup pembahasan relevan dengan bidang kajian analisis fungsional. Kedalaman materi terlihat dari beberapa teorema dan bukti yang diperoleh.
3.

Kecukupan dan kemutakhiran data/informasi dan metodologi:
Cukup mutakhir dan ada unsur orisinitas suatu karya publikasi yang terbit di prosiding internasional dengan didukung 16 referensi dan 4 referensi sudah out of date < 10 tahun.
4.

Kelengkapan unsur dan kualitas terbitan:
Artikel cukup memenuhi standard penulisan. Makalah diterbitkan di prosiding internasional dengan similarity 14% yang terindeks Scopus

Semarang, 4 Maret 2023
Reviewer 1



Nama : Prof. Dr. Sunarsih, M.Si.
NIP. 195809011986032002
Unit Kerja : FSM Undip
Bidang Ilmu : Matematika

LEMBAR
HASIL PENILAIAN SEJAWAT SEBIDANG ATAU PEER REVIEW
KARYA ILMIAH : PROSIDING INTERNASIONAL

Judul Prosiding (Artikel) : Spectral theory for self-adjoint linear relation (SALR) on a Hilbert space and its application in homogenous abstract cauchy problem

Nama/ Jumlah Penulis : Susilo Hariyanto, R K Sari, Farikhin, Y D Sumanto, **Solikhin**, A Aziz

Status Pengusul : penulis ke-5

Identitas Prosiding : a. Nama Prosiding : Journal of Physics: Conference Series
b. Nomor ISSN : Online ISSN: 1742-6596 Print ISSN: 1742-6588
c. Vol, No., Bln Thn : 1321 (2019) 022070
d. Penerbit : IOP Publishing
e. DOI artikel (jika ada) : 10.1088/1742-6596/1321/2/022070
f. Alamat web penerbit : <https://iopscience.iop.org/article/10.1088/1742-6596/1321/2/022070>
g. Terindex : Scopus, Q4

Kategori Publikasi Prosiding : ☒ Prosiding Internasional terindek pada scimagojr dan scopus
(beri ✓ pada kategori yang tepat) ☐ Prosiding Internasional terindek scopus, IEEE Eexplore
☐ Prosiding Nasional

Hasil Penilaian *Peer Review* :

Komponen Yang Dinilai	Nilai Maksimal prosiding			Nilai Akhir Yang Diperoleh
	Internasional terindek Smimagojr &scopus 30	Internasioan scopus IEEE 	Nasional 	
a. Kelengkapan unsur isi prosiding (10%)	3			2,9
b. Ruang lingkup dan kedalaman pembahasan (30%)	9			8,975
c. Kecukupan dan kemutahiran data/informasi dan metodologi (30%)	9			8,975
d. Kelengkapan unsur dan kualitas terbitan/prosiding (30%)	9			8,975
Total = (100%)	30			29,825
Nilai Pengusul = (40%/5) x 29,825 = 2,386				

- Catatan Penilaian artikel oleh Reviewer :**
- 1. Kesesuaian dan kelengkapan unsur isi prosiding:**
Atikel sudah ditulis sesuai panduan IOP proceeding dan lengkap dari abstrak hingga kesimpulan. Metodologi yang digunakan berupa studi literatur, namun tidak disampaikan secara eksplisit.

2. Ruang lingkup dan kedalaman pembahasan:
Lingkup pembahasan tentang teori spectral dalam relasi linier. Kedalaman materi baik.

3. Kecukupan dan kemutakhiran data/informasi dan metodologi:
Informasi yang diuraikan dalam artikel ini merupakan materi yang mutakhir dalam kajian matematika analisis., sehingga unsur kemutakhiran baik. Artikel didukung dengan Pustaka sebanyak 16 paper.

4. Kelengkapan unsur dan kualitas terbitan:
Unsur kelengkapan dan kualitas terbitan artikel dalam prosiding ini baik. Artikel diterbitkan pada IOP Publishing.

Semarang, Februari 2023
Reviewer 2



Nama : Drs. Bayu Surarso, M.Sc Ph.D.
NIP. 19631105 198803 1 001
Unit Kerja : FSM Undip
Bidang Ilmu : Matematika

Journal of Physics: Conference Series • Open Access • Volume 1321, Issue 2 • 15 November 2019 • Article number 022070 • 5th International Conference on Mathematics, Science and Education 2018, ICMSE 2018 • Kuta, Bali • 8 October 2018 through 9 October 2018 • Code 154493

Document type

Conference Paper • Bronze Open Access

Source type

Conference Proceedings

ISSN

17426588

DOI

10.1088/1742-6596/1321/2/022070

View more 

Spectral theory for self-adjoint linear relation (SALR) on a Hilbert space and its application in homogenous abstract cauchy problem

[Hariyanto S.](#) ; [Sari R.K.](#); [Farikhin](#); [Sumanto Y.D.](#); [Solikhin](#); [Aziz A.](#)

 Save all to author list

^a Department of Mathematics, Faculty of Science and Mathematics, Diponegoro University, Semarang, Indonesia

12

Views count  View all metrics Full text options  Export 

Abstract

A spectral theory studies eigenvalues and eigenvectors of SALR on H . SALR on Hilbert space H is a linear relation satisfying $A = A^*$. Many applications of SALR on quantum theory, such as the homogenous abstract Cauchy problem. If M is an operator that has an inverse then eigenvalues and eigenvectors are easily determined, but If M is an operator that does not have an inverse then eigenvalues and eigenvectors are quite difficult determined. One way that can be done is to use a linear relation. Furthermore, there are some properties of spectral theory of linear operator that can not apply to SALR. This paper aims to give a spectral theory for SALR and its application in a homogenous abstract Cauchy problem. © Published under licence by IOP Publishing Ltd.

Indexed keywords SciVal Topics  Metrics 

References (16)

View in search results format ☐ All

Export

 Print E-mail Save to PDF

Create bibliography

Brought to you by Universitas Diponegoro



Scopus



Source details

Journal of Physics: Conference Series

Scopus coverage years: from 2005 to Present

ISSN: 1742-6588 E-ISSN: 1742-6596

Subject area: [Physics and Astronomy: General Physics and Astronomy](#)

Source type: Conference Proceeding

[View all documents >](#)[Set document alert](#)[Save to source list](#) [Source Homepage](#)

CiteScore 2021

0.8

SJR 2021

0.210

SNIP 2021

0.395

[CiteScore](#) [CiteScore rank & trend](#) [Scopus content coverage](#)

i Improved CiteScore methodology

CiteScore 2021 counts the citations received in 2018-2021 to articles, reviews, conference papers, book chapters and data papers published in 2018-2021, and divides this by the number of publications published in 2018-2021. [Learn more >](#)

CiteScore 2021

$$0.8 = \frac{74,925 \text{ Citations 2018 - 2021}}{96,702 \text{ Documents 2018 - 2021}}$$

Calculated on 05 May, 2022

CiteScoreTracker 2022


$$0.9 = \frac{87,675 \text{ Citations to date}}{95,266 \text{ Documents to date}}$$

Last updated on 05 February, 2023 • Updated monthly

CiteScore rank 2021

Category	Rank	Percentile
Physics and Astronomy		
General Physics and Astronomy	#195/240	18th

[View CiteScore methodology >](#) [CiteScore FAQ >](#) [Add CiteScore to your site](#)



The open access *Journal of Physics: Conference Series (JPCS)* provides a fast, versatile and cost-effective proceedings publication service.

Latest published conferences

Vol 2461



Go

Conference archive

2023



Go

View forthcoming volumes accepted for publication.

If you would like more detailed information regarding *Journal of Physics: Conference Series* please visit conferenceseries.iop.org, and if you are interested in publishing a proceedings with IOP Conference Series please visit our page for conference organizers.

Conference organizers can use our online form and we will get in touch with a quote and further details.

Most read

Latest articles

JOURNAL LINKS

[Journal home](#)

[Journal Scope](#)

[Information for organizers](#)

[Information for authors](#)

[Contact us](#)

Reprint services from Curran Associates

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our [Privacy and Cookies policy](#).



Preface

It is a very great privilege for Faculty of Mathematics and Natural Science (FMIPA) Universitas Negeri Semarang to host the 5th International Conference on Mathematics, Science, and Education (ICMSE 2018) in Kuta, Bali, Indonesia on 8-9 October 2018. We are honored to have the opportunity to work with Indonesian Chemical Society, Indonesian Physical Society, Indonesian Biology Society, Association of Computer Science Higher Education, Indonesian Mathematical Society, and Association of Indonesian Science Educator in this forum. In 2018, our theme of “Collaborative Research on Science, Mathematics, and Education: Its Application As The Development of Sustainable Resources” celebrates the annual conference to provide a platform to the researchers, experts and practitioners from academia, governments, NGOs, research institutes, and industries to meet and share cutting-edge progress in the field of mathematics, natural science, and science education. Also, this event provides an opportunity to enhance understanding of relationships between knowledge and research in the scope of Mathematics, Biology, Chemistry, Physics, and Science Education.

The committee of ICMSE 2018 would like to express the sincere gratitude to the keynote speakers and all authors of the contributed papers in the conference proceedings. Moreover, would like to thank the expert reviewers for reviewing the manuscripts. We also highly appreciate the assistance offered by many volunteers in the preparation of the conference and the proceedings, and of course, to the sponsors assisting in funding this conference.

The committee selected papers and report findings presented in this forum to be published in **Journal of Physics: Conference Series (Institute of Physics Publisher)** indexed in some databases, including the Conference citation index, Scopus, Inspec, Chemical Abstracts Service, and Astrophysics Data System. We hope that this program will expand the mutual understanding and respect in stimulating research in Mathematics, Science, and Education; share research interest and information, and create a form of collaboration and build a trust relationship. We are delighted to be able to show the world what recent developments in the field of Mathematics, Natural Science, and Science Education through this fruitful program.

Chairperson,

Prof. Dr. St. Budi Waluya



COMMITTEE

International Scientific Advisory Board

Prof. H. Mohamad Nasir, Ph.D, Ak	(Minister of Research, Technology and Higher Education of Republic of Indonesia)
Prof. Dr. Fathur Rokhman, M.Hum	(Rector of Universitas Negeri Semarang, Indonesia)
Prof. Dr. Edy Cahyono, M.Si.	(Chemistry Department, Universitas Negeri Semarang, Indonesia)
Dr. Masturi, M.Si.	(Physics Department, Universitas Negeri Semarang, Indonesia)
Dr. Putut Marwoto M.S	(Physics Department, Universitas Negeri Semarang, Indonesia)
Prof. Dr. Ani Rusilowati, M.Pd.	(Physics Department, Universitas Negeri Semarang, Indonesia)
Dr. Mahardika Prasetya Aji M.Si.	(Physics Department, Universitas Negeri Semarang, Indonesia)
Prof. Dr. Supriyadi M.Si.	(Physics Department, Universitas Negeri Semarang, Indonesia)
Dr. Ir. Paristiyanti Nurwardani, M.P.	(Director of Learning and Student Affairs; Ministry of Research, Technology and Higher Education, Indonesia)
Prof. Dr. Young Jun CHANG	(University of Seoul, South Korea)
Prof. Dr. Francis Q. Brearley	(Manchester Metropolitan University, United Kingdom)
Prof. Dr. Uda Hashim	(Universiti Malaysia Perlis, Malaysia)
Prof. Dr. Ngurah Dewa Suprpta	(Researcher & Entrepreneur, Udayana University, Indonesia)
Prof. Dr. Duraisamy Sambasivam Sankar	(Universiti Teknologi Brunei, Brunei Darussalam)
Prof. Takeshi Sakurai	(Kanazawa University, Japan)
Dr. Arramel	(National University of Singapore, Singapore)
Prof. Dr. Yu-Cheng Hsu	(National Dong Hwa University, Taiwan)
Dr. Margareta Rahayuningsih, S.Si, M.Si	(Biology Department, Universitas Negeri Semarang, Indonesia)
Prof. Dr. Ir. Amin Retnoningsih, MSi.	(Biology Department, Universitas Negeri Semarang, Indonesia)
Prof. Dr. Enni Suwarsi Rahayu, M.Si.	(Biology Department, Universitas Negeri Semarang, Indonesia)
Dr. Anuradha Mathrani	(Massey University, New Zealand)
Prof. Roberta Hunter	(Massey University, New Zealand)
Prof. Dr. Hans-Dieter Barke	(Westfälische Wilhelms -Universität Münster, Institut für Didaktik der Chemie, Germany)
Prof. Dr. Ibnu Maryanto	(Zoology Division Research Centre for Biology, Indonesian Institute of Sciences)
Prof. Md. Rahim Sahar	(Department of Physics, Universiti Teknologi Malaysia, Malaysia)
Dr. Uda Hashim	(Universiti ^{SEP} Malaysia Perlis, Malaysia)
Assoc. Prof. Dr. Zaiton Abdul Majid	(Physical Chemistry – Universiti Teknologi Malaysia, Malaysia)
Assoc. Prof. Dong Fengming, PhD	(Mathematics – National Institute of Education, Nanyang Technological University, Singapore)
Prof. Dr. I Nengah Suparta, M.Si.	(Mathematics – Universitas Pendidikan Ganesha, Indonesia)
Prof. Dominic Reeve, Ph.D.	(Coastal Engineering & Chartered Mathematics, Swansea University, United Kingdom)
Prof. Dr. Zaenuri, S.E, M.Si,Akt	(Mathematics Department, Universitas Negeri Semarang, Indonesia)
Prof. Dr. Sudarmin, M.Si	(Chemistry Department, Universitas Negeri Semarang, Indonesia)
Dr Sugianto, M.Si	(Physics Department, Universitas Negeri Semarang, Indonesia)
Prof. Dr. St. Budi Waluya, M.Si	(Mathematics Department, Universitas Negeri Semarang, Indonesia)
Dr. Isnaini Rosyida, S.Si, M.Si	(Mathematics Department, Universitas Negeri Semarang, Indonesia)
Dr. rer.nat. Adi Nur Cahyono, S.Pd., M.Pd.	(Mathematics Department, Universitas Negeri Semarang, Indonesia)

Organizing Committee

Chairperson:

Prof. Dr. St. Budi Waluya

Members:

Dr. Isti Hidayah, M.Pd
 Cepi Kurniawan, S.Si., M.Si., Ph.D.
 Aji Purwinarko, S.Si., M.Cs.
 Dante Alighiri, S.Si., M.Sc.
 Stephani Diah Pamelasari, S.S., M.Hum.
 Nila Prasetya Aryani, S.Si., M.Si.
 Fidia Fibriana, S.Si., M.Sc.
 Willy Tirza Eden, S.Farm., M.Sc.
 Muhammad Zuhair Zahid, S.Pd.Si., M.Pd.
 Muhammad Abdullah, S.Si., M.Sc.

Table of contents

Volume 1321

2019

◀ Previous issue Next issue ▶

Accepted papers received: 27 August 2019

Published online: 15 November 2019

Open all abstracts

Papers

OPEN ACCESS 022001

System design of smart solar photovoltaic water pump in Indonesia

J Pratilastiarso, E Tridianto and L Diana

+ Open abstract  View article  PDF

OPEN ACCESS 022002

Characterization of activated charcoal from sugar palm bunches (*Arenga pinnata* (Wurmb) Merr) and the application as adsorbent lead (Pb), copper (Cu) and chrome (Cr) in solution

N Adrianto, V H R Mongkito, S Fayanto, M Anas and R Eso

+ Open abstract  View article  PDF

OPEN ACCESS 022003

Modeling response Time Lapse Microgravity Vertical Gradient (TLMVG) anomaly due to fluid volume changes of sub surface and its implementation in Kota Lama Semarang

Supriyadi, Khumaedi, Sugiyanto, M Ikhsan and Sarkowi

+ Open abstract  View article  PDF

OPEN ACCESS 022004

Activated carbon from cashew nut waste and its application as a heavy metal absorbent

Hunaidah, M A A Undu, S Fayanto, Sulwan and K Y Setiawan

+ Open abstract  View article  PDF

OPEN ACCESS 022005

Fabrication and characterization of Polymer Optical Fiber (POF) based on Mach-Zehnder interferometer for temperature sensor

H Rumiana, S Maimanah, K E Kurniansyah, I Yulianti and N M D Putra

+ Open abstract  View article  PDF

OPEN ACCESS 022006

Identification of archeology object at Speelwijk Castle Banten Lama using

F E Puspitaningtyas, T Siswantining and T Kamelia

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

022063

Development of 3CM (cool-critical-creative-meaningful) learning model to increase creative thinking skill

Wahyudi, S B Waluya, H Suyitno and Isnarto

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

022064

The determinants of youth participation for school, work, or other activities based on social demographic characteristics in Indonesia

S Subanti, A R Hakim, H Pratiwi, B R M B Irawan and I M Hakim

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

022065

Structural model for the role of government and social capital on business performance of weaving industry in Jembrana Regency of Bali

G K Gandhiadi

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

022066

On perturbation method of an oscillator single degree of freedom with mass that changes periodically and forced vibrations

S B Waluya, I Rosyida and M Kharis

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

022067

Hierarchical Bayesian segmentation for piecewise stationary autoregressive model based on reversible jump MCMC

Suparman

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

022068

On the modeling of cross-section and longitudinal section of pipes

Kusno

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

022069

Additional conditions of self-adjoint operator to be applied self-adjoint linear relation on a Hilbert space

S Hariyanto, R K Sari, Farikhin, Y D Sumanto, Solikhin and A Aziz

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

022070

Spectral theory for self-adjoint linear relation (SALR) on a Hilbert space and its application in homogenous abstract cauchy problem

S Harivanto, R K Sari, Farikhin, Y D Sumanto, Solikhin and A Aziz

Learning differential calculus using self-regulated flipped classroom approach

A Istiandaru^{1,*}, F Setyawan¹, A S E Hidayat² and V Istihapsari¹

¹Mathematics Education Department of Universitas Ahmad Dahlan, Jalan Prof. Dr. Soepomo, S.H. Warungboto, Yogyakarta, 55164 Indonesia.

²Monash University, Scenic Blvd & Wellington Road, Clayton VIC 3800, **Australia.**

*Corresponding author: afit.istiandaru@pmat.uad.ac.id

Abstract. Differential calculus becomes a primary pre-requisite material for every student to start learning calculus. It mainly discusses the concepts and theorems regarding derivative of functions. Many mathematics educators believe that learning differential calculus needs specific conditions and attitude as it cannot be set as rote and procedural learning. This research aims to find out the students' perception towards the implementation of self-regulated flipped classroom approach in their differential calculus class. Thirty-six students participated in the seven meetings of the class and gave their perceptions at the end of every meeting. They were engaged in a various type of learning activities outside the classroom such as setting their own goal, gaining information from many sources, and uploading a video of their presentation, while during the class, they were assessed with an interview confirming their understanding about the topics. The result suggests that the self-regulated flipped classroom approach is promising to maintain the students' right attitude towards differential calculus.

1. Introduction

It is common in the Indonesian mathematics education curriculum that differential calculus is the fundamental subject providing provision for the pre-service teachers to learn calculus and real analysis. The subject is usually taught in the early semester in the teacher training period. The differential calculus subject mainly discusses the concepts and theorems regarding the derivative of functions[1]. Prior to this, the knowledge of equations, functions, limit, and continuity are also important as the pre-requisite material. Further, the students discuss the definition of the derivative, the derivatives in trigonometric functions, the chain rule, the higher order derivatives and the application of derivatives. Since the material of differential calculus set the foundation of analytical thinking, this subject becomes the foundation of logical, critical and creative thinking for the students of mathematics education department[2–4].

The importance of the differential calculus material was not followed by the adequate performance of the students. In the latest two years of teaching differential calculus, mainly using the drill method, we found that the students still confused with the concepts. The students' differential calculus learning result in 2016/2017, for example, shows that only 30% of the students could achieve the score more than 70. We discussed this phenomenon with the other lecturers of the differential calculus and it was confirmed that the similar condition happened in all differential calculus classes. From this score, we



Nationalism and integrity values in teaching-learning process of mathematics at elementary school of Japan

H Suyitno¹, Zaenuri¹, E Sugiharti¹, A Suyitno¹ and T Baba²

¹ Faculty of Mathematic and Natural Sciences, Universitas Negeri Semarang, Indonesia,

² IDEC, Hiroshima University, Japan

*Corresponding author: hhardisunnes@yahoo.com

Abstract. The values of Nationalism and Integrity are very important to be grown in the young generation. Japan has succeeded in strengthening those values through education in schools. Therefore, it is necessary to do collaborative research between the Research Team of Universitas Negeri Semarang (UNNES) with the partner lecturer from Hiroshima University, that is Prof. Takuya Baba, Ph.D. The problem: How to integrate the values of Nationalism and Integrity in mathematics teaching-learning process at Miyauchi Elementary School of Hiroshima? The research method uses a qualitative approach with the research subjects of Miyauchi Elementary School teachers were selected. The main activity in Japan: observation, interviews, and Focus Group Discussion (FGD) in Miyauchi Elementary School, guided by the partner lecturer. The results of this research: (1) Nationalism and Integrity values has been instilled through families traditionally. (2) Schools apply Nationalism and Integrity values in real context through the learning process, including in the mathematics learning. (3) Courtesy and discipline were also planted in the classroom and has been entrenched among teacher-students. (4) When the student answers the teacher's question, the students immediately stand up and salute by bowing, then respond.

1. Introduction

Schools in Indonesia are currently implementing government programs to cultivate students' character values. There are five main values of the character developed namely: religious, nationalism, autonomy/independent, mutual cooperation, and integrity. Currently schools in Indonesia are starting to implement Strengthening Character Education (PPK). This article, written based on the international collaborative research. Our research team has gone to Hiroshima University with a partner lecturer is Prof. Takuya Baba, Ph.D. Guided by him then the research team conducted next research at Miyauchi Elementary School of Hiroshima. The study was designed to be implemented for 2 years. Research in the first year focused on the value of nationalism and integrity. This first year of study would like to reveal how the elementary school teachers in Japan integrate the nationalism and integrity values in mathematics learning.

Nationalism is a character value of the way of thinking, behaving, and doing that shows loyalty, caring, and respect which places the interests of the nation and the state above the interests of the self and the group. While Integrity is a character value of the attitude of responsibility as a citizen, actively involved in social life, through the consistency of actions and words based on the truth.

Nationalism and Integrity are very important. Nationalism building and Integrity must be strengthened again in the young generation in Indonesia. And, Japan is a country that teach Nationalism and Integrity values in school specifically in the mathematics learning process from an



Spectral theory for self-adjoint linear relation (SALR) on a Hilbert space and its application in homogenous abstract cauchy problem

by Susilo Hariyanto

Submission date: 14-Feb-2023 08:37PM (UTC+0700)

Submission ID: 2013987134

File name: C-11_organized.pdf (1.18M)

Word count: 2361

Character count: 10550

Spectral theory for self-adjoint linear relation (SALR) on a Hilbert space and its application in homogenous abstract cauchy problem

S Hariyanto^{1,*}, R K Sari², Farikhin¹, Y D Sumanto¹, Solikhin¹ and A Aziz¹

¹ Department of Mathematics, Faculty of Science and Mathematics, Diponegoro University, Semarang, Indonesia

² Magister Program of Mathematics, Department of Mathematics, Faculty of Science and Mathematics, Diponegoro University, Semarang, Indonesia

*Corresponding author: sus2_hariyanto@yahoo.co.id

Abstract. A spectral theory studies eigenvalues and eigenvectors of SALR on H . SALR on Hilbert space H is a linear relation satisfying $A = A^*$. Many applications of SALR on quantum theory, such as the homogenous abstract Cauchy problem. If M is an operator that has an inverse then eigenvalues and eigenvectors are easily determined, but If M is an operator that does not have an inverse then eigenvalues and eigenvectors are quite difficult determined. One way that can be done is to use a linear relation. Furthermore, there are some properties of spectral theory of linear operator that can not apply to SALR. This paper aims to give a spectral theory for SALR and its application in a homogenous abstract Cauchy problem.

1. Introduction

A linear relation is generally referred to as multivalued linear operator. A linear relation on Hilbert space H is a subspace of Hilbert space $H \oplus H$ [1]. The research about spectral theory of linear relation can be found [1-8]. Arens [1] analyzed spectral theory of SALR considered with an unitary operator through Cayley transformation. Gheorge and Vasilescu [2] founded strong connection between spectral theory of closed linear relation and closed linear operator. Recently, Gheorge and Vasilescu [2] given some properties of closed linear relation. Langer and Textorius [3] analyzed spectral theory of a linear relation associated with minimal self-adjoint extension. A spectral theory of linear relation and its application can be found in Baskakov and Chernyshov [4], Baskakov and Zagorskii [5] and Sari, et al [6].

A linear relation has been used an abstract Cauchy problem. An abstract Cauchy problems are often found in chemistry, biology, physics, engineering, ecology, finance, industry, environment, and so on. Consider a homogenous abstract Cauchy problem on Hilbert space

$$\begin{aligned} \frac{d}{dt} M r(t) &= L r(t), t \in \mathbb{R}_+ = [0, +\infty) \\ r(0) &= r_0 \end{aligned} \quad (1)$$

where M and L are linear operator on Hilbert space H . An abstract Cauchy problem is called degenerate if an operator M is not invertible. A Cauchy problem is called nondegenerate if an



Content from this work may be used under the terms of the Creative Commons Attribution 3.0 licence. Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI.

Published under licence by IOP Publishing Ltd

operator M is invertible. If the M operator has an inverse then the problem (1) can be written in the form:

$$\frac{d}{dt}Mr(t) = Lr(t), t \in \square_+ = [0, +\infty) \quad (2)$$

$$r(0) = r_0$$

where M and L are linear operator on Hilbert space H . Therefore, the determination of eigenvalues and eigenvectors on problem (2) is easy to do. If the operator M does not have an inverse then the problem (1) can be generalized in the form of a linear relation:

$$\frac{d}{dt}r(t) \in Ar(t), t \in \square_+ = [0, +\infty) \quad (3)$$

$$r(0) = r_0$$

where $A = M^{-1}L$ is SALR on H . We give a spectral theory of SALR and its applications in homogenous abstract Cauchy problem.

2. Preliminaries

Some notations of linear relation on H can be seen in [1-4, 9-16]. A definition of linear relation, or relation for short, on Hilbert space H is as follow

Definition 1 [1] A linear relation is defined by $A = \{(w, x) : w, x \in H\}$. The domain of A is defined by $D(A) = \{w : (w, x) \in A\}$. The range of A is defined by $R(A) = \{x : (w, x) \in A\}$. The kernel of A is defined by $N(A) = \{w : (w, 0) \in A\}$. The multivalued part of A is defined by $M(A) = \{x : (0, x) \in A\}$.

A identity relation on H is defined by $I = \{(w, w) : w \in H\}$ and a zero relation is defined by $O = \{(w, 0) : w \in H\}$. The class of all linear relation on H will be denoted by $LR(H)$. An inverse relation on Hilbert space is defined by $A^{-1} = \{(x, w) : (w, x) \in A\}$. Afterward, the duality of A and its inverse A^{-1} is

$$D(A^{-1}) = R(A), R(A^{-1}) = D(A), N(A^{-1}) = M(A), M(A^{-1}) = N(A).$$

The following is given the definition of an adjoint relation A^* on Hilbert space H .

Definition 2 [9] An adjoint relation of a relation A on H is a closed relation denoted by $A^* = \{(k, l) \in H^2 : \langle x, k \rangle = \langle w, l \rangle, \forall (w, x) \in A\}$.

We give the following operations of relation.

Definition 3 [1] Let $A, B \in LR(H)$, then the sum $A + B$ is defined by

$$A + B = \{(w, x + l) : (w, x) \in A, (w, l) \in B\}.$$

The product (composition) BA is defined by

$$BA = \{(w, l) : \exists x \in H, (w, x) \in A, (x, l) \in B\}.$$

A relation zA is defined by $zA = \{(w, zx) : (w, x) \in A\}$ for $z \in \square$. A relation $z - A$ is defined by $z - A = \{(w, zw - x) : (w, x) \in A, z \in \square\}$.

The definition of symmetric, self adjoint, isometry, injective, and surjective relation is as follows.

Definition 4 [9] Let A is a relation on H , then

symmetric if $A \subset A^*$

self-adjoint if $A = A^*$

Isometri if $\langle w, k \rangle = \langle x, l \rangle, \forall (w, x), (k, l) \in A$

Unitary if relation A is an isometry and $D(A) = R(A) = H$

Definition 4 [12] Let A is a relation on H , then

Surjective if $R(A) = H$

Injective if $N(A) = \{0\}$

Bounded if $D(A) = H$ and $\|A\| < \infty$

3. Result and Discussion

The resolvent set of A is defined in Acharya [9] to be the set $\rho(A) = \{z \in \mathbb{C} : (z - A)^{-1} \text{ is bounded linear operator}\}$ and its complement is the spectrum of A . The spectrum of A is denoted $\sigma(A)$. A scalar z such that $N(z - A) \neq \{0\}$ is called an eigenvalue of A . Furthermore, A non zero vector w is called an eigenvector of A related to an eigenvalue z . A set of all eigenvalues of A is said the point spectrum $\sigma_p(A)$. Clearly, if z is an eigenvalue of A , then z is elements of spectrum of A [1].

We give the following some Theorems of spectral theory of linear relations.

Theorem 1

Given a relation A on H is a self-adjoint. If w is an eigenvector of A corresponding to the eigenvalue z and β is an non zero scalar, then βw is also an eigenvector of A corresponding to the same eigenvalue.

Proof. Given w is an eigenvector of A corresponding to the eigenvalue z . Clearly, a relation $A = \{(w, x) : w, x \in H\}$ give $x \in Aw$. Therefore, let β is an non zero scalar, then $(\beta w, z\beta w) \in B$. Clearly, $(\beta w, z\beta w) = (\beta w, \beta zw) \in \beta A$. Consequently, we get βw is an eigenvector of A corresponding to the same eigenvalue.

Theorem 2

A relation A on H is a self-adjoint. If w is an eigenvector of A then w cannot correspond to more than one eigenvalue of A .

Proof. Take any $w \neq 0$. Let z_1 and z_2 are two distinct eigenvalues of A corresponding to an eigenvector w . Furthermore, we have $(w, z_1 w) \in A_1$ and $(w, z_2 w) \in A_2$. So that, we get $A_1 - A_2 = \{(w, z_1 w - z_2 w) : (w, z_1 w) \in A_1, (w, z_2 w) \in A_2\}$. We get $z_1 w - z_2 w = (z_1 - z_2)w \in (A_1 - A_2)w$. Clearly, $w \neq 0$ and $(z_1 - z_2)w = 0$, so that we have $z_1 = z_2$.

Corrolary 3 A relation A on H is a self-adjoint. Eigenvectors w_1 and w_2 belonging to the two different eigenvalues of z_1 and z_2 a SALR are orthogonal.

Theorem 4 Let $A \in LR(H)$ is a SALR that have an eigenvalue z , then an eigenspaces A of are pairwise orthogonal.

Proof. Let E_1 and E_2 is an eigenspaces of the SALR A on H corresponding to the distinct eigenvalues A_1 and A_2 . Let $w_1 \in E_1$ and $w_2 \in E_2$ so that $Aw_1 = zw_1$ and $Aw_2 = zw_2$. Furthermore, we get

$$z_1 \langle w_1, w_2 \rangle = \langle z_1 w_1, w_2 \rangle = \langle Aw_1, w_2 \rangle = \langle w_1, A^* w_2 \rangle \quad (4)$$

and

$$A^* w_2 = \overline{z_2} w_2. \quad (5)$$

From (4) and (5), we have

$$\begin{aligned} z_1 \langle w_1, w_2 \rangle &= \langle w_1, \overline{z_2} w_2 \rangle \Leftrightarrow z_1 \langle w_1, w_2 \rangle = z_2 \langle w_1, w_2 \rangle \\ &\Leftrightarrow (z_1 - z_2) \langle w_1, w_2 \rangle = 0. \end{aligned} \quad (6)$$

Clearly, $z_1 \neq z_2$ so that $\langle w_1, w_2 \rangle = 0$. Hence $w_1 \perp w_2$ for each $w_1 \in E_1$ and $w_2 \in E_2$. Thus $E_1 \perp E_2$.

A SALR are widely applied to quantum theory, such as the determination of eigenvalues and eigenvectors on homogenous Abstract Cauchy problems. We give the following examples of homogenous Cauchy problem where M is not invertible.

Example5:

Consider the Homogenous abstract Cauchy problem for a linear system on a Hilbert space of continuous function $C[0,1]$:

$$\dot{r}_1(t) = 2r_1(t) - r_2(t) + r_3(t) \quad (7)$$

$$\dot{r}_2(t) = r_1(t) + r_3(t)$$

$$\dot{r}_3(t) = r_1(t) - r_2(t) + 2r_3(t)$$

$$r(0) = r_0$$

The problem (7) can be written in the form

$$\frac{d}{dt}Mr(t) = Lr(t), t \in \mathbb{R}_+ = [0, +\infty) \quad (8)$$

$$r(0) = r_0$$

where $M = \begin{pmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{pmatrix}$ and $L = \begin{pmatrix} 2 & -1 & 1 \\ 1 & 0 & 1 \\ 1 & -1 & 2 \end{pmatrix}$. Clearly, M is invertible so that a Cauchy problem is a

nondegenerate. Furthermore, we get

$$A = M^{-1}L = \left\{ \begin{pmatrix} w_1 \\ w_2 \\ w_3 \end{pmatrix}, \begin{pmatrix} x_1 \\ x_2 \\ x_3 \end{pmatrix} \right\} \in \mathbb{R}^3 \times \mathbb{R}^3 : x_1 = 2w_1 - w_2 + w_3, x_2 = w_1 + w_3, x_3 = w_1 - w_2 + 2w_3 \quad (9)$$

and

$$z - A = \left\{ \begin{pmatrix} w_1 \\ w_2 \\ w_3 \end{pmatrix}, z \begin{pmatrix} w_1 \\ w_2 \\ w_3 \end{pmatrix} - \begin{pmatrix} 2 & -1 & 1 \\ 1 & 0 & 1 \\ 1 & -1 & 2 \end{pmatrix} \begin{pmatrix} w_1 \\ w_2 \\ w_3 \end{pmatrix} \right\} : w_1, w_2, w_3 \in \mathbb{R} \quad (10)$$

Therefore, we get $(z - A)w = 0 \Leftrightarrow \begin{pmatrix} z-2 & 1 & -1 \\ -1 & z & -1 \\ -1 & 1 & z-2 \end{pmatrix} \begin{pmatrix} w_1 \\ w_2 \\ w_3 \end{pmatrix} = 0$. Clearly, we get $z=1$ with

$w = \begin{pmatrix} -1 \\ 0 \\ 1 \end{pmatrix}$ and $w = \begin{pmatrix} 1 \\ 1 \\ 0 \end{pmatrix}$, and $z=2$ with $w = \begin{pmatrix} 1 \\ 1 \\ 1 \end{pmatrix}$. Consequently, the point spectrum of A is

$\sigma_p(A) = \{1, 2\}$. Thus, eigenvalues of relation A is $z=1$ and $z=2$, while eigenvectors of relation A is

$$\left\{ \begin{pmatrix} -1 \\ 0 \\ 1 \end{pmatrix}, \begin{pmatrix} 1 \\ 1 \\ 0 \end{pmatrix}, \begin{pmatrix} 1 \\ 1 \\ 1 \end{pmatrix} \right\}.$$

Suppose $z \in \mathbb{R}$, we get

$$\left\| z \begin{pmatrix} w_1 \\ w_2 \\ w_3 \end{pmatrix} - \begin{pmatrix} 2 & -1 & 1 \\ 1 & 0 & 1 \\ 1 & -1 & 2 \end{pmatrix} \begin{pmatrix} w_1 \\ w_2 \\ w_3 \end{pmatrix} \right\| \geq \|z\| \left\| \begin{pmatrix} w_1 \\ w_2 \\ w_3 \end{pmatrix} \right\| - \left\| \begin{pmatrix} 2 & -1 & 1 \\ 1 & 0 & 1 \\ 1 & -1 & 2 \end{pmatrix} \begin{pmatrix} w_1 \\ w_2 \\ w_3 \end{pmatrix} \right\| \quad (11)$$

$$\geq (|z| - 2) \left\| \begin{pmatrix} w_1 \\ w_2 \\ w_3 \end{pmatrix} \right\|.$$

We can choose $C(z) = |z| - 2 > 0 \Leftrightarrow |z| > 2$. Consequently, the resolvent set of A is the set $\rho(A) = \{z \in \mathbb{C} : |z| > 2\}$ and spectrum of A is $\sigma(A) = \{z \in \mathbb{C} : |z| \leq 2\}$.

We give the following examples of homogenous Cauchy problem where operator M is not invertible.

Example6:

Consider the homogenous abstract Cauchy problem on a Hilbert space of continuous function $C[0,1]$:

$$\begin{aligned} \frac{d}{dt} Mr(t) &= Lr(t), t \in \mathbb{R}_+ = [0, +\infty) \\ r(0) &= r_0 \end{aligned} \quad (12)$$

where $M = \begin{pmatrix} 1 & 0 \\ 0 & 0 \end{pmatrix}$ and $L = \begin{pmatrix} 5 & 4 \\ 3 & 2 \end{pmatrix}$.

Clearly, M is not invertible so that Cauchy problem is a degenerate so that we get

$$A = M^{-1}L = \left\{ \begin{pmatrix} w_1 \\ w_2 \end{pmatrix}, \begin{pmatrix} x_1 \\ x_2 \end{pmatrix} : w_2 = -\frac{3}{2}w_1, x_1 = -w_1, \forall \begin{pmatrix} w_1 \\ w_2 \end{pmatrix} \in D(L) \right\} \quad (13)$$

and

$$z - A = \left\{ \begin{pmatrix} w_1 \\ w_2 \end{pmatrix}, z \begin{pmatrix} w_1 \\ w_2 \end{pmatrix} - \begin{pmatrix} x_1 \\ x_2 \end{pmatrix} : w_2 = -\frac{3}{2}w_1, x_1 = -w_1, \forall \begin{pmatrix} w_1 \\ w_2 \end{pmatrix} \in D(L) \right\}. \quad (14)$$

Therefore, we get $(z - A)w = 0 \Leftrightarrow \begin{pmatrix} (z+1)w_1 \\ -\frac{3}{2}zw_1 - x_2 \end{pmatrix} = \begin{pmatrix} 0 \\ 0 \end{pmatrix}$. Clearly, we get $z = -1$

and $w = \begin{pmatrix} w_1 \\ -\frac{3}{2}w_1 \end{pmatrix}$ where $w_1 \neq 0$. Consequently, a point spectrum of A is $\sigma_p(A) = \{-1\}$. Thus,

eigenvalues of relation A is $z = -1$, and eigenvectors of relation A is $\left\{ \begin{pmatrix} w_1 \\ -\frac{3}{2}w_1 \end{pmatrix} : w_1 \neq 0 \right\}$.

Let $z \in \mathbb{C}$, we get

$$\begin{aligned} \left\| \begin{pmatrix} (z+1)w_1 \\ -\frac{3}{2}zw_1 - x_2 \end{pmatrix} \right\| &\geq |z| \left\| \begin{pmatrix} w_1 \\ -\frac{3}{2}w_1 \end{pmatrix} \right\| - 1 \left\| \begin{pmatrix} -w_1 \\ x_2 \end{pmatrix} \right\| \\ &\leq (|z| - 1) \left\| \begin{pmatrix} w_1 \\ -\frac{3}{2}w_1 \end{pmatrix} \right\|. \end{aligned} \quad (15)$$

We can not find $C(z) > 0$ such that $\left\| \begin{pmatrix} (z+1)w_1 \\ -\frac{3}{2}zw_1 - x_2 \end{pmatrix} \right\| \geq (|z|-1) \left\| \begin{pmatrix} w_1 \\ -\frac{3}{2}w_1 \end{pmatrix} \right\|$. Consequently, the resolvent set of A is the set $\rho(A) = \emptyset$ and spectrum of A is $\sigma(A) = \{z : z \in \mathbb{C}\}$. A point spectrum of A is $\sigma_p(A) = \{-1\} \subset \sigma(A)$.

4. Conclusion

An eigenvalues and eigenvectors of abstract Cauchy problems can be determined by linear relations. A relation A on H is a self-adjoint. The following are the properties of spectral theory of SALR on H . If w is an eigenvector of A corresponding to the eigenvalue z and β is a non zero scalar, then βw is also an eigenvector of A corresponding to the same eigenvalue. If w is an eigenvector of A then w cannot correspond to more than one eigenvalue of A . Consequently, eigenvectors w_1 and w_2 belonging to the two different eigenvalues of z_1 and z_2 a SALR are orthogonal. Let $A \in LR(H)$ is a SALR that have an eigenvalue z , then an eigenspaces A of are pairwise orthogonal.

References

- [1] Arens R 1961 *Pac. J. Math* **11** 9
- [2] Gheorghe D and Vasilescu F H 2012 *Pac. J. Math* **255** 349
- [3] Langer H and Textorius B 1977 *Pac. J. Math* **72** 135
- [4] Baskakov A D and Chernyshov K I 2002 *Sbornik Mathematics* **193** 1573
- [5] Baskakov A G and Zagorskii A S 2007 *Mathematical Notes* **81** 15
- [6] Sari R K, Hariyanto S and Farikhin 2018 *AIP Conference Proceedings* **2014** 020056-1–020056-5
- [7] Dijksma A and de Snoo H S V 1974 *Pac. J. Math* **54** 71
- [8] Sandovici A and Sebestyen Z 2013 *Positivity* **17** 1115
- [9] Acharya K R 2014 *ISRN Mathematical Analysis* **2014** 1
- [10] Miranda M F and Labrousse J Ph 2012 *Complex Anal. Oper. Theory* **6** 613
- [11] Popovici D and Sebestyen Z 2012 *Adv. Math* **233** 40
- [12] Cross R 1998 *Multivalued Linear Operator Monogr. Textb. Pure Appl. Math* **213** (New York: Marcel Dekker)
- [13] Chen C C, Conejero J A, Kostic M, and Arcila M M 2017 *Open Math* **15** 948
- [14] Ammar A, Fakhfakh S and Jeribi A 2017 *Int. J. Anal. Appl* **14** 1
- [15] Abdmouleh F, Alvarez T, Ammar A and Jeribi A 2014 *Mediterr. J. Math* **12** 1019
- [16] Mogilevskii V I 2018 *Methods Funct. Anal. Topol* **24** 152

Spectral theory for self-adjoint linear relation (SALR) on a Hilbert space and its application in homogenous abstract cauchy problem

ORIGINALITY REPORT

14%

SIMILARITY INDEX

3%

INTERNET SOURCES

12%

PUBLICATIONS

1%

STUDENT PAPERS

PRIMARY SOURCES

- | | | |
|---|--|----|
| 1 | Dragu Atanasiu, Piotr Mikusiński. "A Bridge to Linear Algebra", World Scientific Pub Co Pte Lt, 2019
Publication | 3% |
| 2 | research.aalto.fi
Internet Source | 2% |
| 3 | Graduate Texts in Mathematics, 2012.
Publication | 2% |
| 4 | Susilo Hariyanto, Lina Aryati, Widodo. "Generalized nonhomogeneous abstract degenerate Cauchy problem", Applied Mathematical Sciences, 2013
Publication | 1% |
| 5 | Ezzeddine Chafai. "On a Rational Function in a Linear Relation", Bulletin of the Malaysian Mathematical Sciences Society, 2018
Publication | 1% |
| 6 | Operator Theory, 2015.
Publication | 1% |

7	Y.S. DAI. "A model for correlated failures in N-version programming", IIE Transactions, 12/1/2004 Publication	1 %
8	Mei-yan Ju. "The Study of CMA Blind Equalization Applied in MC DS-CDMA Systems with TR-STBC Transmit Diversity", 2009 First International Conference on Information Science and Engineering, 12/2009 Publication	1 %
9	A. G. Baskakov. "Representation theory for Banach algebras, Abelian groups, and semigroups in the spectral analysis of linear operators", Journal of Mathematical Sciences, 2006 Publication	<1 %
10	Keshav Raj Acharya. "Self-Adjoint Extension and Spectral Theory of a Linear Relation in a Hilbert Space", ISRN Mathematical Analysis, 2014 Publication	<1 %
11	Submitted to University of Nottingham Student Paper	<1 %
12	Aharon Ben-Tal, Boaz Golany, Arkadi Nemirovski, Jean-Philippe Vial. "Retailer-Supplier Flexible Commitments Contracts: A Robust Optimization Approach",	<1 %

Manufacturing & Service Operations Management, 2005

Publication

13

Aymen Ammar, Ameni Bouchekoua, Nawrez Lazrag. "Aiena's local spectral theory for a block matrix linear relations through localized SVEP", Rendiconti del Circolo Matematico di Palermo Series 2, 2022

Publication

<1 %

14

Submitted to uva

Student Paper

<1 %

15

Xu Xu. "Generating symmetric DFTs and equivariant FFT algorithms", Proceedings of the 2007 international symposium on Symbolic and algebraic computation - ISSAC 07 ISSAC 07, 2007

Publication

<1 %

Exclude quotes On

Exclude matches Off

Exclude bibliography On