

# Ergonomic Risk, Muscle Tension, Lactic Acid, and Work Performance on Transport Workers at Fish Auction

*by Yuliani Setyaningsih*

---

**Submission date:** 02-May-2023 08:49AM (UTC+0700)

**Submission ID:** 2081542993

**File name:** Ergonomic\_Risk,\_Muscle\_Tension.pdf (252.73K)

**Word count:** 3975

**Character count:** 20949



## Ergonomic Risk, Muscle Tension, Lactic Acid, and Work Performance on Transport Workers at Fish Auction

Bina Kurniawan<sup>1\*</sup>, Zen Rahfiludin<sup>2</sup>, Yuliani Setyaningsih<sup>3</sup>, Nurjazuli<sup>4</sup>

<sup>1</sup>Students of Public Health Doctoral Program, Faculty of Public Health, Diponegoro University

<sup>2</sup>Department of Public Health Nutrition, Faculty of Public Health, Diponegoro University

<sup>3</sup>Department of Occupational Safety and Health, Faculty of Public Health, Diponegoro University

<sup>4</sup>Department of Environmental Health, Faculty of Public Health, Diponegoro University

\*Authors Correspondence: k3.binakurniawan@gmail.com

### ARTICLE INFO

eISSN: 2356-4067

DOI:10.30597/mkmi.v18i2.19739

Published online Jun, 2022

### Keywords:

Ergonomics;  
muscle tension;  
lactic acid;  
work performance;  
posture;

### ABSTRACT

One of the main occupations in fish auction facilities was transport worker. Manual handling activities are a leading cause of workplace injuries such as strains and back injuries. This study aims to analyze the association between ergonomic posture with muscle tension, lactic acid buildup, and work performance. This study was carried out in November 2020. The instruments in this study were portable electromyography, lactate analyzer, REBA Assessment sheet, and questionnaire. The analysis was performed with statistical test using Fisher Exact Test. This study is analytical survey research with cross-sectional study design with 51 respondents selected using convenience sampling method. Based on the data obtained, it was found that 36 respondents (70.59%) did not work ergonomically. The result of the analysis is that there is an association between ergonomic posture and muscle tension ( $p=0.000$ ) and lactic acid buildup ( $p=0.002$ ), but there is no association between ergonomic posture and work performance ( $p=0.761$ ). It is necessary to improve the quality of fish auction facilities services by providing ergonomic transportation aids such as lifting trolleys and training related to the dangers of ergonomic risk factors at fish auction facilities.

## INTRODUCTION

Indonesia is the biggest archipelago country in the world. The total area of Indonesia is around 7.81 million km<sup>2</sup>. The total area of the ocean is 3.25 million km<sup>2</sup>. Meanwhile, 2.55 million km<sup>2</sup> is the Exclusive Economic Zone, and about 2.01 million km<sup>2</sup> is islands. With the vast marine area, Indonesia has enormous marine and fishery potentials. Fisheries are one of the sectors that are relied upon for national development.<sup>1</sup>

In operational activities, the process of transporting fish from the pier to the fish auction facilities is assisted by transport workers operating around the port. After going to sea, fishermen land their cargo of fish at the dock, and transport workers help bring it to the fish auction facilities, fish market, or fish processing place.<sup>2</sup> Problems in transport workers are closely related to ergonomic problems. Ergonomics, according to the Occupational Safety and Health Administration (OSHA), is an association between humans and work environment that does not cause a disturbance. In conclusion, ergonomics means the occurrence of a healthy, safe, and convenient working environment for humans.<sup>3</sup> A combination of men, machine, and the environment should take into account the real capabilities of the person who work in the system.<sup>4</sup> Maintaining a physical workplace environment as ergonomic as possible can help employees to achieve higher performance.<sup>5</sup>

Transport workers do their work manually. Manual material handling is an activity or work in the handling or movement of materials carried out in a job manually. Activities in manual material handling include carrying, lifting, lowering, pushing, and pulling loads.<sup>6</sup> The recommended load for manual lifting from NIOSH Lifting Equation is 51 pounds (23 kg), which represents the maximum recommended load weight to be lifted under ideal conditions.<sup>7</sup> Loads that are too heavy can cause injury to the spine, muscle tissues, and joints due to excessive movement.<sup>8</sup> It is recommended to lift weights to 10 kg from knuckle to shoulder height at one lift per minute within acceptable limits.

Lifting weights with excessive bending can result in a higher spinal load and result in Low Back Pain (LBP).<sup>9</sup> Additionally, the study result by Antwi-Afari et al. shows that the increase in

lifting load significantly increases electromyography activity.<sup>10</sup> Another abnormality is Muscle and Bone Disorders (MSD) such as back pain, tendonitis, herniated disc, and carpal tunnel syndrome. Gradual-onset injuries that usually occur after repeated micro-trauma to a specific body part can lead to cumulative trauma disorders.<sup>11</sup> Workers who are still growing and carry heavy loads are at high risk for bone damage and impaired growth.<sup>12</sup> However, the severity of the injury depends on several factors, such as the dependence on the duration, frequency, and/or magnitude of exposure to each.<sup>13</sup>

Fish Auction Facilities where the research is conducted is one of the biggest and most famous facilities on Java Island. The process of loading and unloading of fishing boats requires a lot of transport workers to be involved. Based on the pilot study, workers complained of dehydration, muscle aches in their limbs, and excessive fatigue. Muscle aches or pain are caused by metabolic waste such as lactic acid in muscles and extracellular fluids, irritating the ends of the sensory fibers.<sup>14</sup> In addition, workers also complained of muscle stiffness as a result of wrong working positions. Workers do not understand the correct working position for lifting and transporting and how to reduce/control work fatigue. A study showed a high-risk work posture associated with MSDs complaints.<sup>15</sup>

The previous explanation shows that the importance of the study is the possibility to identify ergonomic factors among transport workers at TPI. At the end of the article, there are efforts or recommendations to reduce ergonomic hazards. This study aimed to investigate the correlation between ergonomic posture with muscle tension, lactic acid buildup, and work performance.

## MATERIAL AND METHOD

This cross-sectional, quantitative study was developed with transport workers in November 2020 at Fish Auction Facilities in Pati, Central Java. This study sample is the total population ( $n = 51$ ). Samples of the population that are selected non-randomly in this way are termed convenience samples as they are easy to recruit. Transport workers who were present on site for job opportunities were included in the study. The independent variable is ergonomic posture. The dependent variable includes muscle tension, lactic acid buildup, and work performance.

The instrument to measure ergonomic posture in this study was Rapid Entire Body Assessment (REBA). REBA was used to assess and analyze posture. REBA is also extensively used to analyze lifting assignments. The value of REBA indicating low risk is 2-3, medium risk 4-7, and high 8-10. Observations were made by recording all worker activities to get their posture. Then, the video was cut within the framework of each job. The first step was the assessment of the body part belonging to group A (trunk, neck, legs) and group B (upper arm, lower arm, right wrist, and left wrist) added by a force/load score. Furthermore, the total score of group B was summed with the coupling/grip score. The total final value of groups A and B is score C. The scores of static postures and/or repetitive actions (more than four times per minute) or the change in posture faster in Table C were summed with activity scores to obtain the final value of REBA. Additionally, a lactate analyzer was used to measure lactic acid levels. Lactate levels were grouped into normal ( $\leq 2$  mmol/L) and not normal ( $> 2$  mmol/L). Lactate testing was performed directly after the respondents finished their work to get blood lactate concentrations during higher work rates.

Another instrument used was portable Electromyography (EMG) to measure muscle tension. EMG was used to display real-time muscle activity. EMG signal could be used to determine the muscle-fatigue conditions.<sup>16</sup> Surface EMG was recognized as an effective and useful tool to evaluate the appropriateness of therapy by providing reliable and unique information on biomechanical and musculoskeletal dysfunction. Surface EMG was commonly used to study the loading of the forearm. Muscle tension is classified as relaxed ( $\leq 3$  microvolts) and not relaxed ( $>3$  microvolts).

Work performance was measured using questionnaire. Work performance data were obtained from the results of self-assessment based on how many workers can afford to transport in a day. One aspect of work performance that can be calculated is quantity. The estimation used to judge quantity varies among industries. Quantity is the achievement of workers who have far exceeded the target or expectation.<sup>17</sup> In this study, workers who were able to transport more than 500 kg of fish were included in the high work performance category. Meanwhile, workers who

transport fish less than 500 kg are categorized as having low work performance.

SPSS software was used to perform the statistical analyses. The data obtained were then analyzed using Fisher's Exact Test with a significance level of  $p < 0.05$ . The protocol of this study was approved by the Research Ethics Committee of the Faculty of Public Health, Diponegoro University, Number 16/EA/KEPK-FKM/2020. Written informed consent was obtained from all respondents.

## RESULTS

The characteristics of all respondents in this study are shown in Table 1. A total of 51 transport workers were included in this study, and all of them were males. Based on the data obtained, it was found that 15 respondents worked with medium-risk of posture while 36 respondents (70.59%) worked in high-risk posture. Based on the level of lactic acid, 52.94% of the respondents had normal lactic acid levels.

Based on Table 2, it is known that 7 workers have ergonomic postures or 46.67% have relaxed muscle tension. Meanwhile, 8 workers have a medium risk of ergonomic postures or 53.33% have non-relaxed muscle tension. Only one worker has a high-risk ergonomic posture or 2.78% have relaxed muscle tension while 35 workers have high-risk postures or 97.22% have non-relaxed muscle tension. The results of the statistical test using the Fisher's Exact Test showed a significance value of 0.000 ( $< 0.05$ ) which indicates that there is an association between ergonomic posture and muscle tension.

**Table 1. Frequency Distribution of Ergonomics Posture, Muscle Tension, Lactic Acid Buildup, and Work Performance**

Characteristics	n = 51	%
<b>Ergonomic Posture</b>		
Low Risk	0	0.00
Medium Risk	15	29.41
High Risk	36	70.59
<b>Muscle Tension</b>		
Relax	8	15.69
Not Relax	43	84.31
<b>Lactic Acid Buildup</b>		
Normal	27	52.94
Not Normal	24	47.06
<b>Work Performance</b>		
Low	19	37.25
High	32	62.75

Source: Primary Data, 2020

The result of statistical tests using Fisher's Exact showing a significance value of 0.002 ( $< 0.05$ ) which indicates that there is an association between ergonomic posture and lactic acid buildup. Table 2 shows that more workers have ergonomic postures, namely 13 people, or 86.67% have normal lactic acid buildup, compared to 2 workers (13.33%) with ergonomic postures who have normal lactic acid buildup. Less than half of the workers have non-ergonomic postures, namely 14 (38.89%) with normal lactic acid buildup while 22 (61.11%) workers with non-ergonomic postures do not have normal lactic acid buildup.

Based on Table 2, it is known that most workers with good ergonomic postures have high work performance as many as 10 people (66.67%). Likewise, most workers with non-ergonomic work postures still have high work performance as many as 22 people (61.11%). The results of the statistical test obtained a significance value of 0.761 ( $> 0.05$ ) which indicates that there is no association between ergonomic posture and work performance.

## DISCUSSION

The current study findings showed an association between ergonomic posture and muscle tension (Table 2). In general, ergonomics can be defined as fitting a job to a person by adjusting work elements to the human body which is expected to make them work more efficiently and productively. In addition to the lack of tools in lifting and carrying activities for transport workers at fish auction facilities, inappropriate and repeated work positions contribute to muscle fatigue which in turn can result in musculoskeletal disorders including muscle injury and low back

pain.<sup>18</sup> Heavy physical work, climatic factors, awkward postures, whole-body vibrations, slips, and falls, and working in a cold environment contribute to multifactorial back pain.<sup>19</sup> Transport workers at fish auction facilities work at night when cold temperatures can cause complaints of stiffness & lack of muscle coordination.<sup>20</sup> Work-related MSDs can be prevented using the ergonomic principle because it helps reduce muscle fatigue by reducing the workload on the muscles or improving the working postures to minimize awkward positions.<sup>21</sup>

One of the strategies to prevent complaints is to work using an assistive device. Improvements can be made by designing a tool such as trolleys to move materials easily and safely, thereby minimizing the number of material damage. In addition, trolleys can transport materials more effectively and efficiently. This strategy can also reduce musculoskeletal complaints, slow down the rate of fatigue, decrease cycle times, and ultimately increase overall productivity.<sup>22,23</sup>

Regarding the association between ergonomic posture and lactic acid buildup (Table 2), the finding of this study suggested an association. This is in line with the research by Yudisianto that there was a weak positive correlation between the work position and physical fatigue in the circular loom and jumbo bag sub units at PT X with a coefficient value of 0.354.<sup>24</sup> Complaints in the musculoskeletal system are influenced by the abnormal work of muscles as a result of an unnatural work attitude, the impact of which can cause muscle fatigue and pain or discomfort. Pressure on the soft tissue can block blood flow and result in reduced oxygen and carbon dioxide build-up and produce lactic acid waste. This situation leads to discomfort or pain sensation.<sup>25</sup>

**Table 2. The Association Between Ergonomic Factors and Muscle Tension, Lactic Acid Buildup, Work Performance**

Variable	Ergonomic Posture				Total		<i>p</i> -value
	Medium Risk		High Risk		n = 51	%	
	n = 15	%	n = 36	%			
<b>Muscle Tension</b>							
Relaxed	7	46.67	1	2.78	8	15.69	0.000
Not Relaxed	8	53.33	35	97.22	43	84.31	
<b>Lactic Acid Buildup</b>							
Normal	13	86.67	14	38.89	27	52.94	0.002
Not Normal	2	13.33	22	61.11	24	47.06	
<b>Work Performance</b>							
Low	5	33.33	14	38.89	19	37.25	0.761
High	10	66.67	22	61.11	32	62.75	

Source: Primary Data, 2020

The longer a job is, the less energy is produced, so there will be residual combustion in the form of lactic acid. Accumulation of lactic acid itself can be a biomarker of muscle fatigue. Glycolysis makes pyruvate production where, when pyruvate production exceeds the oxidation process, the pyruvate will turn into lactic acid which in turn reduces muscle power.<sup>26</sup> One of the ways to recover lactic acid levels is by stretching muscles or sitting for a while between working and recovering. Resting plays a key role to overcome fatigue. With resting, the body can get a supply of oxygen to oxidize lactic acid to pyruvic acid again.<sup>27</sup>

The results of this study revealed an association between ergonomic posture and work performance (Table 2). Findings from another study show that an increase in REBA scores will cause a decrease in the productivity of traditional coconut fiber peeler workers because of increased work fatigue due to a bad (non-ergonomic) working position.<sup>28</sup> Work performance can be a factor to determine work productivity. Ergonomically designed work positions, work equipment, and work areas aim to create a safe, comfortable work environment and are expected to improve work performance which leads to increased productivity.<sup>29</sup> An experimental study with an ergonomic factor intervention has shown a significant increase in productivity in the intervention group.<sup>30</sup> In this study, other factors that were not investigated could contribute to the work performance of the transport workers.

Ergonomic work position and work design as well as adequate rest time are also a form of prevention of Cumulative Trauma Disorders (CTDs) which is a common occupational disease in various fields of work. CTDs are MSDs that are formed due to repetitive physical movements, exceeding capacity with awkward postures from work activities, causing fatigue and getting worse due to lack of recovery time for the body, causing permanent injuries such as disorders of tendons and nerves.<sup>31</sup> Intervention with an improvement of working conditions and the combination of giving static stretching and McKenzie exercise can reduce physiological responses and increase work productivity in workers in the incense printing section.<sup>32</sup>

## CONCLUSION AND RECOMMENDATION

This study contributes to the importance of controlling ergonomic risk factors in informal sectors. There is an association between ergonomic posture with muscle tension and lactic acid buildup in transport workers. It is recommended that management of TPI together with higher education propose potential strategies, education and training options, workplace design models, and specific manual handling equipment.

## ACKNOWLEDGMENTS

The authors extend their deep gratitude to the Faculty of Public Health at Diponegoro University for the support of this study.

## AUTHOR CONTRIBUTIONS

Bina Kurniawan and Zen Rahfiluddin conceived and designed the experiments; Bina Kurniawan performed the experiments; Bina Kurniawan and Yuliani Setyaningsih analyzed the data; Nurjazuli contributed reagents and materials; Bina Kurniawan wrote the paper.

## CONFLICTS OF INTEREST

The authors declare no conflict of interest.

## REFERENCES

1. Pratama O. Konservasi Perairan Sebagai Upaya menjaga Potensi Kelautan dan Perikanan Indonesia. Jakarta: Direktorat Jenderal Pengelolaan Ruang Laut; 2020. [Report]. Available from: <https://kkp.go.id/djprl/artikel/21045-konservasi-perairan-sebagai-upaya-menjaga-potensi-kelautan-dan-perikanan-indonesia>.
2. Nadia RAN. Buruh Angkut dan Keluarga Nelayan di Pelabuhan Muara Angke. *Lembaran Sejarah*. 2017;12(1):44-58.
3. OSHA. Ergonomics: An Overview. Timber Products Manufacturers Association; 2018. Available from: [https://www.osha.gov/sites/default/files/2018-12/fy14\\_sh-26336-sh4\\_Ergonomic-Overview-Handout.pdf](https://www.osha.gov/sites/default/files/2018-12/fy14_sh-26336-sh4_Ergonomic-Overview-Handout.pdf).
4. Kurbonov R, Normurodov A. Role and Importance of Ergonomics in Providing Safety of Work. *International Journal on Orange*

- Technologies.* 2021;3(7):18–22.
5. Sheila AO. Effect of Ergonomic Factors on Employees Performance in Nigeria's Banking Sector. *European Journal of Business and Management.* 2020;12(23):86–98.
  6. Susanti L, Zadry HR, Yuliandra B. *Pengantar Ergonomi Industri.* Padang: Andalas University Press; 2015.
  7. ErgoPlus. A Step-by-Step Guide to Using the NIOSH Lifting Equation for Single Tasks; 2021. Available from: <https://ergoplus.com/niosh-lifting-equation-single-task/>.
  8. Hutabarat Y. *Dasar-Dasar Pengetahuan Ergonomi.* Malang: Media Nusa Creative; 2017.
  9. Mondal K, Majumdar D, Pal MS, et al. Association of Manual Weight Lifting Tasks with Low Back Pain: A Pilot Study. *Journal of Clinical and Diagnostic Research.* 2019;13(2):10–15.
  10. Antwi-Afari MF, Li H, Edwards DJ, et al. Biomechanical Analysis of Risk Factors for Work-Related Musculoskeletal Disorders During Repetitive Lifting Task in Construction Workers. *Automation in Construction.* 2017;83(11):41–47.
  11. UNC Institutional Integrity and Risk Management: Environment, Health and Safety University of North Carolina. What is an MSD?. Chapel Hill, NC: UNC Institutional Integrity and Risk Management: Environment, Health and Safety; 2022. Available from: <https://ehs.unc.edu/workplace-safety/ergonomics/medical/>.
  12. ILO. *Meningkatkan Keselamatan dan Kesehatan Pekerja Muda.* Jakarta: International Labour Organization; 2018.
  13. IOWA State University Environmental Health and Safety. Risk Factors. Available from: <https://www.ehs.iastate.edu/services/occupational/ergonomics/risk-factors>.
  14. Zulaini, Harahap NS, Siregar NS, et al. Effect Stretching and Recovery on Delayed Onset Muscle Soreness (DOMS) After Exercise. *Journal of Physics: Conference Series.*
  15. Yosineba TP, Bahar E, Adnindya MR. Risiko Ergonomi dan Keluhan Musculoskeletal Disorders (MSDs) pada Pengrajin Tenun di Palembang. *Jurnal Kedokteran dan Kesehatan Publikasi Ilmiah Fakultas Kedokteran Universitas Sriwijaya.* 2020; 7(1):60–66.
  16. Liu SH, Lin CB, Chen Y, et al. An EMG Patch for the Real-Time Monitoring of Muscle-Fatigue Conditions During Exercise. *Sensors.* 2019;19(14):3108.
  17. Mulyani S. Hubungan antara Kepuasan Kerja dan Usaha Karyawan dengan Performansi Kerja pada Karyawan Universitas Ahmad Dahlan. *Prosiding Seminar Nasional Peran Budaya Organisasi Terhadap Efektivitas dan Efisiensi Organisasi.* 2012;117–130.
  18. Soares CO, Pereira BF, Pereira Gomes MV, et al. Preventive Factors Against Work-Related Musculoskeletal Disorders: Narrative Review. *Revista Brasileira de Medicina do Trabalho.* 2019;17(3):415–430.
  19. Hartvigsen J, Hancock MJ, Kongsted A, et al. What Low Back Pain is and Why We Need To Pay Attention. *The Lancet.* 2018; 391(10137):2356–2367.
  20. Setyaningsih Y. *Higiene Lingkungan Industri.* Semarang: FKM Undip Press Universitas Diponegoro; 2018.
  21. Lu L, Megahed FM, Cavuoto LA. Interventions to Mitigate Fatigue Induced by Physical Work: A Systematic Review of Research Quality and Levels of Evidence for Intervention Efficacy. *Human Factors.* 2021; 63(1):151–191.
  22. Denny HM. *Kesehatan dan Keselamatan Kerja di Sektor Industri Kecil dan Informal.* Semarang: FKM Undip Press Universitas Diponegoro; 2017.
  23. Radin Umar RZ, Ahmad N, Halim I, et al. Design and Development of an Ergonomic Trolley-Lifter for Sheet Metal Handling Task: A Preliminary Study. *Safety and Health at Work* 2019;10(3):327–335.
  24. Yudisianto I, Tualeka AR, Widajati N. Correlation between Individual Characteristics and Work Position with Work Fatigue on Workers. *The Indonesian Journal of Occupational Safety and Health.* 2021;10(3):350.

25. Ayu I, Sri M, Ariati NN, et al. Improving Ergonomic Work Attitudes Reducing of Musculoskeletal Disorders, Workload and Increasing Work Productivity of Pande Besi in Gubug Village Tabanan, Bali-Indonesia. *Eastern Journal of Agricultural and Biological Sciences (EJABS)*. 2021;2(1):10-14.
26. Wan JJ, Qin Z, Wang PY, et al. Muscle Fatigue: General Understanding and Treatment. *Experimental & Molecular Medicine*. 2017; 49(10):384.
27. Hidayah I. Peningkatan Kadar Asam Laktat Dalam Darah Sesudah Bekerja. *The Indonesian Journal of Occupational Safety and Health*. 2018;7(2):131.
28. Umboh MK, Malonda NSH, Mende J. Analisis Pengaruh Posisi Ergonomis Dengan Metode Rapid Entire Body Assessment (REBA) Terhadap Produktivitas Kerja pada Pekerja Pengupas Serabut Kelapa Tradisional di Minahasa Utara. *Jurnal Tekno Mesin*. 2018; 4(2):133-137.
29. Carson R. Reducing Cumulative Trauma Disorders. *AAOHN Journal*. 1994;42(6):270-276.
30. Filus R, Okimorto ML. The Effect of Job Rotation Intervals on Muscle Fatigue - Lactic Acid. *Work*. 2012;41:1572-1581.
31. CDC. Workplace Health Promotion: Work-Related Musculoskeletal Disorders & Ergonomics. USA: Centers for Disease Control and Prevention; 2020. Available from: <https://www.cdc.gov/workplacehealthpromotion/health-strategies/musculoskeletal-disorders/index.html>.
32. Sari NLMRW, Adiputra LMISH, Muliarta IM, et al. Perbaikan Kondisi Kerja Serta Pemberian McKenzie exercise dan Peregangan Statis Memperbaiki Respon Fisiologis dan Meningkatkan Produktivitas Pekerja pada Industri Pembuatan Dupa di UD. Manik Galih Tabanan. *Jurnal Ergonomi Indonesia (The Indonesian Journal of Ergonomic)*. 2019;5(1): 1-9.

# Ergonomic Risk, Muscle Tension, Lactic Acid, and Work Performance on Transport Workers at Fish Auction

---

ORIGINALITY REPORT

**13%**  
SIMILARITY INDEX

**9%**  
INTERNET SOURCES

**9%**  
PUBLICATIONS

**7%**  
STUDENT PAPERS

---

MATCH ALL SOURCES (ONLY SELECTED SOURCE PRINTED)

---

3%

★ I Rizkya, K Syahputri, R M Sari, Anizar, I Siregar.  
"Evaluation of work posture and quantification of  
fatigue by Rapid Entire Body Assessment (REBA)",  
IOP Conference Series: Materials Science and  
Engineering, 2018

Publication

---

Exclude quotes      On

Exclude bibliography      On

Exclude matches      Off

# Ergonomic Risk, Muscle Tension, Lactic Acid, and Work Performance on Transport Workers at Fish Auction

---

GRADEMARK REPORT

---

FINAL GRADE

/0

GENERAL COMMENTS

Instructor

---

PAGE 1

---

PAGE 2

---

PAGE 3

---

PAGE 4

---

PAGE 5

---

PAGE 6

---

PAGE 7

---



## **MEDIA KESEHATAN MASYARAKAT INDONESIA**

📍 [FAKULTAS KESEHATAN MASYARAKAT UNIVERSITAS HASANUDDIN](#)

✳️ P-ISSN : <> E-ISSN : 23564067     📌 Subject Area : Health



**2.01587**

Impact Factor



**2681**

Google Citations



**Sinta 2**

Current Accreditation

[Google Scholar](#)

[Garuda](#)

[Website](#)

[Editor URL](#)

### History Accreditation

2016

2017

2018

2019

2020

2021

2022

2023      2024

[Garuda](#)

[Google Scholar](#)

[Monitoring Kidney Function Through the Use of Candesartan, Telmisartan or Valsartan Antihypertensive Therapy towards Patients CKD](#)

[Faculty of Public Health, Hasanuddin University, Makassar](#)

[Media Kesehatan Masyarakat Indonesia Vol. 18 No. 1: 2022 1-9](#)

📅 2022

[DOI: 10.30597/mkmi.v18i1.17780](#)

[Accred : Sinta 2](#)

[Analysis of Stunting Phenomenon in Sragen Regency During The COVID-19 Pandemic from Economic Perspective](#)

[Faculty of Public Health, Hasanuddin University, Makassar](#)

[Media Kesehatan Masyarakat Indonesia Vol. 18 No. 1: 2022 26-32](#)

📅 2022

[DOI: 10.30597/mkmi.v18i1.18341](#)

[Accred : Sinta 2](#)

[The Relation between Rainfall and Larval Density of Dengue Hemorrhagic Fever with Spatial Modeling](#)

[Faculty of Public Health, Hasanuddin University, Makassar](#)

[Media Kesehatan Masyarakat Indonesia Vol. 18 No. 1: 2022 10-17](#)

📅 2022

[DOI: 10.30597/mkmi.v18i1.18388](#)

[Accred : Sinta 2](#)

[The Utilization of Lactation Rooms by Health Workers in Medan City](#)

[Faculty of Public Health, Hasanuddin University, Makassar](#)

[Media Kesehatan Masyarakat Indonesia Vol. 18 No. 1: 2022 33-42](#)

📅 2022

[DOI: 10.30597/mkmi.v18i1.18770](#)

[Accred : Sinta 2](#)

[Insomnia Among Covid-19 Patients During Isolation Treatment in Inpatient Room of Indonesian Health Care Facilities](#)

[Faculty of Public Health, Hasanuddin University, Makassar](#)  [Media Kesehatan Masyarakat Indonesia Vol. 18 No. 1: 2022 18-25](#)  
 2022  DOI: 10.30597/mkmi.v18i1.19109  Accred : Sinta 2

[Homemade Cloth Face Masks Identification in Indonesia](#)

[Faculty of Public Health, Hasanuddin University, Makassar](#)  [Media Kesehatan Masyarakat Indonesia Vol. 18 No. 2: 2022 57-66](#)  
 2022  DOI: 10.30597/mkmi.v18i2.18618  Accred : Sinta 2

[Ergonomic Risk, Muscle Tension, Lactic Acid, and Work Performance on Transport Workers at Fish Auction](#)

[Faculty of Public Health, Hasanuddin University, Makassar](#)  [Media Kesehatan Masyarakat Indonesia Vol. 18 No. 2: 2022 50-56](#)  
 2022  DOI: 10.30597/mkmi.v18i2.19739  Accred : Sinta 2

[Evaluation of the Quality of Pumpkin Seed Flour and Capsules as Food Supplements](#)

[Faculty of Public Health, Hasanuddin University, Makassar](#)  [Media Kesehatan Masyarakat Indonesia Vol. 18 No. 2: 2022 43-49](#)  
 2022  DOI: 10.30597/mkmi.v18i2.20847  Accred : Sinta 2

[Self-Efficacy in Relation to Personal Care and The Health-Related Quality of Life of Hemodialysis Patients](#)

[Faculty of Public Health, Hasanuddin University, Makassar](#)  [Media Kesehatan Masyarakat Indonesia Vol. 17 No. 3: SEPTEMBER 2021 94-102](#)  
 2021  DOI: 10.30597/mkmi.v17i3.13129  Accred : Sinta 2

[Dengue Incidence in Relation to Environmental Factors in Sampang Regency: Analysis of Five Years Data](#)

[Faculty of Public Health, Hasanuddin University, Makassar](#)  [Media Kesehatan Masyarakat Indonesia Vol. 17 No. 1: MARET 2021 17-23](#)  
 2021  DOI: 10.30597/mkmi.v17i1.10598  Accred : Sinta 2

[View more ...](#)

# SERTIFIKAT

Direktorat Jenderal Pengembangan Riset dan Pengembangan,  
Kementerian Riset, Teknologi dan Pendidikan Tinggi



Kutipan dari Keputusan Direktur Jenderal Pengembangan  
Kementerian Riset, Teknologi dan Pendidikan Tinggi Republik Indonesia

Nomor: 36/E/KPT/2019

Peringkat Akreditasi Jurnal Ilmiah Periode VII Tahun 2019

Nama Jurnal Ilmiah

**Media Kesehatan Masyarakat Indonesia**

E-ISSN: 23564067

Penerbit: Fakultas Kesehatan Masyarakat Universitas Hasanuddin

Ditetapkan Sebagai Jurnal Ilmiah

## TERAKREDITASI PERINGKAT 2


Akreditasi Berlaku Selama 5 (lima) Tahun, Yaitu  
Volume 15 Nomor 3 Tahun 2019 sampai Volume 20 Nomor 2 Tahun 2024

Jakarta, 13 Desember 2019  
Direktur Jenderal Pengembangan Riset dan Pengembangan



Muhammad Dimyati  
NIP. 195912171984021001

## Journal Issue



Published by Public Health Faculty, Universitas Hasanuddin

Quarterly Publication

View Current Issue (<https://journal.unhas.ac.id/index.php/mkmi/issue/current>)

## Social Share



(<https://api.whatsapp.com/send?phone=%2B628114440454&text=Assalamualaikum%20admin%20MKMI,%20saya%20ingin%20bertanya%20mengenai>)



(<https://www.instagram.com/jurnalmkmi/>)

## Published Volume By Year

2022



2021



2020



2019



2018



2017



2016	▼
2015	▼
2014	▼
2013	▼

## Highly Accessed

BANK SAMPAH SEBAGAI SALAH SATU SOLUSI PENANGANAN SAMPAH DI KOTA MAKASSAR  
(<https://journal.unhas.ac.id/index.php/mkmi/article/view/1543>)

 646

21 March 2017

 Makmur Selomo, Agus Bintara...

GAMBARAN SISTEM PENYELENGGARAAN MAKANAN DI PONDOK PESANTREN HUBULO GORONTALO (<https://journal.unhas.ac.id/index.php/mkmi/article/view/507>)

 517

22 June 2016

 Sitti Aisyah Taqhi

Pola Penyakit Tidak Menular dan Faktor Risikonya pada Suku Anak Dalam di Desa Nyogan Provinsi Jambi (<https://journal.unhas.ac.id/index.php/mkmi/article/view/7062>)

 473

12 December 2019

 Ummi Kalsum, Oka Lesmana, D...

Kualitas Hidup Penderita Insomnia Pada Mahasiswa (<https://journal.unhas.ac.id/index.php/mkmi/article/view/3464>)

 415

16 June 2018

 Muhammad Akbar Nurdin, Andi...

PENEMUAN DINI KUSTA PADA ANAK SEKOLAH DASAR (<https://journal.unhas.ac.id/index.php/mkmi/article/view/498>)

 372

22 June 2016

 Tati Masliah

## IN COLLABORATION WITH



**VIEW MoU (<https://drive.google.com/open?id=1RaMPA4mm2-S-bgYJQv7-pyIPZ47I9e1E>)**

**Supervised By**



**E-ISSN Barcode**



9 772356 406003

**View E-ISSN (<https://portal.issn.org/resource/ISSN/2356-4067>)**

[Home \(<https://journal.unhas.ac.id/index.php/mkmi/index>\)](https://journal.unhas.ac.id/index.php/mkmi/index) / Editorial Team

## Editorial Team

### Editor in Chief

Ida Leida Maria, (SCOPUS ID : 57062982100 (<https://www.scopus.com/authid/detail.uri?authorId=57062982100>)), Department of Epidemiology, Faculty of Public Health, Universitas Hasanuddin, Indonesia

### Managing Editor

Indra Dwinata, (SCOPUS ID : 57194555111 (<https://www.scopus.com/authid/detail.uri?authorId=57194555111>)), Department of Epidemiology, Faculty of Public Health, Universitas Hasanuddin, Indonesia

### Section Editor

Mahdi H. Suhail Al-Dulimi, (SCOPUS ID : 55399070800 (<https://www.scopus.com/authid/detail.uri?authorId=55399070800>)) Department of Physics, University of Baghdad, Iraq

Isam Mohammed Ibrahim, (SCOPUS ID : 56200248100 (<https://www.scopus.com/authid/detail.uri?authorId=56200248100>)) Department of Physics, University of Baghdad, Iraq

Cordia Ming Yeuk Chu, (SCOPUS ID : 56435044600 (<https://www.scopus.com/authid>))

/detail.uri?authorId=56435044600)) Centre for Environment and Population Health, Griffith University, Australia

Peter Davey, (SCOPUS ID : 57192956383) (<https://www.scopus.com/authid/detail.uri?authorId=57192956383>) School of Environment and Science, Griffith University, Australia

## National Accreditation



[View Certificate](https://drive.google.com/file/d/1aqVnulhDKILscC4n69LseuzB0H_M45aH/view) ([https://drive.google.com/file/d/1aqVnulhDKILscC4n69LseuzB0H\\_M45aH/view](https://drive.google.com/file/d/1aqVnulhDKILscC4n69LseuzB0H_M45aH/view))

## Menu

Editorial Team (<https://journal.unhas.ac.id/index.php/mkmi/EditorialTeam>)

Peer Reviewers (<https://journal.unhas.ac.id/index.php/mkmi/Reviewer>)

Peer Review Process (<https://journal.unhas.ac.id/index.php/mkmi/PeerReviewProcess>)

Focus and Scope (<https://journal.unhas.ac.id/index.php/mkmi/focusandscope>)

Publication Ethics (<https://journal.unhas.ac.id/index.php/mkmi/PublicationEthic>)

Online Submission Guidelines (<https://journal.unhas.ac.id/index.php/mkmi/about/submissions#authorGuidelines>)

Plagiarism Check (<https://journal.unhas.ac.id/index.php/mkmi/Plagiarismcheck>)

Article Processing Charge (<https://journal.unhas.ac.id/index.php/mkmi/ArticleProcessingCharges>)

Open Access Statement (<https://journal.unhas.ac.id/index.php/mkmi/OpenAccessStatement>)

License Term (<https://journal.unhas.ac.id/index.php/mkmi/Licenseterm>)

Statistics ([https://statcounter.com/p10091631/summary/?account\\_id=5107254&login\\_id=3&](https://statcounter.com/p10091631/summary/?account_id=5107254&login_id=3&))

code=ce60dcf244d946de14f6c4adc0032acd&guest\_login=1

Template (<https://drive.google.com/drive/folders/1Tug6cjZpIISON4Fg8tJThrzEdDBN3KWdR?usp=sharing>)

Journal History (<https://journal.unhas.ac.id/index.php/mkmi/JournalHistory>)

Indexing (<https://journal.unhas.ac.id/index.php/mkmi/indexing2>)

## EDITORIAL BOARD

### **Editor in Chief**

Ida Leida Maria

Department of Epidemiology, Faculty of Public Health, Universitas Hasanuddin, Indonesia (SCOPUS ID : 57062982100 (<https://www.scopus.com/authid/detail.uri?authorId=57062982100>))

### **Managing Editor**

Indra Dwinata

Department of Epidemiology, Faculty of Public Health, Universitas Hasanuddin, Indonesia (SCOPUS ID : 57194555111 (<https://www.scopus.com/authid/detail.uri?authorId=57194555111>))

### **Section Editor**

Mahdi H. Suhail Al-Dulimi, (SCOPUS ID : 55399070800 (<https://www.scopus.com/authid/detail.uri?authorId=55399070800>)) Department of Physics, University of Baghdad, Iraq

Isam Mohammed Ibrahim, (SCOPUS ID : 56200248100 (<https://www.scopus.com/authid/detail.uri?authorId=56200248100>)) Department of Physics, University of Baghdad, Iraq

Cordia Ming Yeuk Chu, (SCOPUS ID : 56435044600 (<https://www.scopus.com/authid/detail.uri?authorId=56435044600>)) Centre for Environment and Population Health, Griffith University, Australia

Peter Davey, (SCOPUS ID : 57192956383 (<https://www.scopus.com/authid/detail.uri?authorId=57192956383>)) School of Environment and Science, Griffith University, Australia

Wesam Al Madhoun, (SCOPUS ID : 26430526800 (<https://www.scopus.com/authid/detail.uri?authorId=26430526800>)) Global Ambassadors of Sustainability, Engineering, Gaza University, Palestine

Aini Ahmad, (SCOPUS ID : 57203645325 (<https://www.scopus.com/authid/detail.uri?authorId=57203645325>)) School of Nursing, KPJ Healthcare University College, Malaysia

## TOOLS



## STAT COUNTER

### Visitors

[See more ▾](#)

	219,262		179
	13,016		177
	553		127
	518		125
	497		115
	308		103
	305		97
	239		94

[\(http://info.flagcounter.com/OqN9\)](http://info.flagcounter.com/OqN9)

0328981 (<http://statcounter.com/>)

View My Stats (<https://statcounter.com/p10091631/?guest=1>)



## Address

Jl. Perintis Kemerdekaan Km.10,  
Faculty of Public Health, Hasanuddin University,

Tamalanrea, Makassar, South Sulawesi, 90245, Indonesia  
View on Google Map (<https://goo.gl/maps/8A3mBnQTonD2>)

## Contact Info

Principal Contact : Ida Leida M.Thaha


HP : +628114440454

Email : [jurnal.mkmi@gmail.com](mailto:jurnal.mkmi@gmail.com) (<mailto:jurnal.mkmi@gmail.com>)

: [jurnalmkmi@fkm.unhas.ac.id](mailto:jurnalmkmi@fkm.unhas.ac.id) (<mailto:jurnalmkmi@fkm.unhas.ac.id>)

**Copyright © 2021 I MKMI - Journal of Media Kesehatan Masyarakat Indonesia**, Some rights reserved. This is an open-access article distributed under the terms of the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International (<https://creativecommons.org/licenses/by-nc-sa/4.0/>) License

## Journal Issue



Published by Public Health Faculty, Universitas Hasanuddin

Quarterly Publication

View Current Issue (<https://journal.unhas.ac.id/index.php/mkmi/issue/current>)

## Social Share



(<https://api.whatsapp.com/send?phone=%2B628114440454&text=Assalamualaikum%20admin%20MKMI,%20saya%20ingin%20bertanya%20mengenai>)



(<https://www.instagram.com/jurnalmkmi/>)

## Published Volume By Year

2022	▼
2021	▼
2020	▼
2019	▼
2018	▼
2017	▼

2016	▼
2015	▼
2014	▼
2013	▼

## Highly Accessed

BANK SAMPAH SEBAGAI SALAH SATU SOLUSI PENANGANAN SAMPAH DI KOTA MAKASSAR  
(<https://journal.unhas.ac.id/index.php/mkmi/article/view/1543>)

 646

21 March 2017

 Makmur Selomo, Agus Bintara...

GAMBARAN SISTEM PENYELENGGARAAN MAKANAN DI PONDOK PESANTREN HUBULO GORONTALO (<https://journal.unhas.ac.id/index.php/mkmi/article/view/507>)

 517

22 June 2016

 Sitti Aisyah Taqhi

Pola Penyakit Tidak Menular dan Faktor Risikonya pada Suku Anak Dalam di Desa Nyogan Provinsi Jambi (<https://journal.unhas.ac.id/index.php/mkmi/article/view/7062>)

 473

12 December 2019

 Ummi Kalsum, Oka Lesmana, D...

Kualitas Hidup Penderita Insomnia Pada Mahasiswa (<https://journal.unhas.ac.id/index.php/mkmi/article/view/3464>)

 415

16 June 2018

 Muhammad Akbar Nurdin, Andi...

PENEMUAN DINI KUSTA PADA ANAK SEKOLAH DASAR (<https://journal.unhas.ac.id/index.php/mkmi/article/view/498>)

 372

22 June 2016

 Tati Masliah

IN COLLABORATION WITH



**VIEW MoU** (<https://drive.google.com/open?id=1RaMPA4mm2-S-bgYJQv7-pyIPZ47I9e1E>)

**Supervised By**



## E-ISSN Barcode



9 772356 406003

**View E-ISSN** (<https://portal.issn.org/resource/ISSN/2356-4067>)



## Address

Jl. Perintis Kemerdekaan Km.10,  
Faculty of Public Health, Hasanuddin University,  
Tamalanrea, Makassar, South Sulawesi, 90245, Indonesia  
[View on Google Map](https://goo.gl/maps/8A3mBnQTonD2) (<https://goo.gl/maps/8A3mBnQTonD2>)

## Contact Info

Principal Contact : Ida Leida M.Thaha  
HP : +628114440454  
Email : [jurnal.mkmi@gmail.com](mailto:jurnal.mkmi@gmail.com) (<mailto:jurnal.mkmi@gmail.com>)  
: [jurnalmkmi@fkm.unhas.ac.id](mailto:jurnalmkmi@fkm.unhas.ac.id) (<mailto:jurnalmkmi@fkm.unhas.ac.id>)

[Home \(https://journal.unhas.ac.id/index.php/mkmi/index\)](https://journal.unhas.ac.id/index.php/mkmi/index)[/ Archives \(https://journal.unhas.ac.id/index.php/mkmi/issue/archive\) / Vol. 18 No. 2: 2022](https://journal.unhas.ac.id/index.php/mkmi/issue/archive)

Media Kesehatan Masyarakat Indonesia is a periodical scientific journal published by the Faculty of Public Health, Hasanuddin University since 2004, with pISSN 0216-2482 and eISSN 2356-4067. Media Kesehatan Masyarakat Indonesia accepts scientific papers in the form of research reports (original article research papers) with focus and scope including: Epidemiology; Health Education and Promotion; Environmental Health, Occupational Health and Safety, Health Administration and Policy, Biostatistics, Reproductive Health, Hospital Management, Nutrition Sciene, Health Information System. Media Kesehatan Masyarakat Indonesia has collaborated with the Professional Organization of the Ikatan Ahli Kesehatan Masyarakat Indonesia (IAKMI) in terms of helping the advancement of public health science and disseminating research results. Media Kesehatan Masyarakat Indonesia has also received National Accreditation from RISTEKDIKTI since February 2015 with Sinta rank 2 and is valid for 5 years based on the decision of the Minister of Research, Technology and Higher Education RI Number: 30/E/KPT/2018. DOI: <https://doi.org/10.30597/mkmi.v18i2> (<https://doi.org/10.30597/mkmi.v18i2>)

## Articles

Evaluation of the Quality of Pumpkin Seed Flour and Capsules as Food Supplements (<https://journal.unhas.ac.id/index.php/mkmi/article/view/20847>)

Aminuddin Syam

 0 (<https://badge.dimensions.ai/details/doi/10.30597/mkmi.v18i2.20847?domain=https://journal.unhas.ac.id>)

 43-49

/mkmi.v18i2.20847?domain=https://journal.unhas.ac.id)

 Abstract View : 89

 Download : 1

[10.30597/mkmi.v18i2.20847](https://doi.org/10.30597/mkmi.v18i2.20847) (<https://journal.unhas.ac.id/index.php/mkmi/article/view/20847>)

[PDF](https://journal.unhas.ac.id/index.php/mkmi/article/view/20847/8626) (<https://journal.unhas.ac.id/index.php/mkmi/article/view/20847/8626>)

Ergonomic Risk, Muscle Tension, Lactic Acid, and Work Performance on Transport Workers at Fish Auction (<https://journal.unhas.ac.id/index.php/mkmi/article/view/19739>)

Bina Kurniawan, Zen Rahfiludin, Yuliani Setyaningsih, Nurjazuli Nurjazuli

 ? (<https://badge.dimensions.ai/details/doi/10.30597/mkmi.v18i2.19739?domain=https://journal.unhas.ac.id>)

 50-56

/mkmi.v18i2.19739?domain=https://journal.unhas.ac.id)

 Abstract View : 34

 Download :

[10.30597/mkmi.v18i2.19739](https://doi.org/10.30597/mkmi.v18i2.19739) (<https://journal.unhas.ac.id/index.php/mkmi/article/view/19739>)

[PDF](https://journal.unhas.ac.id/index.php/mkmi/article/view/19739/8733) (<https://journal.unhas.ac.id/index.php/mkmi/article/view/19739/8733>)

## HOMEMADE CLOTH FACE MASKS IDENTIFICATION IN INDONESIA (<https://journal.unhas.ac.id/index.php/mkmi/article/view/18618>)

Siti Zahro, Hany Mustikasari

  (<https://badge.dimensions.ai/details/doi/10.30597>)

 57-66

/mkmi.v18i2.18618?domain=https://journal.unhas.ac.id/

 Abstract View : 24

 Download

10.30597/mkmi.v18i2.18618 (<https://journal.unhas.ac.id/index.php/mkmi/article/view/18618>)

PDF (<https://journal.unhas.ac.id/index.php/mkmi/article/view/18618/8736>)

## DETERMINANTS OF APPROVAL CLAIMS AT HOSPITAL AMONG COVID-19 PATIENTS (<https://journal.unhas.ac.id/index.php/mkmi/article/view/19536>)

Peter Herey, Nauri Anggita Temesvari

  (<https://badge.dimensions.ai/details/doi/10.30597>)

 67-73

/mkmi.v18i2.19536?domain=https://journal.unhas.ac.id/

 Abstract View : 21

 Download :

10.30597/mkmi.v18i2.19536 (<https://journal.unhas.ac.id/index.php/mkmi/article/view/19536>)

PDF (<https://journal.unhas.ac.id/index.php/mkmi/article/view/19536/8739>)

## NATIONAL ACCREDITATION



View Certificate ([https://drive.google.com/file/d/1aqVnulhDKILscC4n69LseuzB0H\\_M45aH/view](https://drive.google.com/file/d/1aqVnulhDKILscC4n69LseuzB0H_M45aH/view))

## Menu

 Editorial Team (<https://journal.unhas.ac.id/index.php/mkmi/EditorialTeam>)

 Peer Reviewers (<https://journal.unhas.ac.id/index.php/mkmi/Reviewer>)

 Peer Review Process (<https://journal.unhas.ac.id/index.php/mkmi/PeerReviewProcess>)

○ Focus and Scope (<https://journal.unhas.ac.id/index.php/mkmi/focusandscope>)

---

□ Publication Ethics (<https://journal.unhas.ac.id/index.php/mkmi/PublicationEthic>)

---

☒ Online Submission Guidelines (<https://journal.unhas.ac.id/index.php/mkmi/about/submissions#authorGuidelines>)

---

☰ Plagiarism Check (<https://journal.unhas.ac.id/index.php/mkmi/Plagiarismcheck>)

---

⌚ Article Processing Charge (<https://journal.unhas.ac.id/index.php/mkmi/ArticleProcessingCharges>)

---

🔓 Open Access Statement (<https://journal.unhas.ac.id/index.php/mkmi/OpenAccessStatement>)

---

(CC) License Term (<https://journal.unhas.ac.id/index.php/mkmi/Licenseterm>)

---

📊 Statistics ([https://statcounter.com/p10091631/summary/?account\\_id=5107254&login\\_id=3&code=ce60dcf244d946de14f6c4adc0032acd&guest\\_login=1](https://statcounter.com/p10091631/summary/?account_id=5107254&login_id=3&code=ce60dcf244d946de14f6c4adc0032acd&guest_login=1))

---

📄 Template (<https://drive.google.com/drive/folders/1Tug6cjZpIISON4Fg8tJThrzEdDBN3KWdR?usp=sharing>)

---

🕒 Journal History (<https://journal.unhas.ac.id/index.php/mkmi/JournalHistory>)

---

✉ Indexing (<https://journal.unhas.ac.id/index.php/mkmi/indexing2>)

---

## EDITORIAL BOARD

---

### **Editor in Chief**

Ida Leida Maria

Department of Epidemiology, Faculty of Public Health, Universitas Hasanuddin, Indonesia (SCOPUS ID : 57062982100 (<https://www.scopus.com/authid/detail.uri?authorId=57062982100>))

### **Managing Editor**

Indra Dwinata

Department of Epidemiology, Faculty of Public Health, Universitas Hasanuddin, Indonesia (SCOPUS ID : 57194555111 (<https://www.scopus.com/authid/detail.uri?authorId=57194555111>))

**Section Editor**

Mahdi H. Suhail Al-Dulimi, (SCOPUS ID : 55399070800 (<https://www.scopus.com/authid/detail.uri?authorId=55399070800>)) Department of Physics, University of Baghdad, Iraq

Isam Mohammed Ibrahim, (SCOPUS ID : 56200248100 (<https://www.scopus.com/authid/detail.uri?authorId=56200248100>)) Department of Physics, University of Baghdad, Iraq

Cordia Ming Yeuk Chu, (SCOPUS ID : 56435044600 (<https://www.scopus.com/authid/detail.uri?authorId=56435044600>)) Centre for Environment and Population Health, Griffith University, Australia

Peter Davey, (SCOPUS ID : 57192956383 (<https://www.scopus.com/authid/detail.uri?authorId=57192956383>)) School of Environment and Science, Griffith University, Australia

Wesam Al Madhoun, (SCOPUS ID : 26430526800 (<https://www.scopus.com/authid/detail.uri?authorId=26430526800>)) Global Ambassadors of Sustainability, Engineering, Gaza University, Palestine

Aini Ahmad, (SCOPUS ID : 57203645325 (<https://www.scopus.com/authid/detail.uri?authorId=57203645325>)) School of Nursing, KPJ Healthcare University College, Malaysia

**TOOLS****STAT COUNTER**

**Visitors**[See more ▶](#)

	219,261		179
	13,016		177
	553		127
	518		125
	497		115
	308		103
	305		97
	239		94

(http://info.flagcounter.com/OqN9)

**0328980** (<http://statcounter.com/>)View My Stats (<https://statcounter.com/p10091631/?guest=1>)

article distributed under the terms of the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International  
(<https://creativecommons.org/licenses/by-nc-sa/4.0/>) License

# Evaluation of the Quality of Pumpkin Seed Flour and Capsules as Food Supplements

✉ (<http://orcid.org/0000-0001-7284-2985>) Aminuddin Syam

<https://doi.org/10.30597/mkmi.v18i2.20847> (<https://doi.org/10.30597/mkmi.v18i2.20847>)

 0 (<https://badge.dimensions.ai/details/doi/10.30597/mkmi.v18i2.20847?domain=https://journal.unhas.ac.id>)

## Issue

Vol. 18 No. 2: JUNE 2022 (<https://journal.unhas.ac.id/index.php/mkmi/issue/view/1200>)

## Keywords:

Capsules (<https://journal.unhas.ac.id/index.php/mkmi/search?query=capsules>)

flour (<https://journal.unhas.ac.id/index.php/mkmi/search?query=flour>)

nutraceutics (<https://journal.unhas.ac.id/index.php/mkmi/search?query=nutraceutics>)

pumpkin seed (<https://journal.unhas.ac.id/index.php/mkmi/search?query=pumpkin%20seed>)

PDF (<https://journal.unhas.ac.id/index.php/mkmi/article/view/20847/8626>)

 Abstract

 Authors

 Citation

 Licensing

## Abstract

Pumpkin seeds contain a variety of useful nutrients, so they become a food supplement. This study aimed to evaluate the quality of pumpkin seed flour and capsules. This study used the experimental method. The pumpkin used came from a local market in Makassar City. Cleaned pumpkin seeds-then dried in the sun for ± 7 hours. After that, put them in the oven at a temperature of 70-75°C for 3 hours. Next, blended them until they became smooth flour and sieved through a 70 mesh sieve. Put the flour into a capsule shell size 00. The quality of pumpkin seed flour and capsules is tested at the Neutraceutical Laboratory and the Integrated Laboratory of Hasanuddin University. The evaluation of flour quality was carried out with 3 indicators which are the moisture content test, the incompressible density test, and the flow time test. Meanwhile, the evaluation of capsule quality was also carried out with 3 indicators, which are the time disintegration test, the weight diversity test, and the shelf-life test. Based on the evaluation of flour quality, pumpkin seed flour meet the required standards for the moisture content test (3.57%) and the incompressible density test (0.2427 g/cm<sup>3</sup>), but did not meet the required standards for the flow time test. Furthermore, pumpkin seed capsules meet the required standards for the three indicators tested, namely, the weight diversity (according to Pharmacopeia 1 edition 3), the time disintegration (6 minutes) and the shelf-life (115 days). Pumpkin seed flour and capsules can be used as food supplements because they meet the required standards to evaluate quality.

 Share Now


## References

- Ankita S, Parminder K. Phytochemical Screening and Antimicrobial Assay of Various Seeds Extract of Cucurbitaceae Family. International Journal of Applied Biology Pharmacology Technology. 2012;3(3):401-409.
- Pawarti. Penggunaan Buah Labu Segar (Cucurbita Sp) Menjadi Intermediate Produk (Tepung Labu) Sebagai Upaya Menuju Pertumbuhan Inklusif Berkelanjutan di Wilayah Kabupaten Semarang. Semarang: Universitas Katolik Soegijapranata; 2012.
- Mohammed F, Nikzad H, Taghizadeh M, Moravveji SA. Effect of Pumpkin Extrac Regimen on Testicular Structure and Serum Biochemical Parameters in Cyclophosphamide-Treated Adult Rats. Journal of Kashan University of Medical Sciences. 2013;17(5): 438-446.
- Kim MY, Kim E, Kim C, Lee BH. Comparison of the Chemical Composition and Nutritive Values of Various Pumpkin (Cucurbitaceae) Species and Parts. Nutrition Research and Practice. 2012;6:21-27.
- Montesano D, Blasi F, Simonetti MS, Santini A, Cossignani L. Chemical and Nutritional Characterization of Seeds Oil from Cucurbita Maxima (Var. Barretina) Pumpkin. Foods. 2018; 7(3):1-14.

© NIKMI 07. Ondati AD. Tarkianeha. Antioxidant Effects of Pumpkin Seeds (Cucurbita maxima) Protein Isolate in DMH

 [Read More](#)

### Downloads



### Address

Jl. Perintis Kemerdekaan Km.10,  
Faculty of Public Health, Hasanuddin University,  
Tamalanrea, Makassar, South Sulawesi, 90245, Indonesia  
[View on Google Map \(https://goo.gl/maps/8A3mBnQTonD2\)](https://goo.gl/maps/8A3mBnQTonD2)


### Contact Info

Principal Contact : Ida Leida M.Thaha

HP : +628114440454

Email : [jurnal.mkmi@unhas.ac.id](mailto:jurnal.mkmi@unhas.ac.id) (<mailto:jurnal.mkmi@unhas.ac.id>)

: [jurnal.mkmi@gmail.com](mailto:jurnal.mkmi@gmail.com) (<mailto:jurnal.mkmi@gmail.com>)



 Share Now

# Homemade Cloth Face Masks Identification in Indonesia

✉ Siti Zahro, Hany Mustikasari

<https://doi.org/10.30597/mkmi.v18i2.18618> (<https://doi.org/10.30597/mkmi.v18i2.18618>)

 **Citations** 0 (<https://badge.dimensions.ai/details/doi/10.30597/mkmi.v18i2.18618?domain=https://journal.unhas.ac.id>)

## Issue

Vol. 18 No. 2: JUNE 2022 (<https://journal.unhas.ac.id/index.php/mkmi/issue/view/1200>)

## Keywords:

Masks (<https://journal.unhas.ac.id/index.php/mkmi/search?query=masks>)

models (<https://journal.unhas.ac.id/index.php/mkmi/search?query=models>)

materials (<https://journal.unhas.ac.id/index.php/mkmi/search?query=materials>)

mask layers (<https://journal.unhas.ac.id/index.php/mkmi/search?query=mask%20layers>)

PDF (<https://journal.unhas.ac.id/index.php/mkmi/article/view/18618/8736>)

 Abstract

 Authors

 Citation

 Licensing

## Abstract

The World Health Organization (WHO) and the Indonesian government have advised the use of cloth face masks by medical and non-medical personnel to prevent Covid-19 transmission. However, many people find it difficult to wear these masks when doing various activities outside their home. The cloth face masks used in Indonesian communities vary significantly in models, materials, and number of layers with a significant number providing discomfort to people. Therefore, this research aims to identify the factors that influence the comfort of cloth face mask model circulating in the public. Phenomenological research design through completed participant observation and open-ended interview with seven lecturers and three education personnel were used to obtain more in-depth data. The results showed that despite the availability of various models in circulation, none were comfortable to use while talking and breathing. On the other hand, their straps use a lot of materials causing pain in the earlobe. Therefore, people prefer irrespective disposable masks of their ability to pollute the environment when not properly disposed. In conclusion, it is necessary to have a homemade cloth face mask that provides comfort to people.

## References


1. Kim M-N. What Type of Face Mask Is Appropriate for Everyone-Mask-Wearing Policy amidst COVID-19 Pandemic? Journal of Korean Medical Science. 2020;35(20):186.
2. Djalante R, Lassa J, Setiamarga D, et al. Review and Analysis of Current Responses to COVID-19 In Indonesia: Period of January to March 2020. Progress in Disaster Science. 2020;6:1-9.

 Share Now

3. Kusumasari Afiliasi Sekolah Tinggi Ilmu Ekonomi YKPN Yogyakarta L. The Perception on Indonesia Policies to Overcome the Impact of Corona Virus Outbreak. Wahana: Jurnal Ekonomi, Manajemen dan Akuntansi. 2021;24(2):147-162.
4. Feng S, Shen C, Xia N, Song W, Fan M, Cowling BJ. Rational Use of Face Masks in the COVID-19 Pandemic. Lancet Respiratory Medicine. 2020;8(5):434-436.
5. Sikakulya FK, Ssebuufu R, Mambo SB, et al. Use of Face Masks to Limit the Spread of the COVID-19 among Western Ugandans: Knowledge, Attitude and Practices. PLoS One. 2021;16(3):1-13.

[Read More](#)

### Downloads



### Address

Jl. Perintis Kemerdekaan Km.10,  
Faculty of Public Health, Hasanuddin University,  
Tamalanrea, Makassar, South Sulawesi, 90245, Indonesia  
View on Google Map (<https://goo.gl/maps/8A3mBnQTonD2>)

### Contact Info

Principal Contact : Ida Leida M.Thaha  
HP : +628114440454  
Email : [jurnal.mkmi@unhas.ac.id](mailto:jurnal.mkmi@unhas.ac.id) (<mailto:jurnal.mkmi@unhas.ac.id>)  
: [jurnal.mkmi@gmail.com](mailto:jurnal.mkmi@gmail.com) (<mailto:jurnal.mkmi@gmail.com>)

[Share Now](#)



**KOMISI ETIK PENELITIAN KESEHATAN  
HEALTH RESEARCH ETHICS COMMITTEE  
FAKULTAS KESEHATAN MASYARAKAT UNIVERSITAS DIPONEGORO  
FACULTY OF PUBLIC HEALTH DIPONEGORO UNIVERSITY**

**KETERANGAN LOLOS KAJI ETIK  
DESCRIPTION OF ETHICAL APPROVAL  
"ETHICAL APPROVAL"**

No : 16/EA/KEPK-FKM/2020

Protokol penelitian yang diusulkan oleh :

*The research protocol proposed by*

Peneliti utama : Dr. Yuliani Setyaningsih, SKM, M.Kes

Principle Investigator

Nama Institusi : Universitas Diponegoro

Name of the Institution

Anggota Peneliti : 1. Ida Wahyuni , SKM,M.Kes

Member 2. Ekawati,SKM,M.Sc

3. Bina Kurniawan, SKM, M. Kes

Dengan judul :

Title

**"Paparan Faktor Fisik, Biologis, Ergonomi, dan Kapasitas Kerja terhadap Ketegangan Otot, Penumpukan Asam Laktat, dan Performansi Kerja dan Buruh Angkut di TPI Juwana Pati"**

**"Exposure to physical factors, biological, ergonomics, and working capacity of muscle tension, lactic acid, and performance workers in TPI of Juwana Pati"**

Dinyatakan layak etik sesuai 7 (tujuh) Standart WHO 2011, yaitu 1) Nilai Sosial, 2) Nilai Ilmiah, 3) Pemerataan Beban dan Manfaat, 4) Risiko, 5) Bujukan/Eksplorasi, 6) Kerahasiaan dan Privacy, dan 7) Persetujuan Setelah Penjelasan, yang merujuk pada Pedoman CIOMS 2016. Hal ini seperti yang ditunjukkan oleh terpenuhinya indikator setiap standar.

*Declared to be ethically appropriate in accordance to 7 (seven) WHO 2011 Standards, 1) Social Values, 2) Scientific Values, 3) Equitable Assessment And Benefits, 4) Risks, 5) Persuasion/Exploitation, 6) Confidentiality and Privacy, and 7) Informed Consent, referring to the 2016 CIOMS Guidelines. This is as indicated by the fulfillment of the indicators of each standard.*

Pernyataan Laik Etik ini berlaku selama kurun waktu tanggal 21 February 2020 sampai dengan tanggal 21 February 2021

*This declaration of ethics applies during the period Feb, 21th 2020 until Feb, 21th 2021*

Semarang, 21 February 2020  
Professor and Chairperson,

dr. M. Sakundarno Adi, M. Sc, Ph.D.  
NIP. 196401101990011001