Maternal Depression, Anxiety, and Stress After Stressful Life Events During Caring for Children with Congenital Adrenal Hyperplasia

by Fanti Saktini

Submission date: 19-May-2023 12:18AM (UTC+0700)

Submission ID: 2096402985

File name: Abstrak poster iconap Fanti.pdf (908.84K)

Word count: 876
Character count: 3864



Maternal Depression, Anxiety, and Stress After Stressful Life Events Occurred during Caring for Children with Congenital Adrenal Hyperplasia



The 4th ICoNaP USU 2021 Integrating Neuroscience and Covid-19

Introduction

Congenital Adrenal Hyperplasia (CAH) is a genetic condition affecting cortisol biosynthesis. This can cause salt wasting crisis in the majority of cases, and atypical genital appearance in female babies.(1) Mothers of CAH children encountered stressful life events during caring for children with CAH.(2) This study aimed to identify depression, anxiety, and stress among mothers of children having CAH.

Methods

This cross-sectional study in the pediatric-endocrine clinic in Diponegoro National Hospital Semarang, was held in February-March 2020. Forty-four mothers of CAH children were interviewed using Depression, Anxiety, and Stress 42 (DASS-42), stressful life events, and demographic questionnaires during the study period. The data was analyzed accordingly using statistic software based on demographic variables (age, education, income, occupation) and stressful life events (CAH type, the presence of atypical genital, number of affected children, death of affected children, children's gender decision at birth, genitoplasty). All subjects signed informed consents and the study was approved by the FMDU Ethical Committee.

Fanti Saktini,¹ Witrie Sutaty,^{2,3} Alifiati Fitrikasari,² Agustini Utari^{4,5}

Psychiatry Resident, Faculty of Medicine, Diponegoro University, Semarang
 Dept. of Psychiatry, Faculty of Medicine, Diponegoro University, Semarang
 Or. Amino Gondohutomo Regional Mental Hospital. Semarang

⁴ Dept. of Pediatric Medicine, Faculty of Medicine, Diponegoro University, Semarang
⁵ Diponegoro National Hospital, Semarang

Corresponding author: fantisaktini@gmail.com

Result

Table 1. Comparison of DASS-42 scores between mothers with and without depression, anxiety, and stress


		DEPRESSION :	SCORE	ANXIETY S	CORE	STRESS SCORE		
		Median (Min-Max)		Median (Min-Max)		Median (Min-Max)	р	
Depression ^a			0,00*		0,00*		0,00*	
Yes	10	15,5 (10-30)		17 (8-27)		18,5 (5-34)		
No.	34	4 (0-9)		5 (1-14)		8 (0-22)		
Anxiety ^a			0,00*		0,00*		0,00*	
Yes	21	9 (0-30)		11 (8-27)		13 (5-34)		
No	23	3 (0-9)		4 (1-6)		6 (0-14)		
Stressa			0,00*		0,00*		0,00*	
Yes	36	17 (0-30)		19 (11-27)		22 (15-34)		
No	8	4,5 (0-14)		5,5 (1-13)		8 (0-14)		

^α Mann-Whitney ^β Kruskall-Wallis *significant (p < 0,01)

Table 2. Comparison of depression, anxiety, and stress between demographic characteristics and stressful life events categories

	DEPRESSION A			ANXIETY				STRESS				
	Yes n (%)	No n (%)	Total n (%)		Yes n (%)	No n (%)	Total n (%)		Yes n (%)	No n (%)	Total n (%)	
Age group				0,402⁵			``	0,462 ⁵			` '	0,329 ⁵
18 – 40 years old	28	7	35		17	18	35		30	5	35	
> 40 years old	6	3	9		6	3	9		6	3	9	
Completion of education				0,237 ⁵				0,194⁵				1,00 ⁵
≤ Highschool	22	9	31		14	17	31		25	6	31	
> College	12	1	13		9	4	13		11	2	13	
Occupation				0,613 €				0,058 €				0,280 €
Housewife	22	8	30		12	18	30		23	7	30	
Employee	8	1	9		7	2	9		9	0	9	
Entrepreneur	4	1	5		4	1	5		4	1	5	
Income				1,00 δ				0,169 ε				0,656
< IDR 2.000.000	25	8	33		15	18	33		26	7	33	
> IDR 2.000.000	9	2	11		8	3	11		10	1	11	
Child CAH type				0,177δ				0,416 δ				0,318
Salt-wasting	27	10	37		18	19	37		29	8	37	
Simple virilization	7	0	7		5	2	7		7	0	7	
Child's atypical genital				1,00 ⁵				0,892 ⁵				0,676
Yes	24	7	31		16	15	31		26	5	31	
No	10	3	13		7	6	13		10	3	13	
Number of CAH Children				1,00 ⁵				0,892 €				
More than one	10	3	13		7	6	13		10	3	13	0,676
One	24	7	31		16	15	31		26	5	31	
Died CAH Children				0,671⁵				1,00 ⁵				0,355
Yes	7	3	10		5	5	10		7	3	10	
No	27	7	34		18	16	34		29	5	34	
CAH Child's gender at birth				0,702 δ				0,622 €				1,00
Undecided	10	2	12		7	5	12		10	2	12	
Decided (male/female)	24	8	32		16	16	32		26	6	32	
CAH Child underwent genitoplasty				1,00 ⁵				1,00 ⁵				1,00
Yes	5	1	6		3	3	6		5	1	6	
No	29	9	38		20	18	38		31	7	38	

^αCut off 9 ⁸Cut off 7 ^γCut off 14 ^δ Fisher exact test ^ε Chi-square



Conclusion

The DASS-42 scores were significantly different among mothers with and without depression, anxiety, and stress. The existence of depression, anxiety and stress were comparable between demo-graphic and stressful life events categories

Acknowledgement

This research was funded by FMDU Research Development Grant, year 2020.

Keywords

Maternal, anxiety, depression, stress, congenital adrenal hyperplasia, stressful life events.

References

. Fleming, Louise, Marcia Van Riper, and Kathleen Knafi. "Management of childhood congenital adrenal hyperplasia—an integrative review of the literature." Journal of Pediatric Health Care 31.5 (2017): 560-577
2. Lundberg, Tove, et al. "From knowing nothing to knowing what, how and now: parents' experiences of caring for their children with congenital adrenal hyperplasia." Journal of Pediatric Psychology 42.5 (2017): 520-529

Maternal Depression, Anxiety, and Stress After Stressful Life Events During Caring for Children with Congenital Adrenal Hyperplasia

ORIGINALITY REPORT

2% SIMILARITY INDEX

2%
INTERNET SOURCES

0%

0%

PUBLICATIONS

STUDENT PAPERS

MATCH ALL SOURCES (ONLY SELECTED SOURCE PRINTED)

2%

★ ijmmu.com

Internet Source

Exclude quotes C

01

Exclude matches

Off

Exclude bibliography On

Maternal Depression, Anxiety, and Stress After Stressful Life Events During Caring for Children with Congenital Adrenal Hyperplasia

GRADEMARK REPORT

FINAL GRADE

GENERAL COMMENTS

/0

Instructor

PAGE 1