LEMBAR
HASIL PENILAIAN SEJAWAT SEBIDANG ATAU *PEER REVIEW*
KARYA ILMIAH : JURNAL ILMIAH

Judul Jurnal Ilmiah (Artikel)	:	The calcination temperature effect on the antioxidant and radioprotection properties of CeO_2 nanoparticles		
Nama/ Jumlah Penulis	:	4 Orang		
Status Pengusul	:	Penulis pertama/ Penulis Korespondesi **		
Identitas Jurnal Ilmiah	:	a. Nama Jurnal	:	Jurnal Reaktor
		b. Nomor ISSN	:	0852-0798, eISSN 2407-5973
		c. Vol, No., Bln Thn	:	Vol 18 No 1, Mei 2018 Hal 22-26
		d. Penerbit	:	Departement of Chemical Engineering, Diponegoro University
		e. DOI artikel (jika ada)	:	https://doi.org/10.14710/reaktor.18.1.22-26
		f. Alamat web jurnal	:	https://ejournal.undip.ac.id/index.php/reaktor/article/view/16431
		Alamat Artikel	:	https://ejournal.undip.ac.id/index.php/reaktor/article/viewFile/16431/13351
		g. Terindex	:	Sinta 2

Kategori Publikasi Jurnal Ilmiah (beri ✓pada kategori yang tepat)	:	[ ] Jurnal Ilmiah Internasional/Internasional Bereputasi
		[√] Jurnal Ilmiah Nasional Terakreditasi
		[ ] Jurnal Ilmiah Nasional Tidak Terakreditasi

Hasil Penilaian *Peer Review* :

Komponen Yang Dinilai	Nilai Reviewer		Nilai Rata-rata
	Reviewer I	Reviewer II	
a. Kelengkapan unsur isi jurnal (10%)	2,00	2,30	2,15
b. Ruang lingkup dan kedalaman pembahasan (30%)	7,00	7,30	7,15
c. Kecukupan dan kemutahiran data/informasi dan metodologi (30%)	7,00	7,40	7,20
d. Kelengkapan unsur dan kualitas penerbit (30%)	7,00	7,40	7,20
Total = (100%)			23,70
Nilai untuk Pengusul : (60% x 23,70) = 14,22			

Semarang, 15 Mei 2023

Reviewer 1

Prof. Dr. Agus Subagio, S.Si., M.Si.
NIP. 19710813 1995121001
Unit Kerja: FSM Universitas Diponegoro
Bidang Ilmu: Fisika

Reviewer 2

Dr. Eng. Eko Hidayanto
NIP. 197301031998021001
Unit Kerja: FSM Universitas Diponegoro
Bidang Ilmu: Fisika

LEMBAR
HASIL PENILAIAN SEJAWAT SEBIDANG ATAU *PEER REVIEW*
KARYA ILMIAH : JURNAL ILMIAH

Judul Jurnal Ilmiah (Artikel)	:	The calcination temperature effect on the antioxidant and radioprotection properties of CeO_2 nanoparticles		
Nama/ Jumlah Penulis	:	4 Orang		
Status Pengusul	:	Penulis pertama/ Penulis Korespondesi **		
Identitas Jurnal Ilmiah	:	a. Nama Jurnal	:	Jurnal Reaktor
		b. Nomor ISSN	:	0852-0798, eISSN 2407-5973
		c. Vol, No., Bln Thn	:	Vol 18 No 1, Mei 2018 Hal 22-26
		d. Penerbit	:	Departement of Chemical Engineering, Diponegoro University
		e. DOI artikel (jika ada)	:	https://doi.org/10.14710/reaktor.18.1.22-26
		f. Alamat web jurnal	:	https://ejournal.undip.ac.id/index.php/reaktor/article/view/16431
		Alamat Artikel	:	https://ejournal.undip.ac.id/index.php/reaktor/article/viewFile/16431/13351
		g. Terindex	:	Sinta 2

Kategori Publikasi Jurnal Ilmiah (beri ✓pada kategori yang tepat) :
- [ ] Jurnal Ilmiah Internasional/Internasional Bereputasi
- [√] Jurnal Ilmiah Nasional Terakreditasi
- [ ] Jurnal Ilmiah Nasional Tidak Terakreditasi

Hasil Penilaian *Peer Review* :

Komponen Yang Dinilai	Nilai Maksimal Jurnal Ilmiah			Nilai Akhir Yang Diperoleh
	Internasional ☐	Nasional Terakreditasi ☑	Nasional Tidak Terakreditasi ☐	
a. Kelengkapan unsur isi jurnal (10%)		2,5		2
b. Ruang lingkup dan kedalaman pembahasan (30%)		7,5		7
c. Kecukupan dan kemutahiran data/informasi dan metodologi (30%)		7,5		7
d. Kelengkapan unsur dan kualitas terbitan/jurnal (30%)		7,5		7
Total = (100%)		25		**23**
Nilai Pengusul = (60% x 23) = 13,8				

Catatan Penilaian artikel oleh Reviewer :

1. **<u>Kesesuaian dan kelengkapan unsur isi jurnal:</u>**
   Tulisan sudah lengkap dan sesuai dengan template Jurnal Reaktor dengan semua unsur yang terdapat di dalamnya, seperti abstrak, pendahuluan, prosedur eksperimen, hasil dan pembahasan, kesimpulan, dan daftar pustaka.
2. **<u>Ruang lingkup dan kedalaman pembahasan:</u>**
   Pada artikel dibahas efek temperatur kalsinasi terhadap karakteristik nanopartikel cerium oksida. Karakteristik nanopartikel cerium oksida seperti kristalinitas dan ukuran kristal dikaji pengaruhnya terhadap sifat-sifat tersebut. Paper ini juga dilengkapi dengan referensi pada bagian pembahasan untuk menguatkan diskusi.
3. **<u>Kecukupan dan kemutakhiran data/informasi dan metodologi:</u>**
   Metode disajikan secara detail dan data yang diberikan diinterpretasikan dalam bentuk grafik, gambar dan diagram sehingga memberikan hasil yang sangat baik. Referensi yang digunakan juga cukup baik.
4. **<u>Kelengkapan unsur dan kualitas terbitan:</u>**
   Artikel diterbitkan dalam jurnal nasional terakreditasi Sinta 2 yang memenuhi kelengkapan unsur-unsur dan kualitas penerbitan sangat baik.

Semarang, 15 Mei 2023
Reviewer 1

Prof. Dr. Agus Subagio, S.Si., M.Si.
NIP. 19710813 1995121001
Unit Kerja : Fisika
Bidang Ilmu: Fakultas Sains dan Matematika

LEMBAR
HASIL PENILAIAN SEJAWAT SEBIDANG ATAU *PEER REVIEW*
KARYA ILMIAH : JURNAL ILMIAH

Judul Jurnal Ilmiah (Artikel)	:	The calcination temperature effect on the antioxidant and radioprotection properties of CeO_2 nanoparticles		
Nama/ Jumlah Penulis	:	4 Orang		
Status Pengusul	:	Penulis pertama/ Penulis Korespondesi **		
Identitas Jurnal Ilmiah	:	a. Nama Jurnal	:	Jurnal Reaktor
		b. Nomor ISSN	:	0852-0798, eISSN 2407-5973
		c. Vol, No., Bln Thn	:	Vol 18 No 1, Mei 2018 Hal 22-26
		d. Penerbit	:	Departement of Chemical Engineering, Diponegoro University
		e. DOI artikel (jika ada)	:	https://doi.org/10.14710/reaktor.18.1.22-26
		f. Alamat web jurnal	:	https://ejournal.undip.ac.id/index.php/reaktor/article/view/16431
		Alamat Artikel	:	https://ejournal.undip.ac.id/index.php/reaktor/article/viewFile/16431/13351
		g. Terindex	:	Sinta 2

Kategori Publikasi Jurnal Ilmiah (beri ✓pada kategori yang tepat) :
- [ ] Jurnal Ilmiah Internasional/Internasional Bereputasi
- [√] Jurnal Ilmiah Nasional Terakreditasi
- [ ] Jurnal Ilmiah Nasional Tidak Terakreditasi

Hasil Penilaian *Peer Review* :

Komponen Yang Dinilai	Nilai Maksimal Jurnal Ilmiah			Nilai Akhir Yang Diperoleh
	Internasional ☐	Nasional Terakreditasi ☑	Nasional Tidak Terakreditasi ☐	
a. Kelengkapan unsur isi jurnal (10%)		2,5		2,3
b. Ruang lingkup dan kedalaman pembahasan (30%)		7,5		7,3
c. Kecukupan dan kemutahiran data/informasi dan metodologi (30%)		7,5		7,4
d. Kelengkapan unsur dan kualitas terbitan/jurnal (30%)		7,5		7,4
Total = (100%)		25		**24,4**
Nilai Pengusul = (60% x 24,4) = 14,64				

Catatan Penilaian artikel oleh Reviewer :

1. **<u>Kesesuaian dan kelengkapan unsur isi jurnal:</u>**
   Isi artikel sesuai dan memuat kelengkapan unsur-unsur isi jurnal yang terdiri dari abstrak, pendahuluan, metode, hasil dan pembahasan, kesimpulan serta daftar pustaka.
2. **<u>Ruang lingkup dan kedalaman pembahasan:</u>**
   Artikel membahas efek temperatur kalsinasi terhadap karakteristik nanopartikel cerium oksida. Secara khusus dibahas sifat antioksidan dan radioproteksi dari nanopartikel cerium oksida. Karakteristik nanopartikel cerium oksida seperti kristalinitas dan ukuran kristal dikaji pengaruhnya terhadap sifat-sifat tersebut. Hasil yang dimuat pada artikel menunjukkan kedalaman ruang lingkup dan pembahasan yang baik.
3. **<u>Kecukupan dan kemutakhiran data/informasi dan metodologi:</u>**
   Data-data disajikan dalam grafik, tabel dan gambar yang baik dan merepresentasikan penggunaan metodologi penelitian yang baik serta memberikan informasi mutakhir mengenai material untuk antioksidan dan radioperoteksi berbasis nanopartikel cerium oksida.
4. **<u>Kelengkapan unsur dan kualitas terbitan:</u>**
   Artikel diterbitkan dalam prosiding internasional bereputasi terindeks scopus yang memenuhi kelengkapan unsur-unsur dan kualitas penerbitan sangat baik.

Semarang, 15 Mei 2023
Reviewer 2

Dr. Eng. Eko Hidayanto, S.Si., M.Si.
NIP. 197301031998021001
Unit Kerja : Fisika
Bidang Ilmu: Fakultas Sains dan Matematika

KEMENTERIAN PENDIDIKAN KEBUDAYAAN,
RISET, DAN TEKNOLOGI
DIREKTORAT JENDERAL PENDIDIKAN
TINGGI, RISET, DAN TEKNOLOGI
Jalan Jenderal Sudirman, Senayan, Jakarta 10270
Telepon (021) 57946104, Pusat Panggilan ULT DIKTI 126
Laman www.diktiristek.kemdikbud.go.id

Nomor : 5162/E4/AK.04/2021 27 Desember 2021
Lampiran : satu berkas
Hal : Pemberitahuan Hasil Akreditasi Jurnal Ilmiah Periode I Tahun 2021

Yth.
1. Pimpinan Perguruan Tinggi di lingkungan Kemendikbudristek
2. Kepala Lembaga Layanan Pendidikan Tinggi Wilayah I s.d. XVI
3. Ketua Himpunan Profesi
4. Pengelola Jurnal Ilmiah

Sehubungan dengan hasil Akreditasi Jurnal Ilmiah Periode I Tahun 2021 dan telah diterbitkannya Surat Keputusan Direktur Jenderal Pendidikan Tinggi, Riset, dan Teknologi, Nomor: 158/E/KPT/2021 tanggal 09 Desember 2021 tentang Peringkat Akreditasi Jurnal Ilmiah periode I Tahun 2021, dengan hormat bersama ini kami sampaikan hasil akreditasi sebagaimana terlampir. Adapun ketentuan penerbitan sertifikat akreditasi sebagai berikut:

1. Usulan akreditasi baru maka sertifikat akreditasi akan diterbitkan dan diberikan kepada pengelola jurnal.
2. Usulan akreditasi ulang yang hasil akreditasi naik peringkat maka sertifikat akreditasi akan diterbitkan dan diberikan kepada pengelola jurnal.
3. Usulan akreditasi ulang yang hasil akreditasi turun peringkat maka sertifikat akreditasi akan diterbitkan dan diberikan kepada pengelola jurnal.
4. Usulan akreditasi ulang yang hasil akreditasi peringkatnya tetap dan telah memiliki sertifikat yang masih berlaku masa akreditasi, maka sertifikat baru tidak akan diterbitkan, dan sertifikat sebelumnya dapat digunakan sampai berakhir masa berlaku.
5. Jurnal yang sudah terakreditasi dan namanya tercantum dalam SK sebelumnya serta belum memiliki sertifikat dapat meminta sertifikat terdahulu.
6. Penerbitan sertifikat dilakukan secara bertahap setelah pengumuman ini dan dilakukan pemutakhiran data di laman : http://sinta.kemdikbud.go.id/journals, sertifikat dapat diunduh langsung secara bertahap melalui akun pengusul di laman: http://arjuna.kemdikbud.go.id/.
7. Mengingat terdapat lebih dari 3.000 (tiga ribu) usulan akreditasi jurnal pada tahun 2021, bagi jurnal yang telah masuk proses penilaian namun belun tercantum pada keputusan hasil akreditasi periode I maka akan diumumkan pada periode II tahun 2021, serta bagi jurnal yang telah lolos evaluasi administrasi namun belum berkesempatan untuk dinilai, maka akan dilakukan penilaian akreditasi dan menjadi prioritas utama pada periode berikutnya di tahun 2022.
8. Usulan akreditasi yang diusulkan tahun 2021 namun belum dilakukan desk evaluasi maka akan dilakukan penilaian desk evaluasi pada tahun 2022.
9. Usulan baru dan jurnal dengan masa berlaku habis sertifikat pada tahun 2021 yang tidak lolos evaluasi administrasi, maka dapat melakukan pengajuan usulan akreditasi kembali pada periode berikutnya tahun 2022, untuk tanggal dan waktunya menunggu pengumuman resmi di laman: http://arjuna.kemdikbud.go.id/.

10. Jurnal yang tercantum dalam Surat Keputusan Direktur Jenderal Pendidikan Tinggi, Riset, dan Teknologi Nomor 158/E/KPT/2021, tanggal 09 Desember 2021 dapat mengajukan akreditasi ulang setelah menerbitkan 4 nomor terbaru dari nomor terakhir yang diajukan pada saat akreditasi terakhir melalui laman http://arjuna.kemdikbud.go.id.

Atas perhatian dan kerja sama yang baik, kami ucapkan terima kasih.

Direktur Sumber Daya,

Mohammad Sofwan Effendi
NIP 196404031985031008

Tembusan:
plt. Direktur Jenderal Pendidikan Tinggi, Riset, dan Teknologi

112	Pena Justisia: Media Komunikasi dan Kajian Hukum	23016426	Fakultas Hukum Universitas Pekalongan	Akreditasi Baru Peringkat 2 mulai Volume 18 Nomor 1 Tahun 2019 sampai Volume 22 Nomor 2 Tahun 2023
113	PSIKOPEDAGOGIA Jurnal Bimbingan dan Konseling	25287206	Universitas Ahmad Dahlan	Reakreditasi Tetap di Peringkat 2 mulai Volume 9 Nomor 2 Tahun 2020 sampai Volume 14 Nomor 1 Tahun 2025
114	Reaktor	24075973	Jurusan Teknik Kimia Fakultas Teknik Universitas Diponegoro Semarang	Reakreditasi Tetap di Peringkat 2 mulai Volume 20 Nomor 4 Tahun 2020 sampai Volume 25 Nomor 3 Tahun 2025
115	Religio : Jurnal Studi Agama-agama	25033778	Program Studi Perbandingan Agama, Fakultas Ushuluddin dan Filasafat, Universitas Islam Negeri Sunan Ampel	Reakreditasi Tetap di Peringkat 2 mulai Volume 10 Nomor 2 Tahun 2020 sampai Volume 15 Nomor 1 Tahun 2025
116	SASI	26142961	Fakultas Hukum Universitas Pattimura	Reakreditasi Naik Peringkat dari Peringkat 3 ke Peringkat 2 mulai Volume 26 Nomor 3 Tahun 2020 sampai Volume 31 Nomor 2 Tahun 2025

Reaktor
Chemical Engineering Journal
http://ejournal.undip.ac.id/index.php/reaktor/
p-ISSN : 0852-0798
e-ISSN : 2407-5973

Editorial Team

People > Editorial Team (https://ejournal.undip.ac.id/index.php/reaktor/about/editorialTeam)
Peer Reviewers (https://ejournal.undip.ac.id/index.php/reaktor/about/displayMembership/47/0)

Editor in Chief

International Editorial Board

Associate Editors

JURNAL REAKTOR (p-ISSN: 0852-0798; e-ISSN: 2407-5973) Published by Departement of Chemical Engineering, Diponegoro University 00260450 View My Stats

Reaktor
Chemical Engineering Journal
http://ejournal.undip.ac.id/index.php/reaktor/
p-ISSN : 0852-0798
e-ISSN : 2407-5973

Volume 18 No. 1 March 2018

Table of Contents

Front Matter

Research Article

General information (#issueInfo)

Published: 28-05-2018
Total Articles: (including Editorial) 11
Total Authors: 35
Total Countries: 3

ountries
)
iliations
tions)

Issues list

Volume 22 No. 3 December 2022 (https://ejournal.undip.ac.id/index.php/reaktor/
Volume 22 No.2 Agustus 2022 (https://ejournal.undip.ac.id/index.php/reaktor/
Volume 22 No. 1 April 2022 (https://ejournal.undip.ac.id/index.php/reaktor/
Volume 21 No.4 December 2021 (https://ejournal.undip.ac.id/index.php/reaktor/
Volume 21 No. 3 September 2021 (https://ejournal.undip.ac.id/index.php/reaktor/
Volume 21 No. 2 June 2021 (https://ejournal.undip.ac.id/index.php/reaktor/
Volume 21 No. 1 March 2021 (https://ejournal.undip.ac.id/index.php/reaktor/
Volume 20 No.4 December 2020 (https://ejournal.undip.ac.id/index.php/reaktor/
Volume 20 No.3 September 2020 (https://ejournal.undip.ac.id/index.php/reaktor/
Complete issues (https://ejournal.undip.ac.id/index.php/reaktor/

Back Matter

JURNAL REAKTOR (p-ISSN: 0852-0798; e-ISSN: 2407-5973) Published by Departement of Chemical Engineering, Diponegoro University 00260449 View My Stats

Reaktor

p-ISSN 0852 – 0798
e-ISSN 2407 – 5973

Acredited: SK No.: 60/E/KPT/2016
Website : http://ejournal.undip.ac.id/index.php/reaktor/

Reaktor, Vol. 18 No. 1, March Year 2018, pp. 1-6

The Kinetics of Calcium Oxide Catalyzed Esterification of Glycerol with Free Fatty Acids Using Pseudo-homogeneous Model Approach

Megawati*), Dhoni Hartanto, Catur Rini Widyastuti, Diyah Saras Wati and Eny Nurhayati

Department of Chemical Engineering, Faculty of Engineering, Universitas Negeri Semarang
Sekaran, Gunungpati, Semarang 50229, Indonesia
Telp./Fax. (024)8508101/(024)8508009

*)Coresponding author: megawati@mail.unnes.ac.id

(Received: September 04, 2017; Accepted: February 02, 2018)

Abstract

This research aims to study the reaction kinetics of esterification reaction of glycerol with free fatty acid (FFA) using calcium oxide catalyst to produce mono-diacylglycerol (MDAG) using pseudo-homogeneous approach. The effects of time and temperature on the reaction conversion were investigated simultaneously. The FFA used was from the waste of cocoa production process, while the solid catalyst used was calcium oxide from eggshell ash. The results show that the cocoa based FFA was composed of palmitic acid (49.24%), methyl stearate (1.05%), oleic acid (25.39%), and stearic acid (24.32%). The calcium oxide content in the eggshell ash was 60% w/w. At all temperatures studied (60, 70, and 80°C), as the reaction time increased, the conversion increased sharply in the first 5 minute followed by a gradual raise to an almost constant value after 20 minutes (0.844; 0.845; and 0.854, respectively). Pseudo-homogeneous second order model can describe the reaction kinetics satisfactorily. The reaction constants (k) at 60, 70, and 80°C were 0.00384, 0.003401, and 0.003518 (L/mole.minute), respectively. The effects of temperature on reaction rate obey the Arrhenius' equation with collision factor (A) is 0.2659 (L/mole.minute) and activation energy (Ea) is 3544 J/mol.

Keywords: *calcium oxide; free fatty acid; glycerol; pseudo-homogeneous approach*

How to Cite This Article: Megawati, Hartanto, D., Widyastuti, C.R., Wati, D.S., and Nurhayati, E., (2018), The Kinetics of Calcium Oxide Catalyzed Esterification of Glycerol with Free Fatty Acids Using Pseudo-homogeneous Model Approach, Reaktor, 18(1), 1-6, http://dx.doi.org/10.14710/reaktor.18.1.1-6

INTRODUCTION

Cocoa is one of important commodities of Indonesia, which can be processed into various products, such as beverages, cosmetics, pharmacies, and healthy supplements (anti-inflammation, anti-microbes, anti-carcinogenic, and analgesics). One of cocoa processing industry wastes is FFA (free fatty acid) (Lasisi, 2014). The FFA waste can be converted into palm fatty acid distillate (PFDA) which can be used as raw material of cream detergent (Rumondang, 2016). The FFA waste of cocoa contains palmitic, oleic, methyl stearic, and stearic acids (Indarti, 2007). Reaction of FFA with glycerol will produce monodiacylglycerol (MDAG) (Akoh and Min, 2002; Huang *et al.*, 2013; Setyaningsih *et al.*, 2016), which can be utilized as food emulsifier (Hasenhuettl, 2008; Huang *et al.*, 2013; Kurniasih, 2014). The MDAG is the most widely used synthetic emulsifier in food industries, amounting up to 70% (Triana, 2014). The other product, such as the diacylglycerol is a safe and healthy food additive recognized by the US Food and Drug Administration (Wang *et al.*, 2011).

Reaktor

p-ISSN 0852 – 0798
e-ISSN 2407 – 5973

Acredited: SK No.: 60/E/KPT/2016
Website : http://ejournal.undip.ac.id/index.php/reaktor/

Reaktor, Vol. 18 No. 1, March Year 2018, pp. 16-21

The Kinetics of CaO Assisted Pattukku Charcoal Steam Gasification

Takdir Syarif[1,*)], Hary Sulistyo[2)], Wahyudi Budi Sediawan[2)], and Budhijanto[2)]

[1)]Department of Chemical Engineering, Faculty of Industrial Technology, UMI Makassar
Jl. Urip Sumoharjo Km.05 Campus II UMI 90231
[2)]Department of Chemical Engineering, Faculty of Engineering, Gadjah Mada University, Yogyakarta

[*)]Coresponding author: takdir_syarif@umi.ac.id

(Received: October 13, 2017; Accepted: Nopember 23, 2018)

Abstract

Coal is a solid fuel that can be converted into syngas through gasification process. To obtain optimum gasification process design and operation, in-depth understanding of the influential parameters is required. This study aims to investigate the effect of temperature on the gasification process and to obtain its kinetics parameters. The study was carried out in a tubular reactor equipped with a heater and a condenser. Steam was used as gasifying agent, while CaO was employed as a CO_2 adsorbent. The charcoal from coal was subjected to gasification at temperatures of 600, 700, and 800°C. The ratio of charcoal and CaO was 1:1. The gasification process lasted for 60 minutes with gas sample was taken every 15 minutes for composition analysis. The results showed that a temperature increase of 100°C caused a proportional increase of conversion of about 75% higher. The value of activation energy (Ea) and exponential factor (ko) were 46.645 kJ/mole and 328.3894/min, respectively. For mass transfer parameters, values of activation energy for surface diffusion (Es) and surface diffusivity factor (∝s) were 81.126 kJ/mole and 0.138/min, respectively.

Keywords: *gasification; mathematical model; Pattukku coal char; steam; Thin Reaction Zone Model*

How to Cite This Article: Syarif, T., Sulistyo, H., Sediawan, W.B., and Budhijanto, (2018), The Kinetics of CaO Assisted Pattukku Charcoal Steam Gasification, Reaktor, 18(1), 16-21, http://dx.doi.org/10.14710/reaktor.18.1.16-21

INTRODUCTION

Coal is one of alternative energy sources, which is still abundantly available in the world. One of the coal utilization technologies as a fuel source is by converting it into syngas through gasification process. In general, gasification is a thermal process for converting carbonaceous raw materials into flammable gases (Basu, 2010; Wang *et al.*, 2013; Heidenreich and Ugo, 2015; Demirbas, 2016).

Gasification is a complex process, so that good understanding on the influences of raw materials and other operating parameters is important for its design and operation process. To obtain such understandings, a mathematical modeling can be used to perform the optimization of the process through the optimization of the influential parameters (Materazzi *et al.*, 2013; Babu and Sheth, 2006; Rezaiyan and Cheremisinoff, 2005). Although it could not provide very accurate results, the mathematical model often give some important clues about the occurring mechanisms and quantitative effects of design, raw materials, and other operating parameters (Baruah and Baruah, 2014; Basu, 2010; Molina and Mondrago, 1998; Xu *et al.*, 2011).

The basic mechanism and the effect of kinetics parameters of a reaction are important information for the design of a gasification unit (Xu *et al.*, 2014;

The calcination temperature effect on the antioxidant and radioprotection properties of CeO2 nanoparticles

by Iis Nurhasanah

Submission date: 05-May-2023 02:28PM (UTC+0700)
Submission ID: 2084887220
File name: oxidant_and_radioprotection_properties_of_CeO2_nanoparticles.pdf (638.01K)
Word count: 2980
Character count: 17059

Reaktor

p-ISSN 0852 – 0798
e-ISSN 2407 – 5973

Acredited: SK No.: 60/E/KPT/2016
Website : http://ejournal.undip.ac.id/index.php/reaktor/

Reaktor, Vol. 18 No. 1, March Year 2018, pp. 22-26

The Calcination Temperature Effect on the Antioxidant and Radioprotection Properties of CeO_2 Nanoparticles

Iis Nurhasanah[1,*)], Weni Safitri[1)], Tri Windarti[2)], and Agus Subagio[1)]

[1)]Department of Physics, Faculty of Science and Mathematics, Diponegoro University
Jl. Prof. Soedarto, SH, Tembalang, Semarang
Telp./Fax. (024) (024)76480822
[2)]Department of Chemistry, Faculty of Science and Mathematics, Diponegoro University
Jl. Prof. Soedarto, SH, Tembalang, Semarang

[*)]Coresponding author: nurhasanah@fisika.undip.ac.id

(Received: November 1, 2017 ; Accepted: February 28, 2018)

Abstract

The CeO_2 nanoparticles are very interesting to be studied as biomedical materials due to their unique physical and chemical properties. The non-stoichiometric property of CeO_2 plays a role in the redox/catalytic processes that scavenge free radicals. This property has made the potential uses of CeO_2 nanoparticles as antioxidant and radioprotector materials. In this paper, we report the calcination temperature effect on the antioxidant and radioprotective properties of CeO_2 nanoparticles synthesized by precipitation method. The CeO_2 nanoparticles were synthesized at various calcinations temperatures (300-700°C). The formation of CeO_2 nanoparticles and crystallite size was analyzed using X-ray diffractometers. The DPPH method was used to investigate the antioxidant properties of CeO_2. Dose Enhancement Factor (DEF) of CeO_2 nanoparticles were determined by measurement of the absorbed dose of X-ray radiation (Linac 6 MV 200 MU). X-ray diffraction pattern showed formation of cubic fluorite of CeO_2nanoparticles with crystallite size in the range 9 nm-18 nm. Calcination temperature of 500°C resulted in CeO_2 nanoparticles with the best antioxidant properties and lowest DEF value. The radioprotection effect of CeO_2nanoparticles was evaluated based on Escherichia coli survival toward X-ray radiation with a dose of 2 Gy. The CeO_2 nanoparticles increased Escherichia coli survival of about 24.8% order. These results suggested that CeO_2 nanoparticles may potentially be used as radioprotector of X-ray Linac 6 MV.

Keywords: *antioxidant; CeO_2 nanoparticles; Dose Enhancement Factor (DEF); radioprotector*

How to Cite This Article: Nurhasanah, I., Safitri, W., Windarti, T., and Subagio, A., (2018), The Calcination Temperature Effect on the Antioxidant and Radioprotection Properties of CeO_2 Nanoparticles, Reaktor, 18(1), 22-26, http://dx.doi.org/10.14710/reaktor.18.1.22-26

INTRODUCTION

Metal oxide nanoparticles have been widely used in various fields of application, i.e.: electronic, energy, environmental remediation and medical. Nowadays, various metal oxide nanoparticles are explored as antioxidant, such as: TiO_2 (Bajic *et al*., 2017; Santhoshkumar *et al*., 2014), ZnO (Nethravathi *et al*., 2015; Suresh *et al*., 2015; Madan *et al*., 2016) CuO (Das *et al*., 2013; Purkayastha *et al*., 2014), NiO (Madhu *et al*., 2013; Saikia *et al*., 2010), SnO_2 (Vidhu and Philip, 2015), MgO (Sushma *et al*., 2016) and CeO_2 (Kim and Chung, 2016; Dunnick *et al*., 2015; Soren *et al*., 2015). Antioxidant is a substance that could delay or prevent oxidation process caused by free radicals.

Antioxidant in a form of nanoparticles (nano-antioxidant) is a new strategy to prevent free radicals caused diseases. In regard to their small size, the nanoparticles antioxidant could interact with biomolecules on the cell surfaces as well as inside the cells. The use of nanoparticles antioxidant was proven to be effective in the prevention of cell damage caused by free radical (Sandhir *et al*., 2015; Liu *et al*., 2008).

CeO_2 nanoparticles are metal oxide nanoparticles, which widely used for medical applications such as radioprotector in the radiotherapy and catalyst for their pharmacological potentials. The combination of strong absorption property to UV light and the interaction of CeO_2 nanoparticles with free radical showed that CeO_2 is a more effective sunscreen material than TiO_2 and ZnO that commonly used in cosmetic products. Moreover, the antioxidant properties of CeO_2 nanoparticles also provide good protection against free radical formed by UV exposure (Zholobak *et al*., 2014; Nurhasanah *et al*., 2014). The ability of CeO_2 nanoparticles to exhibit antioxidant property comes from oxygen vacancy on it surfaces that proceeds redox reaction. Many researches showed that antioxidant properties of CeO_2 were influenced by it shape, size, valence state and synthesis method (Leung *et al*., 2015; Dunnick *et al*., 2015; Soren *et al*., 2015).

CeO_2 nanoparticles also showed high radioprotective activity and health maintenance toward animal living cells (Colon *et al*., 2009). The CeO_2 nanoparticles have been proven could protect healthy tissue around cancer tissue in radiotherapy treatment (Wason and Zao, 2013). However, as found in other synthetic radioprotector materials, the use of CeO_2 is also limited by its toxic concentration limit (dose). The dose will be depended on the radioprotector material structure and the radiated tissue.

In this research, the antioxidant properties and dose enhancement factor of CeO_2 nanoparticles were studied to explore the protection ability of CeO_2 toward radiation from X-rays Linac 6 MV. CeO_2 nanoparticles were synthesized by precipitation method that can be applied at industrial scale. Calcination temperature was varied to study its effect on the antioxidant activity and dose enhancement factor of CeO_2 nanoparticles. The radioprotection ability of CeO_2 nanoparticles was evaluated by using X-rays radiated *Escherichia coli*.

METHOD

CeO_2 nanoparticles were synthesized by precipitation of cerium (III) nitrate hexahydrate (99%, Sigma Aldrich), and followed by calcination process at 300-700°C for 2 hours. The details of the synthesis procedure have been reported previously (Nurhasanah *et al*., 2014). Nanoparticles structure was analyzed using X-rays diffractometer (PW 1710). The nanoparticles antioxidant activity was tested using DPPH method. Dose enhancement factor (DEF) was determined from the measurement of X-rays Linac 6 MV at a dose rate of 200 cGy/minute. Protective effect of CeO_2 nanoparticles with various concentrations (20 to 100 μg) was tested to X-rays radiated *Escherichia coli* (*E. coli*) with a dose of 2 Gy.

RESULTS AND DISCUSSION

The X-ray diffraction pattern of the products synthesized at various calcination temperatures is shown in Figure 1. The diffraction pattern showed crystal plane of (111), (200), (220), (311), (222), (400), (331), (420) and (422) that characteristic to CeO_2 fluorite cubic structure. The sharp and narrow diffraction peaks appear at calcination temperature of 600°C and 700°C, whereas at 300-500°C the peaks have no significant changes with the increasing calcination temperature. The wide diffraction peak indicated that CeO_2 is composed of nano-sized crystallites.



Figure 1. X-rays diffaction pattern of CeO_2 nanoparticles at various calcination temperatures

The crystallites size of CeO_2 nanoparticles was determined using the Scherrer formula expressed by equation (1) for the crystal plane of (111) in Figure 1.

$$D = \frac{k\lambda}{\beta \cos\theta} \quad (1)$$

Where k is a constant of 0.89, β is the full width at half maximum (FWHM) diffraction peak and θ is diffraction angle. Figure 2 shows the crystallites size of CeO_2 nanoparticles at various calcination temperatures. The crystallites size significantly increased at 600°C and 700°C from 9.82 to 17.76 nm. As seen in Figure 1, the peaks for crystal plane of (111) became narrower as calcination temperature increase from 500 to 600 °C and 700°C. The calcination temperature at 300-500°C did not give significant effect on the crystallite size due to insignificant difference of the FWHM. The precipitates still have a high porosity. The calcination at temperature 300 to 500°C has a dominant role in the formation of pores interconnect, so that the crystallite size is almost unchanged. After the interconnect pores are formed, the calcination at temperature > 500°C contributes to the crystallite growth.



Figure 2. Crystallite size of CeO_2 nanoparticles at various calcination temperatures

Antioxidants are compounds that can prevent oxidation by free radicals. Antioxidants react with free radiacals so they become unreactive, stabilizing the free radicals by pairing the electrons and prevent chain reactions. The antioxidant activity of the CeO_2 nanoparticles was tested by DPPH method for its simplicity and high accuracy. The antioxidant activity is expressed as the value of IC_{50} which reflects the amount of antioxidant compounds required to reduce 50% of DPPH absorbance.



Figure 3. Antioxidant activity of CeO_2 nanoparticles at various calcination temperatures

Figure 3 shows the calculated IC_{50}value of CeO_2 nanoparticles obtained at various temperatures. The IC_{50} values were ranged from 4.38 to 4.73 mg/mL. The smallest IC_{50} value indicates the highest antioxidant activity. The data showed that calcination at 500°C produced CeO_2 nanoparticles with the highest antioxidant activity. The antioxidant activity of CeO_2 nanoparticles come from Ce^{3+} valency state and oxygen vacancy. Electrons were transfered from CeO_2 to nonpaired electron of nitrogen in DPPH (Zholobak *et al.*, 2014; Dunnick *et al.*, 2015). Furthermore, antioxidant activity of CeO_2nanoparticles may also be affected by the size, shape and synthesis method. The antioxidant activity of CeO_2 nanoparticles obtained in this research is higher than those synthesized using solvothermal method that only prevent 30% of DPPH free radicals (Soren *et al.*, 2015). It is also higher than ZnO nanoparticles that have IC_{50} value about 8 mg/mL (Nethravathi *et al.*, 2015; Suresh *et al.*, 2015; Madan *et al.*, 2016).

Antioxidant compounds are used in cancer therapy to protect normal cells from radiation effects. The interaction of radiation with the cells will produce free radical that derived from radiolysis reactions. Then the free radicals will react with cancer cells and also with normal cells around the cancer. To minimize the radiation effect on the normal cells, radioprotector compounds are required. They should be able to protect normal cells from radiation damage. A compound has potential as radioprotector if it could absorb (decrease) radiation dose or has dose enhancement factor (DEF) less than one. Figure 4 shows DEF value of CeO_2 nanoparticles that calcined at various temperatures for X-rays LINAC 6 MV at a dose of 2 Gy. The DEF of CeO_2 nanoparticles is ranging from 0.9918 to 0.9934, which is smaller than one. This indicates the potential of CeO_2 nanoparticles as a radioprotector. The CeO_2 nanoparticles synthesized at 500°C possess the lowest DEF value. This result is consistent with the antioxidant activity as shown in Figure 3.



Figure 4. DEF of CeO_2 nanoparticles at various calcination temperatures

The potential of CeO_2 nanoparticles as a radioprotector was further tested using *E. coli* bacteria that radiated with X-rays Linac 6 MV at a dose of 2 Gy. The CeO_2 nanoparticles were added to *E. coli* media with various concentrations to determine the effectiveness of CeO_2 nanoparticles as radioprotector. The ability of nanoparticles to protect *E. coli* from damage that caused by radiation is indicated by the percentage of *E. coli* survival as shown in Figure 5.

The addition of CeO_2 nanoparticles to radiated *E. coli* has improved its survival percentage. Treatments of radiated *E. coli* with 20; 40 and 60 μg of CeO_2 nanoparticles have increased the survival percentage as 24.8, 14.8 and 12.28%, which are higher than the untreated one. The data showed that addition of 20 μg CeO_2 nanoparticles exhibited the highest survival percentage of *E. coli* due to their ability in reducing the cells damage. The survival percentage of

bacteria was reduced as the CeO_2 nanoparticles concentration increased. It can be said that CeO_2 nanoparticles have an optimum concentration when they are used as a radioprotector. The addition of nanoparticles from 20 to 60 μg provides a protective effect against radiation.



Figure 5. Survival precentage of *E. coli* after irrradiated by X-ray and treated with CeO_2 nanoparticles

In general, there are three mechanisms that could cause the death of bacteria; (i) incident or primary radiation, (ii) interaction between *E. coli* and secondary electrons, and (iii) interaction of *E. coli* with free radicals. Secondary electrons are produced from the interactions of incident radiation with CeO_2 nanoparticles. Meanwhile, the free radicals are generated from the interactions between H_2O and O_2 molecules with incident radiation and interactions of H_2O and O_2 with secondary electrons (Colon *et al*., 2009).

$$H_2O \xrightarrow{\text{irradiation}} H_2O^+ + e^- \rightarrow OH^* + H_3O^+ + e^-_{aq}$$

The additions of CeO_2 nanoparticles at a certain concentration lead the free radicals to interact with the charge present on the CeO_2 nanoparticles surface and to pair with. In the nanoscale dimension, CeO_2 nanoparticles possess two valences state Ce^{3+} and Ce^{4+} (*co-exist*) present on its surface. The CeO_2 can reversibly oxidized from Ce^{3+} and Ce^{4+} through interaction with the free radicals as described by following reactions (Karakoti *et al*., 2008).

$$Ce^{4+} + e^- \leftrightarrow Ce^{3+}$$
$$Ce^{3+} + OH^* \rightarrow Ce^{4+} + OH^-$$
$$Ce^{4+} + {O_2}^{*-} \leftrightarrow Ce^{3+} + O_2$$

Based on this research, the radioprotective activity of CeO_2 nanoparticles can be increased by reducing the concentration of CeO_2 nanoparticles.

CONCLUSION

CeO_2 nanoparticles synthesized using precipitation method at calcination temperature of 300-700°C showed antioxidant activity with IC_{50} of 4.38 to 4.73 mg/mL. Dose Enhancement Factor of CeO_2 nanoparticles were less than one, ranging from 0.9918-0.9934. The Addition of CeO_2 nanoparticles with concentration of 20μg reduced the damage cells induced by X-ray radiation and improved *E. coli* survival by 24.8%. CeO_2 nanoparticles can be recommended as X-rays LINAC 6 MV radioprotector. Further research is needed to obtain the optimum radioprotective activity of CeO_2 nanoparticles.

ACKNOWLEDGEMENTS

This research was funded by Ministry of Research, Technology and Higher Education with contract number: No. 007/SP2H/ LT/DRPM/IV/2017.

REFERENCES

Bajic, V., Spremo-Potparevic, B., Zivkovic, L., Cabarkapa, A., Kotur-Stevuljevic, J., Isenovic, E., Sredojevic, D., Vukoje, I., Lazic, V., Ahrenkiel, S.P., and Nedeljkovic, J.M., (2017), Surface-modified TiO_2 with Ascorbic Acid: Antioxidant Properties and Efficiency Against DNA Damage In Vitro, *Colloids and Surfaces B: Biointerfaces*, 155, pp. 323-331.

Colon, J., Herrera, L., Smith, J., Patil, S., Komanski, C., Kupelian, P., Seal, S., Jenkins, D.W., and Baker, C.H., (2009), Protection from Radiation-induced Pneumonitis Using Cerium Oxide Nanoparticles, *Nanomedicine*, 5(2), pp. 225-31.

Das, D., Nath, B.C., Phukon, P., and Dolui, S.K., (2013), Synthesis and Evaluation of Antioxidant and Antibacterial Behavior of CuO Nanoparticles, *Colloids and Surfaces B: Biointerfaces*, 111, pp. 556-560.

Dunnick, K.M., Pillai, R., Pisane, K.L., Stefaniak, A.B., Sabolsky, E.M., and Leonard, S.S., (2015), The Effect of Cerium Oxide Nanoparticles Valence States on Reactive Oxygen Species and Toxicity, *Biology Trace Element Research*, 166(1), pp. 96-107.

Kim, S.J. and Chung, B.H., (2016), Antioxidant Activity of Levan Coated Cerium Oxide Nanoparticles, *Carbohydrate Polymers*, 150, pp. 400-407.

Liu, J.R., Chen, G.F., Shih, H.N., and Kuo, P.C., (2008), Enhanced Antioxidant Bioactivity of Salvia Miltiorrhiza (Danshen) Products Prepared Using Nanotechnology, *Phytomedicine*, 15(1-2), pp. 23-30.

Madan, H.R., Sharma, S.C., Udayabhanu, Suresh, D., Vidya, Y.S., Nagabhushana, H., Rajanaik, H., Anantharaju, K.S., Prashanantha, S.C., and Maiya, P.S., (2016), Facile Green Fabrication of Nanostructure ZnO Plates, Bullets, Flower, Prismatic Tip, Closed Pine Cone: Their Antibacterial, Antioxidant, Photoluminescent and Photocatalytic Properties, *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 152, pp. 404-416.

Madhu, G., Bose, V.C., Aiswaryaraj, A.S.,

Maniammal, K., and Biju, V., (2013), Defect Dependent Antioxidant Activity of Nanostructured Nickel Oxide Synthesized Through a Novel Chemical Method, *Colloids and Surfaces A: Physicochemistry Engineering Aspects*, 429, pp. 44-50.

Nethravathi, P.C., Shruthi, G.S., Suresh, D., Udayabhanu, Nagabhushana, H., and Sharma, S.C., (2015), Garcinia Xanthochymus Mediated Green Synthesis of ZnO Nanoparticles: Photoluminescence, Photocatalytic and Antioxidant Activity Studies, *Ceramic Inter*national, 41, pp. 8680-8687.

Nurhasanah, I., Sutanto, H., and Futikaningtyas, R., (2014), Optical Properties of Zn-doped CeO_2 Nanoparticles as Function of Zn Content, *Advanced Material Research*, 896, pp. 108-111.

Purkayastha, D.D., Das, N., and Bhattacharjee, C.R., (2014), Synthesis and Antioxidant Activity of Cupric Oxide Nanoparticles Accessed via Low-Temperature Solid State Thermal Decomposition of Bis(dimethylglyoximato) Copper (II) Complex, *Materials Letters,*123, pp. 206-209.

Saikia, J.P., Paul, S., Konwar, B.K., and Samdarshi, S.K., (2010), Ultrasonication: Enhances the Antioxidant Activity of Metal Oxide Nanoparticles, *Colloids and Surfaces B; Biointerfaces*, 78, pp. 146-148.

Sandhir, R., Yadav, A., Sunkaria, A., and Singhal, N., (2015), Nano-antioxidants: An Emerging Strategy for Intervention against Neurodegenerative Conditions, *Neurochemistry International*, 89, pp. 209-226.

Santhoshkumar, T., Rahuman, A.A., Jayaseelan, C., Rajakumar, G., Marimuthu, S., Kirthi, A.V., Velayutham, K., Thomas, J., Venkatesan, J., and Kim, S.K., (2014), Green Synthesis of Titanium Dioxide Using Psidium Guajava Extract and Its Antibacterial and Antioxidant Properties, *Asian Pacific Journal of Tropical Medicine*, 7(12), pp. 968-976.

Soren, S., Jena, S.R., Samanta, L., and Parhi, P., (2015), Antioxidant Potential and Toxicity Study of the Cerium Oxide Nanoparticles Synthesized by Microwave-mediated Synthesis, *Applied Biochemistry Biotechnology*, 177, pp. 148-161

Suresh, D., Shobharani, R.M., Nethravathi, P.C., Kumar, M.A.P., Nagabhushana, H., and Sharma, S.C., (2015), Artocarpus Gomezianus Aided Green Synthesis of ZnO Nanoparticles: Luminescence, Photocatalytic and Antioxidant Properties, *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy,*141, pp. 128-134.

Sushma, N.J., Prathyusha, D., Swathi, G., Madhavi, T., Raju, B.D.P., Mallikarjuna, K., and Kim, H.S., (2016), Facile Approach to Synthesize Magnesium Oxide Nanoparticles by Using Clitoria Ternatea-Characterization and In Vitro Antioxidant Study, *Applied Nanosci*ence, 6(3), pp. 437-444.

Vidhu, V.K. and Philip, D., (2015), Biogenic Synthesis of SnO_2 Nanoparticles: Evaluation of Antibacterial and Antioxidant Activities, *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 134, pp. 372-379.

Wason, M.S. and Zhao, J., (2013), Cerium Oxide Nanoparticles: Potential Application for Cancer and Other Diseases, *American Journal of Translation Research*, 5(2), pp. 126-131.

Zholobak, N.M., Shcherbakov, A.B., Bogorad-Kobelska, A.S., Ivanova, O.S., Baranchikov, A.Ye.. Spivak, N.Ye., and Ivanov, V.K., (2014), Panthenol-stabilized Cerium Dioxide Nanoparticles for Cosmeceutic Formulations Against ROS-induced and UV-induced Damage, *Journal of Photochemistry and Photobioogy B: Biology*, 130, pp. 102-108.

The calcination temperature effect on the antioxidant and radioprotection properties of CeO2 nanoparticles

ORIGINALITY REPORT

11%	8%	8%	3%
SIMILARITY INDEX	INTERNET SOURCES	PUBLICATIONS	STUDENT PAPERS

PRIMARY SOURCES

1	dokumen.pub Internet Source	1%
2	Submitted to Politeknik Negeri Bandung Student Paper	1%
3	healthdocbox.com Internet Source	1%
4	Hao Dong, Shuo-Ren Du, Xiao-Yu Zheng, Guang-Ming Lyu, Ling-Dong Sun, Lin-Dong Li, Pei-Zhi Zhang, Chao Zhang, Chun-Hua Yan. "Lanthanide Nanoparticles: From Design toward Bioimaging and Therapy", Chemical Reviews, 2015 Publication	1%
5	journals.ums.ac.id Internet Source	1%
6	Junping Chen. "Nanoceria Particles Prevent ROI-Induced Blindness", Advances in Experimental Medicine and Biology, 2008 Publication	<1%

7	www.scientific.net Internet Source	<1 %
8	Nasser A. Al-Shabib, Fohad Mabood Husain, Naushad Ahmad, Faizan Abul Qais et al. "Facile Synthesis of Tin Oxide Hollow Nanoflowers Interfering with Quorum Sensing-Regulated Functions and Bacterial Biofilms", Journal of Nanomaterials, 2018 Publication	<1 %
9	coek.info Internet Source	<1 %
10	Madhu, G., and V. Biju. "Effect of Ni2+ and O2− vacancies on the electrical and optical properties of nanostructured nickel oxide synthesized through a facile chemical route", Physica E Low-dimensional Systems and Nanostructures, 2014. Publication	<1 %
11	tesisenred.net Internet Source	<1 %
12	www.researchgate.net Internet Source	<1 %
13	www.tandfonline.com Internet Source	<1 %
14	Ivana Milenković, Ksenija Radotić, Jovana Despotović, Branka Lončarević et al. "Toxicity	<1 %

investigation of CeO2 nanoparticles coated with glucose and exopolysaccharides levan and pullulan on the bacterium Vibrio fischeri and aquatic organisms Daphnia magna and Danio rerio", Aquatic Toxicology, 2021
Publication

15	Nedra ABBES, Imene BEKRI, Meilin CHENG, Nejib SEJRI, Morched CHEIKHROUHOU, Jun XU. "Green Synthesis and Characterization of Zinc Oxide Nanoparticles Using Mulberry Fruit and Their Antioxidant Activity", Materials Science, 2021 Publication	<1 %
16	Submitted to University of Hull Student Paper	<1 %
17	ddd.uab.cat Internet Source	<1 %
18	prr.hec.gov.pk Internet Source	<1 %
19	www.mdpi.com Internet Source	<1 %
20	Arvind Varma, Alexander S. Mukasyan, Alexander S. Rogachev, Khachatur V. Manukyan. "Solution Combustion Synthesis of Nanoscale Materials", Chemical Reviews, 2016 Publication	<1 %

21	Arda Serpen, Edoardo Capuano, Vincenzo Fogliano, Vural Gökmen. "A New Procedure To Measure the Antioxidant Activity of Insoluble Food Components", Journal of Agricultural and Food Chemistry, 2007 Publication	<1 %
22	Manoj B. Gawande, Anandarup Goswami, François-Xavier Felpin, Tewodros Asefa et al. "Cu and Cu-Based Nanoparticles: Synthesis and Applications in Catalysis", Chemical Reviews, 2016 Publication	<1 %
23	Sumariyah, Ainie Khuriati, Enny Fachriyah. " Electrohydrodynamic (edh) drying of ginger slices ( ) ", Journal of Physics: Conference Series, 2018 Publication	<1 %

Exclude quotes	Off	Exclude matches	Off
Exclude bibliography	On		

The calcination temperature effect on the antioxidant and radioprotection properties of CeO2 nanoparticles

GRADEMARK REPORT

FINAL GRADE

/0

GENERAL COMMENTS

Instructor

PAGE 1

PAGE 2

PAGE 3

PAGE 4

PAGE 5