

LEMBAR
HASIL PENILAIAN SEJAWAT SEBIDANG ATAU PEER REVIEW
KARYA ILMIAH : JURNAL ILMIAH

Judul Karya Ilmiah (Artikel) : Methylation Related To Benefit And Harm In RNAi Application: An Epigenetic Quasi Systematic Review

Jumlah Penulis : 2 orang

Status Pengusul : Peni Kistijani Samsuria1, **Indranila Kustarini Samsuria2**

Identitas Jurnal Ilmiah : a. Nama Jurnal : JPH RECODE
 b. Nomor ISSN : p-ISSN: 2580- 0140
 c. Vol, Nomor, halaman : 3 (2), p: 120-127
 d. Edisi : Maret 2020
 e. Penerbit : Public Health Program Study PSDKU
 Universitas Airlangga Banyuwangi
 f. Jumlah halaman : 8
 g. DOI artikel (jika ada) : <https://doi.org/10.20473>
 h. Alamat web jurnal : <https://e-journal.unair.ac.id/JPHRECODE/article/view/15010/pdf>
 i. Terindeks di : Terakreditasi Sinta 4
 j. On line turnitin : https://doc-pak.undip.ac.id/4995/1/Turnitin_METHYLATION_RELATED.pdf

Kategori Publikasi Jurnal Ilmiah : ☐ Jurnal Ilmiah Internasional / Internasional Bereputasi **
 (beri ✓ pada kategori yang tepat) ☒ **Jurnal Ilmiah Nasional Terakreditasi**
☐ Jurnal Ilmiah Nasional/Nasional

Hasil Penilaian Peer Review :

Komponen Yang Dinilai	Nilai Maksimal Jurnal Ilmiah			Nilai Akhir Yang Diperoleh
	Internasional / Internasional Bereputasi ** ☐	Nasional Terakreditasi ☐	Nasional *** ☐	
a. Kelengkapan unsur isi artikel (10%)		20		2
b. Ruang lingkup dan kedalaman pembahasan (30%)		6		3
c. Kecukupan dan kemutakhiran data/informasi dan metodologi (30%)		6		5
d. Kelengkapan unsur dan kualitas terbitan/ jurnal (30%)		6		5
Total = (100%)		20		15
Nilai Pengusul =			(40% x 15) =	6

Catatan penilaian Artikel oleh Reviewer :

- Kelengkapan unsur isi artikel :** Unsur artikel cukup lengkap mulai dari abstrak, pendahuluan, metode, hasil dan pembahasan ditulis dengan kaidah ilmiah yang cukup baik
- Ruang lingkup dan kedalaman pembahasan :** Ruang lingkup keilmuan kurang sesuai untuk pengusul yang merupakan penulis ke 2. Pembahasan kurang begitu dalam karena hanya mendeskripsikan saja hasil-hasil dari literatur review yang masuk dalam kriteria inklusi
- Kecukupan dan kemutakhiran data/informasi dan metodologi:** Merupakan literatur review yang dilakukan dengan metode yang cukup baik
- Kelengkapan unsur dan kualitas terbitan/ jurnal:** Jurnal nasional berbahasa Inggris dengan terindex Sinta 4

Semarang,

Reviewer 1



Prof. Dr. dr. Tri Nur Kristina, DMM, M.Kes
 NIP. 19590527 198603 2 001

Unit Kerja : Fakultas Kedokteran Undip
 Bidang Ilmu : Ilmu Kedokteran
 Jabatan pangkat : Guru Besar

LEMBAR

HASIL PENILAIAN SEJAWAT SEBIDANG ATAU PEER REVIEW

KARYA ILMIAH : JURNAL ILMIAH

Judul Jurnal Ilmiah (Artikel) : Methylation Related To Benefit And Harm In RNAI Application: An Epigenetic Quasi Systematic

Jumlah Penulis : 2 Orang

Status Pengusul : Peni Kistijani Samsuria1, Indranila Kustarini Samsuria2

Identitas Jurnal Ilmiah :

a. Nama Jurnal : JPH RECODE

b. Nomor ISSN : 2580- 0140

c. Volume/ nomor /Hal : Vol. 3 (2): 120-127

d. Edisi : Maret 2020

e. Penerbit : Public Health Program Study PSDKU Uniersitas

f. Jumlah halaman : 8

g. DOI artikel (Jika ada) : DOI: 10.20473/jphrecode.v3i2.15010

h. Alamat web Jurnal : journal.unair.ac.id/JPHRECODE/article/view/15010/p

i. Terindeks di : df

j. Online turnitin : Sinta 4

Kategori Publikasi Jurnal Ilmiah : ☐ Jurnal Ilmiah Internasional / internasional bereputasi *

(beri ✓ pada kategori yang tepat) ☒ Jurnal Ilmiah Nasional Terakreditasi

☐ Jurnal Ilmiah Nasional/ Nasional terindeks di DOAJ CABI COPERNICUS** Tidak Terakreditasi

Hasil Penilaian Peer Review :

NO	KOMPONEN YG DINILAI	Nilai Maksimal Jurnal Ilmiah			Nilai Akhir Yang Diperoleh
		Internasional/internasional bereputasi	Nasional Terakreditasi	Nasional ***	
a	Kelengkapan unsur isi artikel (10%)		20		 1,5
b	Ruang lingkup dan kedalaman pembahasan (30%)		6		 5,5
c	Kecukupan dan kemutakhiran data/informasi dan metodologi (30%)		6		 5,4
d	Kelengkapan unsur dan berkualitas terbitan/ jurnal (30%)		6		 4,5
Nilai Total = (100%)			20		 16,9
Nilai Pengusul =			40% x =		 6,76

Catatan Penilaian artikel oleh Reviewer

- a. Kelengkapan unsur isi artikel : abstrak lengkap. Bandingkan metode, hasil, diskusi dan kesimpulan. Ditulis secara logis, penulisan ilmiah. Dituliskan prestasi baru dan relevan. Daftar pustaka relevan.
- b. Ruang lingkup dan kedalaman pembahasan : ruang lingkup penelitian mementakan evidence base dengan pembahasan dalam dan Bandingkan dengan penelitian lain.
- c. Kecukupan dan kemutakhiran data/informasi dan metodologi : menggunakan Quasi Systematic Review dengan analisis terstandar data diambil dengan Science Direct
- d. Kelengkapan unsur dan berkualitas terbitan/ jurnal : Jurnal Nasional terakreditasi Sy

Semarang, 19 September 2020

Reviewer 2

Prof. Dr. drg. Oedijani, M.S.

NIP 194902091979012001

Unit kerja: Fakultas Kedokteran Undip

Bidang ilmu : Ilmu Kedokteran

Jabatan/pangkat: Guru Besar

ISSN : 2580-0140

JPH RECODE

Volume 3 / Nomor 2 / Maret 2020

**Journal of Public Health Research
and Community Health Development**

Published by

Public Health Study Program

Universitas Airlangga - Banyuwangi Campus



Editorial-In-Chief:

Susy Katikana Sebayang, Ph.D (Universitas Airlangga, Indonesia)

Editor :

Ni Wayan Septarini, dr., M.PH. (Curtin University, Australia)

Dr. Dian Kusuma, ScD. MPH. (Imperial College London, United Kingdom)

Setho Hadisuyatmana, S.Kep.Ns.,M.NS(CommHlth&PC). (La Trobe University, Australia)

Syifa'ul Lailiyah, S.KM., M.Kes. (Universitas Airlangga, Indonesia)

Novia Handayani, S.KM., M.A., M.Kes. (Universitas Diponegoro, Indonesia)

Luh Putu Lila Wulandari, dr., M.PH. (Universitas Udayana, Indonesia)

Feranita Utama, S.KM., M.Kes. (Universitas Sriwijaya, Indonesia)

Dr. Mohammad Zainal Fatah, Drs., M.S., M.Kes. (Universitas Airlanggga, Indonesia)

Septa Indra Puspikawati, SKM.,MPH. (Universitas Airlangga, Indonesia)

Erni Astutik, S.K.M., M.Epid. (Universitas Airlangga, Indonesia)

Kurnia Ardiansyah Akbar, S.KM., M.KKK. (Universitas Jember, Indonesia)

Septa Katmawati, S.Gz., M.Kes. (Universitas Negeri Malang, Indonesia)

Jayanti Dian Eka Sari, SKM., M.Kes. (Universitas Airlangga, Indonesia)

Rahmi Susanti, SKM., M.Kes. (Universitas Mulawarman, Indonesia)

Desak Made Sintha Kurnia Dewi, S.KM., M.Kes.(Universitas Airlangga, Indonesia)

Diansanto Prayoga, SKM., M.Kes. (Universitas Airlangga, Indonesia)

Publication Schedule Journal

publications are twice a year (on October and March)

Manuscript Submission

The manuscript should be written in Ms. Word format. Figure, illustration, and picture are included in manuscript file. Submit manuscript directly to <https://e-journal.unair.ac.id/JPHRECODE>

Manuscript Publishing

The Editorial Board determines feasible manuscript after obtaining recommendations from peer reviewers. Manuscript revision is author responsibility, and manuscripts that are not feasible will be returned to the author.

Table of Content

CORRELATION BETWEEN ANTENATAL CARE (ANC) COVERAGE AND ADMINISTRATION OF IRON TABLETS COVERAGE WITH PREVALENCE OF ANEMIA PREGNANCY IN EAST JAVA	70-78
--	-------

Asrining Pangastuti

THE CORRELATION BETWEEN WORK POSTURE WITH MUSCULOSKELETAL COMPLAINT OF HOTEL HOUSEKEEPER IN JAKARTA.....	79-87
--	-------

Dwi Indica Danida

IDENTIFICATION OF SALMONELLA, SHIGELLA AND E. COLI IN SIE BALU, PROCESSING FOOD OF MEAT IN ACEH	88-94
--	-------

Husna Husna

MANAGEMENT OF HEALTH EQUIPMENT CLINIC MEDICAL CENTER PUBLIC UNIVERSITIES IN EAST JAVA	95-106
--	--------

Ika Santi Widayarsi, Tito Yustiawan

HOSPITAL'S PERFORMANCE MEASUREMENT WITH MALCOLM BALDRIGE METHOD IN EAST JAVA	107-118
---	---------

Made Nita Sintari

METHYLATION RELATED TO BENEFIT AND HARM IN RNAI APPLICATION: AN EPIGENETIC QUASI SYSTEMATIC REVIEW	119-126
---	---------

Peni Kistijani Samsuria, Indranila Kustarini Samsuria

THE CORRELATION BETWEEN BODY IMAGE AND DIET WITH CHRONIC ENERGY DEFICIENCY (CED) ON FEMALE ADOLESCENTS IN SMAN IN WEST JAVA.....	127-139
--	---------

Priscelia Ika Wardhani

SCREENING AND OBESITY DAGNOSTIC TEST WITH BOELECTRICAL IMPEDANCE ANALYSIS AND INELASTIC GAUGE ON COLLEGE STUDENT IN EAST JAVA	140-148
---	---------

Roselya Mutiara Pratiwi, Ni Luh Putu Arum Puspitaning Ati

METHYLATION RELATED TO BENEFIT AND HARM IN RNAI APPLICATION: AN EPIGENETIC QUASI SYSTEMATIC REVIEW

by Indranila Kustarini Samsuria

Submission date: 26-Jan-2021 11:39AM (UTC+0700)

Submission ID: 1494518571

File name: 15010-66956-3-PB.pdf (513.69K)

Word count: 3822

Character count: 21666

METHYLATION RELATED TO BENEFIT AND HARM IN RNAI APPLICATION: AN EPIGENETIC QUASI SYSTEMATIC REVIEW
Keuntungan dan Kerugian Methylation dalam Penerapan RNAi: Sebuah Review Sistem Quasi Epigenetic

Peni Kistijani Samsuria¹, Indranila Kustarini Samsuria²

¹Medical Physics Department, Medical Faculty, University of Indonesia, Depok

²Clinical Pathology Department, Medical Faculty, University of Diponegoro, Semarang
nila.fkundip@gmail.com

ARTICLE INFO

Article History:

Received:
August, 26th, 2019

Revised:
From October,
27th, 2019

Accepted:
November, 13th, 2019

Published online
March, 30th, 2019

ABSTRACT

Background: Double stranded RNA (dsRNA), siRNA, miRNA, RNAi, induce DNA methylation in plants and in mammalian cells, including human. Methylation of CpG island and repeat CGG DNA is high prevalence cases in tropical rain forest, but had been neglected till now. **Purpose:** Aims are knowing the effect of gene silencing to the environment, whereas RNAi cause hypermethylation. **Methods:** The manuscript was Quasi Systematic Review with Bayesian Analysis. **Results:** The result used Science Direct search engine, 935 references are caught, plus 11 references from already recorded in Mendeley library and after screening the abstract or title, 920 are excluded with the not relevant either duplication analyzed with the newest Bayesian network to answer the hypothesis. Screening full text of the 18, plus 10 references from already recorded in Mendeley library, then 16 full text were chosen. The chasing 28 full text were check and recheck with meta-analysis of RNAi-methylation using Science Direct (12 references). **Conclusion:** All of the studies described above indicated that RNAi and CRISPR/Cas9- mediated editing in plant, fishery, mammals, human, based on methylation and demethylation technique set-up by siRNA, miRNA or CRISPR/Cas9.

Keywords: hypermethylation, CpG Island, RNAi, gene silencing, fish

breeding ABSTRAK

Latar Belakang: RNA untai ganda (dsRNA), siRNA, miRNA, RNAi, menginduksi metilasi DNA pada tumbuhan dan dalam sel mamalia, termasuk manusia. Metilasi pulau CpG dan pengulangan DNA CGG merupakan kasus prevalensi tinggi di hutan hujan tropis, tetapi hingga kini terabaikan. **Tujuan:** Bertujuan untuk mengetahui efek pembungkaman gen terhadap lingkungan, dimana RNAi menyebabkan hipermetilasi. **Metode:** Jenis artikel adalah Quasi 'Systematic Review' dengan Analisis Bayesian. **Hasil:** Hasil menunjukkan bahwa Menggunakan mesin pencari Science Direct, 935 referensi tertangkap ditambah 11 referensi dari yang sudah direkam di perpustakaan Mendeley, dan setelah menyaring abstrak atau judul, 920 dikeluarkan karena duplikasi atau tidak relevan, dianalisis dengan jejaring Bayesian terbaru untuk menjawab hipotesis. Menyaring teks lengkap dari 18, ditambah 10 referensi dari yang sudah direkam di perpustakaan Mendeley, kemudian 16 teks lengkap dipilih. Sejumlah 28 teks lengkap yang diburu, diperiksa dan diperiksa kembali dengan meta- analisis RNA-metilasi menggunakan Science Direct (12 referensi). **Kesimpulan:** Semua penelitian menjelaskan bahwa RNAi dan CRISPR/Cas9-dimediasi di tanaman, perikanan, mamalia, manusia, berdasarkan pada teknik metilasi dan demetilasi yang diatur oleh siRNA, miRNA atau CRISPR/Cas9.

Kata Kunci: hipermetilasi, pulau CpG, RNAi, pembungkaman gen, budidaya ikan

INTRODUCTION

Double stranded RNAs (dsRNAs) may cause sequence specific DNA methylation in crops to regulate the silencing or expression of genes and recently applicable in mammalian cells. Silencing in a gene by methylation could effect to be cancerous, brain and behavior abnormalities like Parkinson Diseases, Alzheimer, Cognitive disorder, disturbing in immune systems etc. After RNAi mediated depletion of DNMT1, hypermethylated CpG island is preserved human colorectal cancer (CRC) cells (Ting, 2004). RNAi (20-25 bp) is a novel method of sequence-specificity to Knock-Out (KO) gene that works by putting short sequences of RNA into cells (Swanton *et al.*, 2004).

The short sequences of RNA match part of a target organism's gene sequence. Working in the cytoplasm of the cell, RNA interference (RNAi) thus does not modify the DNA. Long dsRNA (200-800 bp) can initiate RNAi in plant, worms, insect, even shrimp. This dsDNA may be a new raw material for herbicide, insecticide, fungicide and anti-viral applications in agricultural, fish breeding as well as environmental applications. Simply spray, injection, or feeding of dsRNA can be used to protect plants against several viral infections. If insect is feeding on the crop, it takes up the dsRNA and decrease essential protein in the insect, leading to the insect death become the based of protection of the crop plant. RNAi, DNA methylation, and silencing gene is now a cancer therapy.

Hypo methylating agent (HMA) are now and then cause methylation CGG instability especially in DNMT and TSG, so prevention is much better than handling side effect problems of these methylation which is though to be save because using RNAi to KO in fishery, orchid (Kui *et al.*, 2017) and fruit breedings could not

insert by simply eating or spraying, its needs special condition such e. electrostatic (Choi *et al.*, 2014) vibration, pH, etc. RNAi for cancer therapy is a treatment now and then (Reautschnig *et al.*, 2017).

RNAi-methylation KO pathways to brain and behavior disorder (down syndrome, autism, Parkinson, LGBTQA) have the different of CpG island methylation and CGG repeat-methylation (Musalib, *et al.*, 2017). This CpG island methylation of p53 is now the target therapy for cancer with or without RNAi. Hypothesis: Methylation in brain behavior disorders is caused by RNAi. Therefore, purpose of this current study is verifying methylation caused by RNAi which is now used broadly in cancer therapy and fish and plant breeding to silence gene, while breeding could be done in one village.

METHOD

In this study, a Quasi PRISMA Systematic Review with Bayesian Analysis Using Science Direct and other search engine was used. Keyword used was RNAi and methylation. With a Bayesian network analysis RNAi also included dsRNA, siRNA and miRNA. Methylation included hypermethylation and excluded hypomethylation. Gene silencing, Knock out are also included. Nine hundred and thirty-five references are caught with Science Direct search engine, and after screening the abstract or title, 920 are excluded since not relevant either duplicated with the aims analyzed using the newest Bayesian network to answer the hypothesis. Screening full text of the 18, plus 10 references from already recorded in Mendeley library, then 16 full text were chosen. The 28 chasing full text were check and recheck with meta-analysis of RNAi-methylation using Science Direct (12 references).




Figure 1. Flowchart RNAi-methylation using Science Direct Search engine

RESULT

DNA methylation is an epigenetic modification that supply phenotype stability and diversity factors. It is influenced by both genetic sequence variation and environment. The using of RNAi to silence gene in plant, worm, cancer, model, tissue like brain and cells are included. References which discuss RNAi techniques and effect of methylation are excluded. Benefits and harms outcome of each references could be seen in Table 1. Effect estimated to methylation of CpG island and CGG is parallel and the using of hypomethylating agent are known widely. DNA

methyltransferase gene (DNMT) is revealed by 4 studies in the Table 1 (Ting *et al.*, 2004; Nechaev *et al.*, 2013; Mutalib *et al.*, 2017; De Carvalho *et al.*, 2012)). Tumor Suppressor gene such as p53 should not be methylated (Mutalib *et al.*, 2017) have been proven in the last Reference in Table 1 (De Carvalho *et al.*, 2012), where DNA methylation-mediated gene silencing and in further experiments showed that these genes must be silenced by DNA methylation for cancer cell survival, identifies by DNA methylation screening

Table 1. Sixteens References Which Tell The Relation of RNAi Methylation in Plant and Human Cancer

Study, years	Design	Population	RNAi	Methylation
Vinutha <i>et al.</i>, 2018	Pre-post	Plant	Tomato gemivirus	RNA-dependent DNA (RdDM)
Muthusamy <i>et al.</i>, 2010	Epigenetic regulation	Cancer	Genome-wide RNAi screens	DNA
Reautschnig <i>et al.</i>, 2017 ¹⁷	Review	Medical application	RNAi and aptamer tech.	Stabilized oligomer
Xie and Yu, 2015	Epigenetic regulation	Plants	si-RNA	DNA
Holoch and Moazed, 2015 ¹⁰	Epigenetic regulation	Eukaryotic cells	siRNA-long non coding RNA (lncRNAs)	DNA & histone Expression, stability, defense
Yu <i>et al.</i>, 2018	Epigenetic	Histone PTM positive feedback	siRNA amplification	Maintain silencing
Braga <i>et al.</i>, 2014	Epigenetic	Primary and metastatic EOC*	Not CASPASE-8	CpG island methylation
Reinhard and Wagner, 2017	Epigenetic	Targeted cells	Synthetic siRNA	Knockdown
Gentile <i>et al.</i>, 2017	Epigenetic	Subcutaneous Human lung cancer	Cationic oligomers Synthetic RNAi-based Rx/	Cationic liquid crystalline nanoparticles
Titze <i>et al.</i>, 2017	Epigenetic Pharmaceutical Market	Different drug targets, organ, administration	siRNA and miRNA	Wide avenue for drug development
Zhu <i>et al.</i>, 2018	Epigenetic	Caenorhabditis elegans	W-gRNAi screen	Lipid metabolism gene
Wang <i>et al.</i>, 2018	Epigenetic	Silkworm genome	RNAi KO	DNA 6mA methyltransferase
Ting <i>et al.</i>, 2004	Epigenetic	Colorectal Human Cancer	RNAi-mediated DNMT1 depletion **	Maintaining hypermethylation of the CpG Island
Nechaev <i>et al.</i>, 2013	Epigenetic	Toll-like receptor 9 (TLR9)	CpG-siRNA***	CpG hypermethylation
Mutalib <i>et al.</i>, 2017	Epigenetic SR	Brain and Behaviour	Knock Out DNMT	CGG and CpG methylation
De Carvalho <i>et al.</i>, 2012	Epigenetic MA	Survival of Cancer cells	Highly impaired DNMT	DNA methylation-mediated gene silencing

*Epithelial ovarian cancer (EOC)

**The primary mammalian DNA methyltransferase, DNMT1

***Dicer substrate siRNA equipped with CpG oligodeoxyribonucleotides

DISCUSSION

Double Knock Out (DKO)

In Table 1, we can see the report of KO gene mediated by RNAi in relation with methylation. A knock out (KO), DKO, TKO

(Turbo Knock Out) are used for gene silencing in Genetic Modified Organism (GMO) and Human. Broad variety of organism such as crops (post transcription gene silencing) and mammalian cells including human cells, were observed using the RNAi method (Knock-out / KO). The latest repertoire of human RNAi occurrences has now been expanded by describing siRNA (21-23-ntdsRNA) induced transcriptional silencing through promoter methylation i.e. methylation in CpG island of TSG p53 and CGG repeat DNA. One-on-one RNAi target gene is cost-ineffective and time consuming, and siRNAs can impact near perfectly complementary RNAs, called an off target impact that silence several genes at the same time as a closely constructed one (Double KO (DKO) and Turbo KO (TKO) e.g. better pest resistance, new flower colours, greater productivity, high inflorescence and longer shelf-life after harvest (Kui *et al.*, 2017).

RNAi Methylation for Cancer Therapy

Several methylation related therapy mostly cancer could be seen in Table 1. In big late stage clinical trials, several RNA therapies are being assessed with various modes of action, and many more are being assessed in early clinical development. Messenger RNA (mRNA) is an attractive drug target for therapeutic interventions. Hundred of patients are enrolled in large-scale testing of scale testing of mRNAs for cancer control, small -scale RNAs (siRNA) for renal and hepatic disorders treatment. In people's cells, it is more difficult to insert the RNA, special technique e.g. electrostatic force (Reinhard and Wagner, 2017), vibration and PH, lipophilisation or liposome are needed. This RNAi therapeutic has been performed by small interfering RNA (siRNAs) and microRNA (miRNAs) inhibitors (Gentile *et al.*, 2017). Abnormal methylation of DNA in cancer and neurological disorders was noted (Mutalib *et al.*, 2017; De Carvalho *et al.*, 2012). Mutation of Mutation of oncogene K-ras and Tumor Suppressor Gene TP53 have a strong link with CRC and Lung adenocarcinoma. Methylation, mRNA splicing, miRNA is an effective method for pathogenesis study.

Differentially methylated genetic regions could be analyzed case by cases. DNA methylation or

changes in p53-mediated transcriptional is critical in most cancer (Liu *et al.*, 2016), and it could be seen in tropical rainforest area with high prevalence in GMO and AFB1 exposure which induce p53 mutation.

RNAi-Methylation Process

MicroRNAs (miRNAs) are tiny noncoding RNAs with a single strand, by using the miRNA induced silencing complex (miRISC) to target mRNAs, miRNAs cause RNA interference (RNAi), by utilizing the miRNA-induced silencing complex (miRISC) to target mRNAs. DKO, TKO silencing. S-Adenosyl-l-methionine synthetase (SAMS) catalyzes for the production of SAM (S-adenosyl-l-methionine), a universal donor of methyl in cell biochemical responses (Li *et al.*, 2011).

RNAi in The Market

Small to long non-coding RNAs (lncRNAs), have emerged as key regulators of gene expression, genome stability and defence against foreign genetic elements could be seen in Table 1. RNA-mediated epigenetic regulation of gene expression (Holoch and Moazed, 2015)

Ten years after the discovery of dsRNA gene silencing by Fire and Mello's Nobel Prize, notable progress was made in RNAi (Almeida *et al.*, 2017). Changes in the chemical structure of synthetic oligonucleotides (Li *et al.*, 2011) make it more stable and specific, and these approaches have developed potential in the RNAi pharmaceutical industry market, particularly in researching new drug targets. Addresses the PF-04523655, TKM-080301, Atu027, SYL040012, SYL1001, siG12D-LODER (phase 2), QPI-1002, QPI-1007, and patisiran (phase 3) nine small-interfering RNAs (siRNAs) and one distinctive microRNA (miRNA) inhibitor that entered stage 2-3 clinical trials. With regard to miRNAs, their content may be down-or up-regulated using mimics of miRNA (AntimiRs) or miRNA. Miravirsen is a hepatitis C virus infection anti miR-122 (Almeida, 2017). RNAi technology is easy to find nowadays and RNAi definitely opens the door to drug development (Almeida, 2017). Taking into consideration: various drug objectives (i.e. p53, mutated p21, p16, caspase, mutated KRAS, microRNAs); therapeutic circumstances, including renal injury,

cancer, viral hepatitis, HCC; and administration routes (ocular, intravenous, subcutaneous, intratumoral.) (Almeida, 2017) Although delivery, dose, toxicity, cost, and biological are still challenges (Almeida, 2017).

Cases with DNA Gene and Promoter Methylation Unstability

Nearly 97% of the genome is non-coding DNA in humans, so changes in these sequences are frequently noted in clinical and specific malfunction; for example, autism, Parkinson, fragile X syndrome (CpG island promoter methylation related CGG repeat) have been found to be associated with introns-derived miRNAs. Clustered frequently interspaced brief palindromic repeat / CRISPR- associated protein 9 (CRISPR / Cas9) also has DKO / TKO but with stable genomic change that can readily be preserved in offspring (Liu, 2016) which is a significant benefit in breeding programmes, whereas RNAi with unstable methylation has only about 50 generation.

CRISPR/Cas9

CRISPR, a bacterial adaptive immune system of type II, has been altered to target the Cas9 nuclease with sequence-specific RNAs for genome editing to the required genomic loci. Fusion of deactivated Cas9 (dCas9) (Xie and Yu, 2015). The enzymatic domain TetI or Dnmt3a enables targeted DNA methylation to be established. Investigate the locus-specific functional importance of DNA methylation by providing strong instruments with dCas9-TetI and dCas9-Dnmt3a. They intended 4gRNAs for all 14 CpGs in the Snrpn promoter region to activate GFP expression by dCas9-TetI. De novo methylation of particular CpGs supports gene expression silencing sequences. Therefore, dCas9 fusion construct described either effectively demethylated methylated sequences (dCas9-Tet- 1) or de novo methylate unmethylated sequences (dCas9-Dnmt3a) when targeted by particular RNAs. So methylation or demethylation are exist in CRISPR/Cas9 technique (Liu *et al.*, 2016). After all, RNA-directed methylation of DNA by DNA methyltransferase (DNMT) in plants (Movahedi *et al.*, 2015). Das 2016, also reported miRNA, a class of short non-coding RNAi were higher in

cancer than other diseases in human, which parallel with what Holoch and Moazed (2015) finds in genome stabilizing methylation (Table 1).

Limitation

Sensitive topic is the largest limitation of this study. Low bias and risk using the network of Bayesian is used in diction when to deeply open and when should do softly open the RNAi-methylation hope and problems. This study using quasi-SR and not full SR have gain the relevant and duplicate hidden several decades of RNAi-methylation in food and energy new global market whereas tropical rainforest is the cultivated land. Fish breeding as agriculture example in one village is now booming (Ardian, 2018) in tropical 2018 rainforest with no more safety superior GMO test since 2001, but well in paten and varietas legacy (Adlhiyati, 2009).

Nowadays, in- silico studies about RNAi (Gabriel *et al.*, 2019), CRISPR/Cas9 (Nakayasu *et al.*, 2018), CpG methylation (Desai and Chauhan, 2016) and demethylation (Song *et al.*, 2019) complete the epigenetic modification in plant and fishery breeding and cancer therapy in fulfilling the the hope of many parties.

CONCLUSION

All of the studies described above indicated that RNAi and CRISPR/Cas9-mediated editing in plant, fishery, mammals, human, based on methylation and demethylation technique set-up by siRNA, miRNA or CRISPR/Cas9.

REFERENCES

- Adlhiyati, Z. 2009. Produk Rekayasa Genetika (GMO/Genetically Modified Organism) Sebagai Subjek Perlindungan Patent dan Perlindungan Varietas Tanaman. *Thesis, Universitas Diponegoro Semarang.*
- Ardian, F. 2018. *Pertama di Jatim, Banyuwangi Bangun Kampung Sidat.* DetikNews/Berita Jawa Timur.
- Braga, L. da C. *et al.* 2014. Single CpG island methylation is not sufficient to maintain the silenced expression of CASPASE-8 apoptosis-related gene among women with epithelial ovarian cance. *Biomedicine and Pharmacotherapy*, 68(1), pp. 87–91. doi:

- 10.1016/j.biopha.2013.12.004.
- De Carvalho, D. *et al.* 2012. DNA Methylation Screening Identifies Driver Epigenetic Events of Cancer Cell Survival. *Cancer Cell*, 21(5), pp. 655–67. doi: 10.1016/j.ccr.2012.03.045.
- Choi, K. mi *et al.* 2014. Tumor-specific delivery of siRNA using supramolecular assembly of hyaluronic acid nanoparticles and 2b RNA-binding protein/siRNA complexes. *Biomaterials*, 35(25), pp. 7121–32. doi: 10.1016/j.biomaterials.2014.04.096.
- Chuai, G. hui, Wang, Q. L. and Liu, Q. 2017. In Silico Meets In Vivo: Towards Computational CRISPR-Based sgRNA Design. *Trends in Biotechnology*. doi: 10.1016/j.tibtech.2016.06.008.
- Desai, M. and Chauhan, J. 2016. In silico analysis of nsSNPs in human methyl CpG binding protein 2. *Meta Gene*. doi: 10.1016/j.mgene.2016.09.004.
- Gabriel, A. F. *et al.* 2019. Si vis pacem para bellum: A prospective in silico analysis of miRNA-based plant defenses against fungal infections. *Plant Science*. doi: 10.1016/j.plantsci.2019.110241.
- Gentile, E. *et al.* 2017. Cationic liquid crystalline nanoparticles for the delivery of synthetic RNAi-based therapeutics. *Oncotarget*, 8(29), pp.48222–39. doi: 10.18632/oncotarget.18421.
- Holoch, D and Moazed, D. 2015. RNA-Mediated Epigenetic Regulation of Gene Expressi. *Nat Rev Genet*, 16(2), pp. 71–84.
- Kistijani Samsuria Mutalib, P. *et al.* 2017. LGBTQ: The Molecular Mechanism and its Role in Elucidating Proportional for a Better Management. *International Journal of Environmental and Agriculture Research*, 3(9), pp. 23–29. doi: 10.25125/agriculture-journal-ijoe-ar-sep-2017-6.
- Kui, L. *et al.* 2017. Building a genetic manipulation tool box for orchid biology: Identification of constitutive promoters and application of CRISPR/Cas9 in the orchid, dendrobium officinale. *Frontiers in Plant Science*, 8(2036), pp. 1–13. doi: 10.3389/fpls.2016.02036.
- Li, W. *et al.* 2011. Knockdown of SAMS genes encoding S-adenosyl-l-methionine synthetases causes methylation alterations of DNAs and histones and leads to late flowering in rice. *Journal of Plant Physiology*, 168(15), pp. 1837–43. doi: 10.1016/j.jplph.2011.05.020.
- Liu, Z, Hui, Y, Shi, L, Chen, Z, Xu, X, Chi, L. 2016. Efficient CRISPR/Cas9-Mediated Versatile, Predictable, and Donor-Free Gene Knockout in Human Pluripotent Stem Cells. *Stem Cell Reports*, 7(3), pp. 496–507.
- Movahedi, A. *et al.* 2015. RNA- directed DNA methylation in plants. *Plant Cell Reports*, 34(11), pp. 1857–62. doi: 10.1007/s00299-015-1839-0.
- Muthusamy, V., Bosenberg, M. and Wajapeyee, N. 2010. Redefining regulation of DNA methylation by RNA interference. *Genomics*, 96(4), pp. 191–198. doi: 10.1016/j.ygeno.2010.07.001.
- Nakayasu, M. *et al.* 2018. Generation of α -solanine-free hairy roots of potato by CRISPR/Cas9 mediated genome editing of the St16DOX gene. *Plant Physiology and Biochemistry*. doi: 10.1016/j.plaphy.2018.04.026.
- Nechaev, S. *et al.* 2013. Intracellular processing of immunostimulatory CpG-siRNA: Toll-like receptor 9 facilitates siRNA dicing and endosomal escape. *Journal of Controlled Release*, 170(3), pp. 307–315. doi: 10.1016/j.jconrel.2013.06.007.
- Reautschnig, P., Vogel, P. and Stafforst, T. 2017. The notorious R.N.A. in the spotlight - drug or target for the treatment of disease. *RNA Biology*, 14(5), pp. 651–668. doi: 10.1080/15476286.2016.1208323.
- Reinhard, S. and Wagner, E. 2017. How to Tackle the Challenge of siRNA Delivery with Sequence-Defined Oligoamino Amides. *Macromolecular Bioscience*, 17(1). doi: 10.1002/mabi.201600152.
- Song, L. *et al.* 2019. MiR-362-3p is downregulated by promoter methylation and independently predicts shorter OS of cervical squamous cell carcinoma. *Biomedicine and Pharmacotherapy*. doi: 10.1016/j.biopha.2019.108944.
- Swanton, C., Nicke, B. and Downward, J. 2004. RNA interference, DNA methylation, and gene silencing: A bright future for cancer therapy? [1]. *Lancet Oncology*, 5(11), pp. 653–654. doi: 10.1016/S1470-2045(04)01604-3.
- Ting, A. H. *et al.* 2004. CpG island hypermethylation is maintained in human colorectal cancer cells after RNAi-mediated depletion of DNMT1. *Nature Genetics*,

- 36(6), pp. 582–4. doi: 10.1038/ng1365.
- Titze-de-Almeida, R., David, C. and Titze-deAlmeida, S. S. 2017. The Race of 10 Synthetic RNAi-Based Drugs to the
- Vinutha, T. *et al.* 2018. Tomato geminivirus encoded RNAi suppressor protein, AC4 interacts with host AGO4 and precludes viral DNA methylation. *Gene*, 678, pp. 184–95. doi: 10.1016/j.gene.2018.08.009.
- Wang, X. *et al.* 2018. DNA methylation on N6adenine in lepidopteran *Bombyx mori*. *Biochimica et Biophysica Acta – GeneRegulatory Mechanisms*, 1861(9), pp. 815–25. doi: 10.1016/j.bbagr.2018.07.013.
- Xie, M and Yu, B. 2015. siRNA-Directed DNA Methylation in Plants. *Curent Genomics*, 16, pp. 23–31. Pharmaceutical Market. *Pharmaceutical Research*, 34(7), pp. 1339–1363. doi: 10.1007/s11095-017-2134-2
- Yu, R., Wang, X. and Moazed, D. 2018. Epigenetic inheritance mediated by coupling of RNAi and histone H3K9 methylation. *Nature*, 558(7711), pp. 615–9. doi: 10.1038/s41586-018-0239-3.
- Zhu, X. *et al.* 2018. Whole-genome RNAi screen identifies methylation-related genes influencing lipid metabolism in *Caenorhabditis elegans*. *Journal of Genetics and Genomics*, 45(5), pp. 259–272. doi: 10.1016/j.jgg.2018.03.005

METHYLATION RELATED TO BENEFIT AND HARM IN RNAI APPLICATION: AN EPIGENETIC QUASI SYSTEMATIC REVIEW

ORIGINALITY REPORT

15%

SIMILARITY INDEX

11%

INTERNET SOURCES

10%

PUBLICATIONS

1%

STUDENT PAPERS

PRIMARY SOURCES

1

www.agrorna.com

Internet Source

3%

2

www.mysciencework.com

Internet Source

2%

3

X. Shawn Liu, Hao Wu, Xiong Ji, Yonatan Stelzer et al. "Editing DNA Methylation in the Mammalian Genome", Cell, 2016

Publication

2%

4

worldwidescience.org

Internet Source

1%

5

www.ncbi.nlm.nih.gov

Internet Source

1%

6

rna-mediated.com

Internet Source

1%

7

Matthew J. Milner, Melanie Craze, Matthew S. Hope, Emma J. Wallington. "Turning Up the Temperature on CRISPR: Increased

1%

Temperature Can Improve the Editing Efficiency of Wheat Using CRISPR/Cas9", Frontiers in Plant Science, 2020

Publication

8

tessera.spandidos-publications.com

Internet Source

1 %

9

www.nature.com

Internet Source

<1 %

10

encyclopedia2.thefreedictionary.com

Internet Source

<1 %

11

Petek Eylul Taneri, Sergio Alejandro Gómez-Ochoa, Erand Llanaj, Peter Francis Raguindin et al. "Anemia and iron metabolism in COVID-19: A systematic review and meta-analysis", Cold Spring Harbor Laboratory, 2020

Publication

<1 %

12

Holoch, Daniel, and Danesh Moazed. "RNA-mediated epigenetic regulation of gene expression", Nature Reviews Genetics, 2015.

Publication

<1 %

13

Jae-Gyeong Yu, Gi-Ho Lee, Young-Doo Park. "Physiological role of endogenous S-adenosyl-L-methionine synthetase in Chinese cabbage", Horticulture, Environment, and Biotechnology, 2012

Publication

<1 %

14

"Plant Epigenetics", Springer Science and Business Media LLC, 2017

Publication

<1 %

15

www.annualreviews.org

Internet Source

<1 %

16

Emanuela Gentile, Taro Oba, Jing Lin, Ruping Shao et al. "Cationic liquid crystalline nanoparticles for the delivery of synthetic RNAi-based therapeutics", Oncotarget, 2017

Publication

<1 %

17

Taylor, David H., Erin Tsi-Jia Chu, Roman Spektor, and Paul D. Soloway. "Long non-coding RNA regulation of reproduction and development", Molecular Reproduction and Development, 2015.

Publication

<1 %

18

Ricardo Titze-de-Almeida, Catherine David, Simoneide Souza Titze-de-Almeida. "The Race of 10 Synthetic RNAi-Based Drugs to the Pharmaceutical Market", Pharmaceutical Research, 2017

Publication

<1 %

19

Advances in Plant Breeding Strategies Breeding Biotechnology and Molecular Tools, 2015.

Publication

<1 %

Exclude quotes On

Exclude matches Off

Exclude bibliography On

METHYLATION RELATED TO BENEFIT AND HARM IN RNAI APPLICATION: AN EPIGENETIC QUASI SYSTEMATIC REVIEW

GRADEMARK REPORT

FINAL GRADE

/0

GENERAL COMMENTS

Instructor

PAGE 1

PAGE 2

PAGE 3

PAGE 4

PAGE 5

PAGE 6

PAGE 7

PAGE 8