

Volume 10 / Number 3 / March 2019

Indian Journal of Public Health Research & Development

An International Journal

SCOPUS IJPHRD CITATION SCORE

Indian Journal of Public Health Research and Development Scopus coverage years: from 2010 to 2018 Publisher: R.K. Sharma, Institute of Medico-Legal Publications ISSN:0976-0245E-ISSN: 0976-5506 Subject area: Medicine: Public Health, Environmental and Occupational Health

Cite Score 2017- 0.03 SJR 2017- 0.108 SNIP 2017- 0.047



Website: www.ijphrd.com

Indian Journal of Public Health Research & Development

EXECUTIVE EDITOR

Prof Vidya Surwade

Associate Professor, Dr Baba Saheb Ambedkar, Medical College & Hospital, Rohinee, Delhi

INTERNATIONAL EDITORIAL ADVISORY BOARD

- Dr. Abdul Rashid Khan B. Md Jagar Din, (Associate Professor)
 Department of Public Health Medicine, Penang Medical College, Penang, Malaysia
- 2. **Dr. V Kumar** (Consulting Physician)
 Mount View Hospital, Las Vegas, USA
- 3. Basheer A. Al-Sum,

Botany and Microbiology Deptt, College of Science, King Saud University, Riyadh, Saudi Arabia

- Dr. Ch Vijay Kumar (Associate Professor)
 Public Health and Community Medicine, University of Buraimi, Oman
- Dr. VMC Ramaswamy (Senior Lecturer)
 Department of Pathology, International Medical University, Bukit Jalil, Kuala Lumpur
- Kartavya J. Vyas (Clinical Researcher)
 Department of Deployment Health Research,
 Naval Health Research Center, San Diego, CA (USA)
- Prof. PK Pokharel (Community Medicine) BP Koirala Institute of Health Sciences, Nepal

NATIONAL SCIENTIFIC COMMITTEE

- Dr. Anju Ade (Associate Professor)
 Navodaya Medical College, Raichur, Karnataka
- Dr. E. Venkata Rao (Associate Professor) Community Medicine, Institute of Medical Sciences & SUM Hospital, Bhubaneswar, Orissa.
- Dr. Amit K. Singh (Associate Professor) Community Medicine, VCSG Govt. Medical College, Srinagar – Garhwal, Uttarakhand
- Dr. R G Viveki (Professor & Head) Community Medicine, Belgaum Institute of Medical Sciences, Belgaum, Karnataka
- Dr. Santosh Kumar Mulage (Assistant Professor)
 Anatomy, Raichur Institute of Medical Sciences Raichur(RIMS), Karnataka
- Dr. Gouri Ku. Padhy (Associate Professor) Community and Family Medicine, All India Institute of Medical Sciences, Raipur
- Dr. Ritu Goyal (Associate Professor)
 Anaesthesia, Sarswathi Institute of Medical Sciences, Panchsheel Nagar
- Dr. Anand Kalaskar (Associate Professor)
 Microbiology, Prathima Institute of Medical Sciences, AP
- Dr. Md. Amirul Hassan (Associate Professor)
 Community Medicine, Government Medical College, Ambedkar Nagar, UP
- 10. Dr. N. Girish (Associate Professor) Microbiology, VIMS&RC, Bangalore
- 11. Dr. BR Hungund (Associate Professor) Pathology, JNMC, Belgaum.
- Dr. Sartaj Ahmad (Assistant Professor), Medical Sociology, Department of Community Medicine, Swami Vivekananda Subharti University, Meerut, Uttar Pradesh, India
- Dr Sumeeta Soni (Associate Professor)
 Microbiology Department, B.J. Medical College, Ahmedabad, Gujarat, India

NATIONAL EDITORIAL ADVISORY BOARD

- Prof. Sushanta Kumar Mishra (Community Medicine) GSL Medical College – Rajahmundry, Karnataka
- Prof. D.K. Srivastava (Medical Biochemistry)
 Jamia Hamdard Medical College, New Delhi
- Prof. M Sriharibabu (General Medicine) GSL Medical College, Rajahmundry, Andhra Pradesh
- 4. Prof. Pankaj Datta (Principal & Prosthodentist) Indraprastha Dental College, Ghaziabad

NATIONAL EDITORIAL ADVISORY BOARD

- Prof. Samarendra Mahapatro (Pediatrician)
 Hi-Tech Medical College, Bhubaneswar, Orissa
- Dr. Abhiruchi Galhotra (Additional Professor) Community and Family Medicine, All India Institute of Medical Sciences, Raipur
- Prof. Deepti Pruthvi (Pathologist) SS Institute of Medical Sciences & Research Center. Davangere. Karnataka
- Prof. G S Meena (Director Professor)
 Maulana Azad Medical College, New Delhi
- Prof. Pradeep Khanna (Community Medicine)
 Post Graduate Institute of Medical Sciences, Rohtak, Haryana
- Dr. Sunil Mehra (Paediatrician & Executive Director) MAMTA Health Institute of Mother & Child, New Delhi
- Dr Shailendra Handu, Associate Professor, Phrma, DM (Pharma, PGI Chandigarh)
- Dr. A.C. Dhariwal: Directorate of National Vector Borne Disease Control Programme, Dte. DGHS, Ministry of Health Services, Govt. of India, Delhi

Print-ISSN: 0976-0245-Electronic-ISSN: 0976-5506, Frequency: Quarterly (Four issues per volume)

Indian Journal of Public Health Research & Development is a double blind peer reviewed international journal. It deals with all aspects of Public Health including Community Medicine, Public Health, Epidemiology, Occupational Health, Environmental Hazards, Clinical Research, and Public Health Laws and covers all medical specialties concerned with research and development for the masses. The journal strongly encourages reports of research carried out within Indian continent and South East Asia.

The journal has been assigned International Standards Serial Number (ISSN) and is indexed with Index Copernicus (Poland). It is also brought to notice that the journal is being covered by many international databases. The journal is covered by EBSCO (USA), Embase, EMCare & Scopus database. The journal is now part of DST, CSIR, and UGC consortia.

Website: www.ijphrd.com

©All right reserved. The views and opinions expressed are of the authors and not of the Indian Journal of Public Health Research & Development. The journal does not guarantee directly or indirectly the quality or efcacy of any product or service featured in the advertisement in the journal, which are purely commercial.

Editor

Dr. R.K. Sharma

Institute of Medico-legal Publications Logix Office Tower, Unit No. 1704, Logix City Centre Mall, Sector- 32, Noida - 201 301 (Uttar Pradesh)

Printed, published and owned by

Dr. R.K. Sharma

Institute of Medico-legal Publications Logix Office Tower, Unit No. 1704, Logix City Centre Mall, Sector- 32, Noida - 201 301 (Uttar Pradesh)

Published at

Institute of Medico-legal Publications

Logix Office Tower, Unit No. 1704, Logix City Centre Mall, Sector- 32, Noida - 201 301 (Uttar Pradesh)



Indian Journal of Public Health Research & Development

www.ijphrd.com

Contents	\equiv
Volume 10, Number 3 March 201	19
A Study of Financial Counselling and Estimation of Variance between Estimated Bill and Actual Bill of Cardiac Cath Lab Brig. A P Pandit, Harshada Tambe	
2. Alienation, Attachment Style, and Alcohol Addiction "A Study of Young Women Habitual Drinkers" Bhawani Singh Rathore, Uma Joshi	9
3. Challenging Issues in Health Economics	15
4. Examining the Impact of Development Projects' on the Project affected People: A Study in Kalinganagar Industrial Estate, Odisha, India	20
5. Effectiveness of Hand Muscle Strenthening Exercises on Dominant Hand Pinch Strength in Smartphone Addicted Collegiate	26
6. Effect of Traction Versus Counter Traction with Conservative Treatment on Adhesive Capsulitis Divya Nitin Lad, S. Anandh	31
7. Effficacy of Probiotic Drink Containing Lactobacillus Casei Shirota Strain on Factors affecting Dental Caries	36
8. Health Expectancy Under Dynamic Set Up for India and its Selected States	42
9. IoT based E-Critical Care Unit for Patients In-Transit	46
10. The Influence of Moderate Intensity Exercises on Fatigue and Quality of Life in Cancer Patients Undergoing Chemotherapy	51
11. The Effectiveness of Planned Educational Intervention on Knowledge and Skills in Home Care Manageme among Care Givers of Patients with Spinal Cord Injury	
12. Microbiological Evaluation of Polytetrafluoroethylene (PTFE) Tape, Cellulose Sponge and Cotton as Spacer Materials Combined with Intracanal Medicament- An in Vitro Study	61
13. Socio-Demographic and Cultural Factors Influencing Treatment Outcomes among Patients with	

	Tuberculosis Attending Tribal Health Care Centers of H. D. Kote Taluk, Mysuru District
14.	Language Proficiency among Higher Secondary Students with Respect to Psychological Factors
15.	Profile of Patients Who Underwent Abortion in Tertiary Medical College in Trichy: A Descriptive Study 76 Raghuram V, Shankar S, Betty Janice A, Brammamuthu S, Chezhian V M, Elango. S
16.	Role of MDCT in Evaluation of Acute Abdomen
17.	Patterns and Distribution of Dental Caries and Dental Fluorosis in School Children of Sivakasi
18.	Prevalence of Reproductive Tract Infections and Treatment Seeking Behavior among Women of 15-49 Years Age Group in Haldwani Block, District Nainital, Uttarakhand, India
19.	Sustainable Agriculture and of Irrigation Practices in India
20.	A Study to Assess the Knowledge Regarding Cervical Cancer Screening and Prevention among Women in Rural Areas in Trichy
21.	Study on Utilization of Breast Feeding Booths in Major Bus Terminals by Lactating Mothers in Selected Districts of Tamil Nadu
22.	Study to Assess Knowledge, Practice and Attitude of about Self Breast Examination among Women in Field Practice Area of a Medical College in Trichy
23.	Study on Profile of Pregnancy Outcomes in a Tertiary Care Hospital in Trichy, South India
24.	A Study of Knowledge, Attitude and Practice Regarding E-waste Management among Nursing Students at a Tertiary Care Hospital
25.	Hostile Tobacco and Oral Health–A Review
26.	Soft Tissue and Alveolar Bone Repair of Platelet Rich Fibrin Over Platelet Rich Plasma in Extraction of Impacted Third Molars
27.	Workplace Spirituality and its Impact on Organizational Commitment and Employees' Job Satisfaction amongst Higher Educational Institution Teachers
28.	The Role of MRI in Non-Traumatic Chronic Hip Joint Pain

29.	Computed Tomography Evaluation of Mediastinal Masses	143
30.	Knowledge, Attitude and Practice among 13-15 Years Old School Children Towards Oral Hygiene Prashaanthi Nagaraj, Geo Mani	149
31.	A Study on Awareness about Self Medication Practices among Working People in Kerala	154
32.	Salivary Cortisol Level; Its Role in Stress Induced in Patients Undergoing Dental Treatment; An in Vivo Study	
33.	Health Care Services by Primary Health Centres in Uthamapalayam Taluk in Theni District of Tamil Nadu-An Economic Analysis	
34.	School Teacher's Knowledge, Attitude and Practices Regarding Oral Health in Ballabhgarh Block, Faridabad	169
35.	Representation of Knowledge Through Ontology for Swine Flu Disease in Semiarid Tropical Regions P Radhika, P. Suresh Varm, N. Lakshmi Kalyani, P. Rama Krishna, M. Santosh Kumar	172
36.	Knowledge, Attitude & Practices Regarding Prevention of Dengue and Malaria among Residents of Urban Area in Kolhapur City, Maharashtra	177
37.	Comparative Evaluation of Efficacy of Oral Diazepam and Buspirone in Reducing Anxiety and Discomfort in Mandibular Third Molar Surgery- In Vivo Study	
38.	Post Marital Depression among Women	187
39.	Various Techniques Used to Diagnose Psychogenic Non-epileptic Seizures (PNES): A Brief Overview Priyesh Kumar Singh, Naveen, Tara Singh, Vijay N. Mishra, Rameshwar N. Chaurasia, Trayambak Tiwari	
40.	A Study on Problems and Difficulties in Implementing Knowledge Management Practices in Education Sector	195
41.	A Comprehensive Study on Novel Hybrid Approach for Decision Support System in Disease Diagnosis K. Sharmila, C. Shanthi, R. Devi, T. Kamala Kannan	200
42.	Management of Calcific Metamorphosis with Minimally Invasive Porcelain Veneers—A Case Report Shreya Hegde, Swathi Pai, Roma M	205
43.	Performance of Indian Agricultural Export-An Analysis	208
44.	An Early Infected Lung Identification and Verification Module Using Neural Classifier	212

45.	Assessment of Inflammatory Markers in Hemolytic Crisis with Special Reference to Sickle Cell Anemia Prashant Nigam, P. K. Patra, Lakhan Singh, Ramnesh Murthy	219
46.	Correlation of Foot Length and Gestational Maturity in Neonates—A Study from Coastal Karnataka Rose Ann Roy, Suchetha S Rao, Prasanna Mithra	. 223
47.	Clinical Profile of Children with Autism Spectrum Disorder: A Study from Coastal Karnataka	. 228
48.	A Study on the Nutritional Status of the School Going Adolescents of East Sikkim, North East India <i>Tshering Dolkar, Brig. V K Mehta, J T Wangdi</i>	232
49.	The Combined Effect of Continuous Run, Alternate Pace Run and Fartlek Training on Selected Physiological Variable among Male Athletes	. 238
50.	Prevalence of Lifestyle Related Risk Factors for Non-communicable Diseases among Adolescents of a Urban Community in Mumbai	
51.	Role of Curcumin in Chemoprevention of Oral Cancer: A Review	. 248
52.	Breast Feeding Practices-An Exploratory Survey among Mothers of Infants	. 253
53.	Comparative Study to Assess the Stress of Mothers of Preterm and Low Birth Weight Baby Admitted in NICU vs Postnatal Ward	. 258
54.	Eat Out Habits of Individuals With Reference to Ernakulam Metro City	. 261
55.	Women's Health in Midlife: Factors Influencing Menopausal Symptoms among Rural Women in Tiruvallur District of Tamilnadu	. 266
56.	Review of Burden of Risk Factors of Coronary Heart Disease in India	. 272
57.	Horizontal Ridge Augmentation Using Ridge Expansion Technique Followed by Implant Placement Gayathri Krishnamoorthy, Nayana Prabhu, Vidhi Goyal, Srikanth	. 276
58.	Services of Untouchability in the Sacred Complex of Lingaraj Temple	. 281
59.	Harnessing the Differentiated Model of HIV-AIDS Care as an Enabling Factor for Successful HIV-AIDS Programme Management	. 288
60.	Can Artificial Intelligence be Used as an Enabler for Anti-Retro-Viral Medication Adherence in HIV-AIDS Management Programmes?	. 290

61.	Recommendations for HIV-AIDS Programme Management Indicator Development	293
62.	Prospective Lung Transplantation in Indonesia: Lung Donor Preparation, Preservation, and Allocation Zulkifli Amin; Sari PurnamaHidayat	296
63.	Factors Causing Infant Mortality in Surabaya	301
64.	The Association between Short Nap and Memory Performance Using Concise Learning Method and Logical Learning Method among Private University Students in Selangor, Malaysia	
65.	Swimming Skill Development among Rural Children Under Limited Infrastructure: The Stakeholders' Perspectives	. 311
66.	Personality, Perceived about Co-workers Safety Behavior and Unsafe Acts in Construction Workers Noorce Christiani Berek, Qomariyatus Sholihah	316
67.	Determinant Factors of Work Stress among Teaching and Non Teaching Staff in Indonesia	321
68.	Measurement of Radon Concentration in the Soil of Some Areas of the City of Shatrah Using the Nuclear Impact Detector (Cr-39)	326
69.	Immunoglobulins Levels in Iraqi Atopic patients (Asthma, Rhinitis and Urticaria)	332
70.	Role of serum Leptin and Prolactin in Iraqi females' patients with Rheumatoid Arthritis	337
71.	Peroxisome Proliferator Activated Receptor (PPAR) Delta Genetic Polymorphism in Saudi Normal Population	
72.	Spiritual Resilience Model on Drug Abuse Intensity among Senior High School Students, South Kalimantan: A Path Analysis	348
73.	The Effect of Given Information, Knowledge and Community Participation of Family Planning Village Programs in East Java Province-Indonesia	354
74.	Effect of Bone Morphogenetic Protein-4 on the Expression of BMP-7In Bone Repair	
75.	Measuring Escherichia coli in foods and Beverages towards Certification of Cafeteria in Campus Dewi Susanna, Yvonne M. Indrawani, Zakianis, Tris Eryando, Aria Kusuma	364

76.	Consumption of Salted Fish and Hypertension in the Area of Salted Fish Industry Dewi Susanna, Arni Widiarsih, Tris Eryando, Nopa Arlianti, Ayu Indriyani	. 367
77.	Spousal Communication on Family Planning and Contraceptive Adoption in Indonesia	. 372
78.	Epidemiology Character of Tuberculosis among Internally Displaced Persons in Tikrit City	. 377
79.	The Relation of Physical Air Quality and Occupancy Density with the Existence of Streptococcus sp Bacteria in Air at Sarijadi Urban Village Sub district of Bandung Elanda Fikri, Novita Sekar Ayu Prabono, Pujiono	. 382
80.	The Policy of Reproductive Health Education for the Adolescence with Intellectual Disability in Indonesia: A Qualitative Study	. 387
81.	Artificial UV Radiations Emitted from Different Types of Lamps	. 392
82.	Accuracy of Ultrasound in Comparison to Magnatic Resonance Imaging in Diagnosis of Meniscal Tears <i>Mahmoud Khudair Yaseen, Faiq I. Gorial</i>	397
83.	The Different Intake of Energy and Macronutrient on Weekdays and Weekend among Adolescent in Urban City	. 401
84.	Factors Affecting Waiting Time for Outpatient Medical Record Documents in General Hospital Dr. H. Moch. Ansari Saleh Banjarmasin	. 407
85.	The Presence of Lead in Blood of Pregnant Women at the First Trimester in Al Najaf City-Iraq	412
86.	Knowledge, Attitude and Practice of Relapse Malaria Patients. a Cross Sectional Study from Mandailing Natal District, Indonesia	. 416
87.	Effect of Adding Different Levels of Green Tea Powder <i>Camellia Sinensis</i> to Diet on Some Physiological Traits in Broiler	. 420
88.	The Prevalence of Cesarean Section in Misan Province and It's Indicating Factors	
89.	Role of Diffusion-Weighted MRI and Dynamic Contrast-Enhanced MRI in Early Staging of Bladder Cancer Mohammed Abd-Kadhim, Mohammad Abd-Alrida Hussein, Hayder Adnan Fawzi	. 431
90.	Effect of Gender on Difficulties in Laparoscopic Cholecystectomy	. 437

9	Effects of Empowerment and Work Environment on Job Satisfaction of Nurse-midwives working in Hospitals	. 441
92	2. Effectiveness of the Smoking Stop Model to Improve the Rehabilitative Behavior of Adolescent Smoker Heni Nurhaeni, Suryati Badrin	s446
9:	3. Family Support and Activities of Elderly with Hypertension in the Working Area of Mangasa Public Health Center, Makassar City, Indonesia	. 449
9.	4. SITRUST App: Detecting TB Cases and Increasing RMT Utilization in the Healthcare Facilities in East Java	. 453
9:	5. Adherence to the National Immunization Schedule for the First Year of Life in Misan, Iraq	. 459
9	6. Personal Factors that Affect Adherence of Fluid Restriction in Patient with Hemodialysis	. 465
9'	7. Shift Work and the Risk of Cancer–A Systematic Review	. 471
9	8. Analysis of Peripheral Neuropathy Disorders in Humans from Mercury Exposure: A Systematic Review <i>Ummul Hairat, Budi Hartono</i>	476
9:	9. Accident Compensation and Disability Cash Compensation Utilization of Workers with Disabilities due to an Accident	. 482
10	0. Use of Monitoring Cards to Increase Iron Substance and Hemoglobin Levels in Pregnant Women Darmayanti, M. Mukhtar, A. Rizani, Tut Barkinah, Mahpolah, Mahdalena	. 487
10	1. The Gamma Nail Versus DHS in the Treatments of Intertrochanteric Fractures	. 492
102	2. Detection Enteric Viral in the Newborn Causes Diarrhea in Al-Zahraa Hospital of Al-Najaf Government Ihasan Adnan Hashim, Mohammed Abdulrazzaq Assi, Hayder Ali Muhammed	497
103	3. Effectiveness of Video Assisted Teaching Programme on Toilet Training of Toddlers among Parents in a Selected Rural Area in Shimla, Himachal Pradesh, India	. 502
104	4. Ex vivo Cytopathic Effect Study of Human Acanthamoeba keratitis and Use of E. coli in Parasitic Cultur Mohenned A. Alsaadawi, Naer Alkaabi, Sura Alkhuzaie, Simon Kilvington	e508
10:	5. Teacher's Perception of Stakeholder Support in the Peer Education Program about Drug Abuse Prevention <i>Ira Nurmala, Elisa Dwi P, Muthmainnah, Riris Diana R</i>	514
100	6. Functional Analysis of Beta 2 Microglobulin Protein in Patients with Prostate Cancer Using Bioinformatics Methods	. 519
10	7. Use of Bipolar Cautery in Thyroidectomy	524

108.	Analysis of Occupational and Non-Occupational Fatigue Risk Factors among Commercial Pilots in PT XYZ, Jakarta	28
109.	Correlation between Serology and Molecular Diagnostic Tests for HCV in Children Receiving Blood or Blood Products Experience of Single Institute, Wasit Province-Iraq 2016	
110.	The Effect of Extension Methods on Knowledge and Attitude of Young Women about "Sadari" at Immin High School of Pangkep District	
111.	Understanding the Delayed Factors for Reducing Maternal and Neonatal Mortality in Indonesia: Based on the 2015 Inter-Censal Population Survey and the 2014 Village Potential Statistics	43
112.	Study of Hematological Changes in the Experimentally Infected Sheep with Ticks <i>Hyalomma spp.</i> 5 <i>Ihsan M. Sulbi, Rana A. Jawad, Rana F. Mousa, Yasser J. Jameel, Abbeer F. Abd-Al-Hussain</i>	51
113.	Study the Antioxidant Activity of Sage (Salvia Officinalis) Leaves Extract	56
114.	Effect of Winter Nutrition with Dietary Supplements on Activities of Honey Bees' Colonies	50
115.	Use Autologous Platelets Rich Plasma in Treatment of Skin Wounds in Rabbits	64
116.	Effect of Using Prebiotic (Dandelion) and Probiotic (Bacillus subtilis) on Some Physiological and Immunological Traits of Broiler Chicken	69
117.	The Role of Vitamin D Suplementation in Allergic Rhinitis Management	74
118.	A Relationship between Knowledge, Attitude, and Practice about Balanced Nutrition Guidelines and Metabolic Syndrome among Central Obese Teachers in Makassar	79
119.	Effective Audio Visual Aids Change the Behavior of Elementary School Students in Maintaining Dental and Mouth Health in Makassar City	84
120.	The Impact of Marketing Information Systems on Brilliant Financial Performance in Hospital Industry 5 Ahmed Mohammed Fahmi, Sajjad Mohemmed Atiyah, Arcelan S. Sadiq	89
121.	The Source between Arabic and Persian, an Applied Study in Surat Maryam and its Translation 5 Rabab Hakim Sachet, Hasan Gazi Alsa'ad, Abbass Ali Waffa'ai	95
122.	The Role of Physical Activity in Determining the Level of Older People's Depression	99

123.	Nurse's Competence in Supporting the Spiritual-Religious Needs of Patients in Indonesia	504
124.	Awareness on Substance Abuse among Universiti Utara Malaysia Students	509
125.	The Effect of Residence Area on Motor Skill Development among Children	514
126.	Physical Fitness and Anthropometric Characteristics in School Children: A Comparison of Urban and Rural Areas in East Coast of Peninsular Malaysia	519
127.	Removal of Arsenic Compound in Jordan, Yarmouk and Zarqa Rivers Using Coagulation Techniques . 6 Kulthum Ahmad Mohamad ALShwayatt, Abdul Rahman Hassan, Ahmed A. Al-Taani, Sabariah Rozali, Nurul Hannan Mohd Safari, Nor Azirah Sulaiman	524
128.	An Exploratory Study of Personality Traits and Psychological Coping Skills on Archery Performance . 6 Rabiu Muazu Musa, Mohamad Razali Abdullah, Hafizan Juahir, Vijayamurugan Eswaramoorthi, Norzulaika Alias, Muhammad Rabani Hashim, Amr Salem Falah Alnamat	530
129.	Awareness on e-Health among Undergraduate Students in Bangladesh	536
130.	Indicator of Dyslipidemia for Ischemic Stroke in Elderly with Hypertension	542
131.	Supporting Factors to Get Coverage of Malaria Mass Blood Survey (MBS) Above 80%: Lesson Learn From Gripit Village, Banjarmangu Sub District, Banjarnegara District	549
132.	Leptospirosis Outbreak during Rice Harvesting Season in Kebumen, Central Java Indonesia (The First Case Report in Kebumen)	554
133.	Housing Condition as Tuberculosis Infection Risk Factor	559
134.	Early Marriage In Adolescent Opinion	563
135.	The Effect of Narcotics Anonymous Meeting toward Relapse Prevention among Prisoners	567
136.	The Analysis of the Factors affecting Medication Adherence in Patient with SLE (Systemic Lupus Erythematosus) at Yayasan Tittari Griya Kupu Solo	572
137.	Adverse Childhood Experiences and Depression among Indonesian University Students	577

138.	Maternal Care among Madurese through the Form of Culture	683
139.	Implementation of Premenstrual Gymnastics on Intensity of Pain dan Level of Anxiety	689
140.	Dietary Diversity in Agricultural and Coastal Area as Potential Source for the Prevention of Child Stunting in Sidoarjo District	696
141.	Eating Patterns and Physical Activity to Reduce Diabetes Melitus Type 2	701
142.	Relationship between Cadres Counseling about Diarrhea to Handling Child Diarrhea	709
143.	The Effect of Health Education about PJAS and PHBS on Students Grade V SDN 001 Sungai Kunjang, Samarinda Yakub Andriyadi, Wahnadita Rahman, Dayang Arini, Raudhatun Nisya HL, Dina Lusiana Setyowati	716
144.	Insights into Urban Informal Workers in Indonesia: Health Insurance Enrollment, Adverse Selection Issue and Access to Health Care Budi Aji, Arih Diyaning Intiasari, Siti Masfiah	722
145.	Improvement of Water Quality after Implementation of Water Safety Plans (WSPs) in Semarang City, Indonesia	725
146.	Social-Ecological Risk Determinant and Prediction For Dengue Transmission	732
147.	Determinants of Plumbun Level in Blood among Elementary School Students in Cinangka, Bogor Nissa Noor Annashr, I Made Djaja, Kusharisupeni	738
148.	Immunization Coverage on Infant in High-Risk Area in Semarang City Indonesia	744
149.	Qualitative Study: Patients Perception of PITC in Semarang's Hospitals	748
150.	System Dynamic Model of Leptospirosis Control in Demak, Indonesia, 2014	753
151.	Maternal Height as an Determinant Factors of Children not to be Stunting Until Age 59 Months	765
152.	A Community-Based Study on the Association <i>Helicobacter pylori seropositive</i> to upregulate Cyclooxygenase 2 (COX2) Expression	772
153.	Individual Characteristic and Cadmium Level in Blood on Tradisional Metal Foundry Workers	777

154.	Pharmacovigilance Study of Antituberculosis Drug Regimens in Adult Patients	782
155.	Noise Exposure Assessment and Estimated Excess Risk of Cabin Personnel in the Locomotive-CC205 Pertiwi Andarani, Icha Desinta, Wiwik Budiawan, Syafrudin Syafrudin, Mochtar Hadiwidodo, Haryono S. Huboyo	
156.	Forgiveness Meditation as an Effort in Improving Mental Health among College Students	795
157.	Psychometric Measurement of Perceived Stress among Midwives at Primary Health Care Province of Central Java Indonesia	
158.	Is Nutritional and Socioeconomic Status Related with Tooth Eruption of First Incisive Permanent Mandibular among School and Special Need Students?	810
159.	Survey of Satisfaction on School Health Unit Service at Elementary School	815
160.	Effectiveness of Disinfectant A and B on the Growth of Bacteria in the Area of Central Surgical Installation of Hospital X in Kudus City	821
161.	Household Food Security and Food Diversity as Risk Factor for Stunting in Toddlers at 24-59 Months of Age <i>Novita Nining Widyaningsih, Kusnandar, Sapja Anantanyu</i>	831
162.	The Influence of Giving Information and Its Factors Affecting the Knowledge Level of Antibiotics Use in Temanggung Regency	839
163.	Persuasive Communication in Morning Dialogues Performed by Hospital Health Promotion Officers with Degenerative Diseases Prevention Knowledge (The Case Study at the Patient Checkup in Sultan Agung Islamic Hospital)	843
164.	Oral Health Program for School Children: Dependent or Independent UKGS Program	848
165.	Assessing Noise-Exposure and Daily Habits Can Cause Hearing Loss among Ladies Club at Nightclub Kresna Febriyanto, Sri Sunarti, Ghozali, Ferry Fadzlul Rahman	853
166.	Associated Factors of Latent Tuberculosis among Diabetics in Urban Health Clinics	
167.	Santri Perception on the Lesbian Gay Biseksual and Transgender Phenomenon a Study in Pondok Pesantren Nurul Mursyd Semarang	867
168.	Factors that Affect the Success of Tuberculosis Therapy in Primary Care: Type of Tb Preliminary Studies <i>Titiek Hidayati, Tri Pitara Mahanggoro, Adelia Rizka Amila, Amien Rais Zarkasih, Noor Aulia Fajriati, Noviana Haryuni, Rika Estri Rahmawati</i>	

169.	Mapping of Tuberculosis (TB) Prevalence in Padang City	877
170.	History of Children and Malnutrition Status in Magetan	882
171.	Mother's Knowledge, Attitude, and Practice of Exclusive Breastfeeding	887
172.	Factors Associated with Cerumen Impaction in the Coastal Elementary Schools (Case Study in 1st Grade of five Elementary Schools, Bandarharjo Health Center's Work Area, in North Semarang)	893
173.	Exploring the Compliance Test for X-ray in Health Facilities Security of Makassar Region	<mark>899</mark>
<mark>174</mark> .	A Comparative Analysis between Integrated Occupational Safety and Health Management System in a Support Mining Company and the Indonesian Mining Safety Management System Effendi Herman Ratar, Hanifa M. Denny, Mohammad Zen Rahfiludin	<mark>904</mark>
175.	The Correlation between Regulation Understanding by Inter-Professional first 1000 days of Life Health Workers and the Acceleration of Toddler Stunting Prevention	911
176.	Cadres Outreach Program to Mothers Improve Nutritional Status of Under Two Year Old Children Martha Irene Kartasurya, Dina Rahayuning Pangestuti, Aditya Kusumawati, Resa Ana Dina, Julia Pertiwi, Doddy Izwardy, Anung Sugihantono	
177.	Positive Emotion, Engagement and Meaning of Life of the Elderly in <i>Pesantren</i> (Islamic Boarding School) <i>Dinie R. Desiningrum, Yeniar Indriana, Suparno</i>	923
178.	Health Professional's Perception toward Impact of Hospital Accreditation on Quality of Care in Asia: A Systematic Review	929
179.	The Evaluation of Acute Appendicitis Clinical Pathway	935
180.	Determinants of the Pornography Exposure Effects on Junior and Senior High School Adolescence in Sanggau District, West Kalimantan	941
181.	Psychoeducation <i>Dzikr</i> Reduces Perceived Stress and Postpartum Depression Syndromes on Primiparous Women	946
182.	Reduction Sugar of Tuber Paste Flour Additional α-Amylase from <i>Lc. mesenteroides</i> EN17-11 and <i>Fr. fructosus</i> EN17-20 to Protect People from Diabetes Mellitus	952
183.	The Impact of Counseling on the Improvement of Nutritional Knowledge and Physical Activities on Women Prisoners (A Study at Women Penitentiary Institution Class II A Semarang)	958

184.	Challenges of Universal Access: Health Promotion Strategy on Pillar of Open Defecation Free in Tirto Village, Pekalongan, Central Java, Indonesia	. 963
185.	Understanding HIV/AIDS Perception Using Health Belief Model of Female Sex Workers with HIV/AIDS <i>Ratu Matahari, Fitriana Putri Utami</i>	971
186.	The Characteristic of Several Infant Mortality Risk Factors in Batang District	. 976
187.	Selection of Birth Attendent of Labor in The Village Pelangiran Inhil District	. 981
188.	Community Behavior towards Filariasis Mass Drug Administration in Tegaldowo Village, Pekalongan Distsrict, Indonesia	. 988
189.	MATES (Macaron Dates) as an Alternative Supplementary Food for Undernourished Toddler	. 993
190.	Differences of Family Support and Iron Tablets Consumed Post Pregnant Women Classes and Midwives Counseling	. 999
191.	Effective Communication Methods for Increase Mothers Intention to Inspection Visual Acetic Acid Test Wulan Eka, Tuti Surtimanah, Yeti Hernawati	1007
192.	Depression Associated with Quality of Life in People with Paraplegia	1012
193.	Pie Formula Biscuit Flour and Soy Protein Isolate as Alternative of High Protein Snack for Toddler <i>Mahmud Aditya Rifqi, Mufidah Ahmad, Irohatul Aila, Fikriyah Alaiyu</i>	1017
194.	Misclassification of Nutrition Status among Elderly Based on Combination of Stature Predictor Julia Pertiwi, Martha Irene Kartasurya, Djoko Tri Hadi Lukmono, Henry Setyawan, Martini	1022
195.	Is the Maternal and Child Health Handbook a Source of Information for Maternal and Child Health Continuum of Care?	1027
196.	The Effectiveness of Training and Mentoring Activities to Improve Cadre Performance in Child Growth Monitoring (CGM)	1032
197.	Socio-economic Status of Families as Predictors of Stunting Phenomenon among Elementary School Students at Semarang City, Central Java, Indonesia	1039
198.	Analysis of Physical Environment of the House as a Workplace for work-Related Complaints on the Shoe Industry Home Workers in Semarang Regency	1045
199.	Pain, Hyperuricemia (Uric Acid), and Elderly Insomnia	

Individual Characteristic and Cadmium Level in Blood on Tradisional Metal Foundry Workers

Yuliani Setyaningsih¹, Ari Suwondo¹, Ahmad Saihu²

¹Occupational Health and Safety Department, ²Magister of Health Promotion, Public Health Faculty, Diponegoro University, Semarang, Indonesia

ABSTRACT

Cadmium is one type of seriously hazardous heavy metal if inhaled. Acute cadmium poisoning may result from exposure of cadmium oxide vapor during metal melting process. This study aims to determine the factors ofindividuals characteristic associated with levels of cadmium in the blood of workers. This research is an analytic observation research with cross sectional approach. Samples were taken purposively from 30 metal casting workers. The research variables are smoking habit, BMI, working hours, duration of work and occupation as independent variables and cadmium levels in the blood as dependent variables. Blood cadmium levels were measured using Atomic Absorbtion Spectophotometer (AAS). Data were analyzed using chi-square. Although there was no correlation between smoking habit and working hours on cadmium blood level (p value> 0,05) but there was correlation between nutritional status, duration of work and occupation to cadmium in blood (P value <0.05). There is a relationship between BMI, duration of work and type of work with cadmium levels in the blood of metal casting workers, for modification of workplace ventilation and the use of personal protective equipment to increase fume of cadmium in workplace.

Keywords: cadmium in blood, metal casting, individual characteristics

INTRODUCTION

Metal foundry industry is one of the industries producing pollutants that can pollute the environment. Sources of emissions of pollutants that exist among them are particles in the form of dust derived from metals such as lead, nickel, cadmium and beryllium¹.

In the process of casting melting of raw materials is done at \pm 13000C. At this stage smoke and vapors produced are contained of metal particles (fume) consisting of unused metal powder finishing, steel, silicon, slag and carbon. This is exacerbated by the lack of adequat ventilation to cause workers inhaling the combustion gas continuously²

Corresponding Author:

Yuliani Setyaningsih Occupational Health and Safety Department, Public Health Faculty, Diponegoro University, Jl. Prof. Sudarto, SH,Tembalang, Semarang, 50275 Email: yulianifkm@live.undip.ac.id In addition to products result, the process of casting metals also produces heavy metals such as Cd, Cr, Ni and Pb. This is a risk factor that is harmful to the health of workers because the side effects of heavy metals produced have high toxicity properties³. One of the dangers to be considered in connection with the metal foundry industry is the presence of cadmium. Cadmium is one of the heavy metals from the metal melting process, acute cadmium poisoning usually occurs due to cadmium oxide vapor from cutting of cadmium metal or a cadmium-containing metal mixture⁴.

This study aims to analyze relationship between the characteristics of individuals (Smoking Habit and Body Mass Index) and Occupational Factors (Type of Work, Duration of work and working hours) on levels of Cadmium in the blood of metal foundry workers.

METHOD

This is Explanatory Research, with cross sectional approach. The sample is the total population of 30 metal foundry workers. Blood sampling assisted by Health Center officer of sub-district Ceper, Klaten, Central

Java. Primary data used in this research is obtained by questionnaire to know variable of individual factor and worker factor. In addition, the primary data were also obtained from the results of laboratory tests for cadmium levels in the blood. This examination was conducted at the Center for Environmental Health Engineering and Disease Control (BBTKLPP) Yogyakarta.

Data analysis used to know the relation of significance between individual factor and worker factor with cadmium level in blood, used Chi Square test.

RESULTS AND DISCUSSIONS

Description of the Research Variable: Based on the results of research obtained by the distribution of respondents based on smoking habits, most respondents have smoking habit as many as 16 respondents (53.3%). While not smoking as many as 14 respondents (46.7%). Data of respondent distribution based on nutritional status, most of respondent have normal status that is 20 respondents (56,7%), while abnormal nutrition status is 10 respondent (33,3%).

Respondents have a working duration for> 5 years as many as 16 respondents (60%). While the duration of work for <5 years as many as 14 respondents (40%) and respondents who have working hours <8 hours / day as many as 21 respondents (70%). While working hours> 8 hours / day as many as 9 respondents (30%), as well as respondents working on the foundry that is as many as 18 respondents (70%). While in the finising of 12 respondents (30%), respondents who are not exposed to cadmium are 21 respondents (70%), while cadmium exposure is 9 respondents (30%).

Table 1: Distribution of Respondent's Characteristc

No.	Variable	n = 30	%		
1.	Smoking Habit				
	a. Smoking	16	53,3		
	b. Non Smoking	14	46,7		
2.	BMI				
	a. Normal	20	56,7		
	b. Not normal	10	33,3		
3.	Working Period				
	a. >5 years	16	53,3		
	b. ≤5 years	14	46,7		

Conted...

4.	Working Hours				
	a. <8 hour/day	21	70		
	b. ≤8 hour/day	9	30		
5.	Type of Work				
	a. Foundry	18	60		
	b. Finishing	12	40		
6.	Cadmium in Blood				
	a. Exposed	9	30		
	b. Not Exposed	21	70		

Metal foundry workers are potentially exposed to Cadmium. In the process of casting the metal, in addition to producing metal products, it also produces heavy metals such as Cd, Cr, Ni and Pb, This is a quite harmful risk to the health of traditional metal foundry workers, considering that the heavy metals have the side effects with high level of toxicity.

It is also worsened by the lack of adequate ventilation, thus it makes the workers to inhale gas from burning result continuously. In doing the job, there is no worker who uses personal protective equipment, even having their meals and drinking is also done in the workplace. Therefore, preventive steps should be prepared much earlier to overcome the possible harmful impact to the workers.

Cadmium can cause interference and even able to cause damage to the kidney system. Such damage may occur in the tubules of the kidneys. The symptom of the damage that can occur in the kidney because of the cadmium is the occurrence of amniouria, glucosuria and the calcium and phosphorus urinary abnormalities⁵

Smoking is one of the main sources of cadmium exposure. Therefore we consider the possibility of smoking as confounding variables in exposure to cadmium in non smokers. The exact mechanism is not yet known whether the smoking causes kidney damage. The mechanism that can be explained is that smoking will make the kidneys more sensitive to cadmium toxicity⁶

No.	Variable	Cadmium		D	DD	95% CI	
		Exposed	Not Exposed	P	RP	Lower	Upper
1.	Smoking Habit						
	Smoking	6 (37,5%)	10 (62,5%)	0,440	1,750	0,535	5,729
	Non Smoking	3 (21,4%)	11 (78,6%)				
2.	Body Mass Index						
	Normal	0(0%)	10(100%)	0,013	1,818	1,223	2,703
	Not Normal	9(35%)	11(65%)				
3.	Type of Work						
	Foundry	8(44,4%)	10(55,6%)	0,049	5,333	0,762	37,348
	Finishing	1(8,3%)	11(91,7%)				
4.	Working Period						
	>5 Years	9(56,3%)	7(43,8%)	0,001	0,438	0,251	0,763
	≤5 Years	0(0%)	14(100%)				
5.	Working Hour						
	>8 hour/day	2(22,2%)	7(77,8%)	0,681	0,667	0,170	2,607
	<8 hour/day	8(28.6%)	15(71.4%)				

Table 2: Bivariate Analysis between Smoking Habit, BMI, Type of Work, Working Period, Length of Work, Working Hour and Cadmium Level in Blood

The proportion of workers who have smoking habit on cadmium exposure in blood is 37.5% or 6 respondents while non-smokers are exposed to cadmium of 21.4% or 3 respondents. Chi Square statistical analysis results obtained p-value of 0.440 (> α = 0.05) showed that there is no relationship between smoking habits against cadmium in the blood of metal foundry workers. The results of this study is similar to the research conducted by Ghazali and Luckett which showed no significant relationship between smoking habit and cadmium content $^{7.8}$

Psychology capacity like smoking habit, alcohol and suplement drink consumption greatly affected the performance and productivity of worker ⁹ Smokers prone to have respiratory disorder compared to non smokers when they were in hazardous environment. There were 2000 chemicals in the cigarrette, and 1200 of them contain toxic substances for human health. Besides that, exposure to cigarette smoke have strong relations with the DNA damage induced by oxidative stress (oxidative stress) and carcinogenesis¹⁰. Some studies indicate that smoking can caused and increased of cancer in humans, such as lung cancer, mouth, pharynx, laring, esophagus, bladder, stomach, pancreas, kidney, uterus, cervix and myeloid leukemia¹¹.

Harmful substances in cigarettes in addition to triggering direct changes to the kidney organs, also brings the risk of increasing blood and heart pressure. Increased blood pressure is an important factor in the progression of CKG disease. The mechanism of last renal impairment may be seen histopathologically¹², Smokers are generally exposed to cadmium through inhalation. In a cigarette there is 2 µg of cadmium, where almost 2-10% of it turns into cigarette smoke¹³. Smokers generally have their blood contained with cadmium and the content in the body is twice higher than those who do not smoke¹⁴. In addition, smokers will also have a high cadmium content in their urine¹³.

Based on bivariate analysis, it is found that the proportion of exposed workers cadmium have normal nutritional status of 45% or 9 respondents. Chi Square statistical analysis result obtained P-Value of 0,013 (> $\alpha = 0,05$) with value of RP: 1,818 and CI 95%; 1,223-2,703 which means that people with normal nutritional status have a risk of exposure to cadmium in the blood of 1.818 times compared to people with abnormal nutritional status.

Human weight reflects the nutritional status of a person. Poor nutrition will affect the decrease of one's body endurance and it brings health problems. People with ideal body weight will have enough nutrients that block the presence of cadmium into the body in replacing nutrients (zinc, iron, copper, selenium,

calcium, pyridoxine, ascorbic acid, and protein). Most cadmium toxicities occur due to the deficiency of the above-mentioned elements causing an increase in cadmium absorption¹⁵.

Factors of the body such as immunity, the power of respondents in exhaling, the ability of the cilia to filter out the fume dust produced during the casting process, and the pattern of consumption of eating and drinking, is a factor that affects the existence of high cadmium in the body and the existence of zinc (Zn) enzymes such as Gluthatione S-transferase¹⁶.

Entrepreneurs should think about the problems faced by their employees who work over the regulated work hours or carry out the work that is considered heavy, to always provid food security (usually in the form of nutritious food) and extra food (Extra Voeding). Restrictions on working time, the provision of assured regular meal every working day, is an employer's policy to maintain the desired work productivity of the company from its employees.¹⁷

Based on bivariate analysis, the proportion of workers who are exposed to cadmium working in the foundry section was 44.4% or 8 respondents. The result of Chi Square statistic analysis obtained the P-Value of 0,049 (> α = 0,05) showed that there was correlation between work type to cadmium substance in blood of metal foundry workers, with RP value: 5,333 and CI 95%; 0.762 - 37.348 which means that people who work in the foundry have a risk of exposure to cadmium in the blood of 5.333 times than people who work in finishing.

OSHA estimates that 300,000 workers exposed to cadmium in the United States are present in industrial sector workers comprising metal smelting, welding and packaging. This study aims to determine factors that are related to cadmium levels in the blood of metal foundry workers.⁴

Based on the bivariate analysis, it is found that the proportion of workers exposed to cadmium has a work period over 5 years of 56.3% or 9 respondents. Chi-Chi statistical analysis results obtained P-Value value 0.001 (> $\alpha = 0.05$) showed that there is a relationship between the length of work against cadmium in the blood of metal foundry workers, with the RP value of: 0.438 and CI 95%; 0.251 - 0.763 which means people who work over 5 years have a risk of exposure to cadmium in the blood of 0.438 times compared to people who work under 5 years.

Respondents whose suffered from work-related complaints may caused by work under long working hours and long periode time (more than 3 years) and lack of PPE usage¹⁸. From research on working adults in USA show that long working hours indirectly precipitate workplace accidents by inducing fatigue or stress in affected workers and overtime schedules had the greatest relative risk of occupational injury or illness, followed by schedules with extended (>12) hours per day and extended (>60)¹⁹.

Based on bivariate analysis, the proportion of workers exposed to cadmium has working hours over 8 hours / day as many as 22.2% or 2 respondents, while those who have less than 8 hours / day of working hours 33,3% or 7 respondents. Chi Square statistical analysis results obtained P-Value 0.681 (> α = 0.05) showed that there is no relationship between working hours of cadmium in the blood of metal casting workers.

This research is similar to the research done by Bagun Sugiharto which explains that there is no relation between work and the number of working hours per week with cadmium level in exhaust welding worker³. This inertial study with the study of Ghazali showed no association between length of service and cadmium content, but there was a significant relationship between the working period and the concentration of lead and arsenic metal⁷.

Exposure to the toxic cadmium (Cd) has adverse health effects an occupational or high level environmental exposure ²⁰. Cadmium exposure is an important risk for renal disfunction, bone disease and cancer, cadmium is associated with cardiovascular disease too ²¹. So all workers who in foundry must used to Personal Protective Equipment (PPE) to contral hazards at work place.

CONCLUSIONS

There is a relationship between nutritional status, duration of work, and type of work to cadmium levels in the blood of metal foundry workers. In order to reduce cadmium exposure in the workplace there is a need to be have adequat ventilation in the workplace and the use of personal protective equipment.

ACKNOWLEDGEMENTS

The author would like to thank to all of responden in foundry workers at sub-district Ceper, Klaten, Central Java to support of this research and BBTKLPP Yogyakarta for analyzing blood of Cadmium. **Conflict of Interest:** The author declare that there is no conflict of interest in this research.

Ethical Clearance: Ethical clearance to conduct this study was obtained from Health Research Ethics Committee, Faculty of Public Health Diponegoro University (No.026/EC/FKM/2018)

REFERENCES

- Buranatrevedh S. Health Risk Assessment of workers exposed to metals from an aluminium production plant, J Med Assoc Thai; 2010.Dec: 93 Suppl 7: S136-41
- Agency for Toxic Subtances and Disease Registry (ATSDR). CERCLA priority list of hazardous suntances. Washington DC: Department of Health and Human Services, 2007
- 3. Morris TK.Cadmium exposures at three nonferrous foundries: an unexpected trace source. J Occup Environ Hyg 2004 Jan;1(1):39-44
- 4. OSHA. Cadmium, Occupational Safety and Health Administration, USA, 2004
- 5. Akesson A. Lundh, Vahter M, *et al*. Tubular and glomerular kidney effects in swedish women with low environmental cadmium. Environ Health Perspect 2005; 113:1627-31
- Hambach, R.D, Lison, P.C D'Haese, J Weyler, E De Graef, A De Schryver, LV Lamberts, M Van Sprundel. Co-exsposure to leads increases the renalresponsetolow levels of cadmium in metallurgyworkers. Toxicology Letters 222. 2013: 233-238
- Luckett BG, SuL J, Rood JC, Fontham ET. Cadmium exposure and pancreatic cancer in south Louisiana. Journal of environmental and public health. 2012;1-11
- Ghazali AR, Razak A, Ezzazulianie N, Othman MS, thman H, Ishak I, Lubis SH, Mohammad N, Abd Hamid Z, Harun Z, Kamarulzaman F. Study of heavy metal levels among farmers of Muda Agricultural Development Authority, Malaysia. Journal of environmental and public health. 2012; 1-4
- Setyaningsih, Y, Husodo A.H, Astuti I, Detection of Urinary 8-hydroxydeoxyguanosine(8-OHdG) levels as biomarker of oxidative DNA damage among home industry workers exposed to chromium. Procedia Environment Science. 2015 : Vol 23,pp 290-296
- 10. Patel B.P and U.M.Rawal, Tobacco, antioxidant enzymes, oxidative stress, and genstic

- susceptibility in oral cancer, Am. J. Clin. Oncol. 2018: vol. 31, pp. 454-459
- Lodovici, M and Bigagli, E. Biomarkers of induced active and passive smoking damage, Int J Env Res Public Health. 2009: vol. 6, pp. 874-888
- 12. Orth HS. Smoking: a risk factor for progression of chronic kidney disease and for cardiovascular morbidity and mortality in renal patients--absence of evidence or evidence of absence? Clin J Am Soc Nephrol. 2008; Jan;3(1):226-36
- 13. Mannino DM, Holguin F, Greves HM, Savage-Brown A, Stock AL, Jones RL. Urinary cadmium levels predict lower lung function in current and former smokers: data from the Third National Health and Nutrition Examination Survey. US National Library of MedicineNational Institutes of Health. Thorax 2004 Mar;59(3):194-8.
- Walker, JR Orville . Marketing Strategy: A Decision-Focused Approach. Mc Graw-Hill, New York. 2003
- 15. Kobayashi E,Suwazuno Y, Dochi M, Honda R,Kido T, Nagakawa H. Influence of consumption of Cadmium-polluted rice from Jinzu River water on occurance of renal tubular dysfunct researchion and/or Itai-Itai disease. Biological Trace Element research. 2009 27: 257-268
- Mulder TP, Peters WH. Variability of glutathioneStransferase αin human liver and plasma. Clinical chemistry. 1999:355-359
- 17. Madeddu R, Solinas G, Forte G Bocca B, Assara Y, Tolu P, et al. Diet and nutrients are contributing factors that influence blood cadmium levels. Nut Res 2011; 31(9):691-72011
- Sagita Q M, Yuliani Setyaningsih, Sulistiyani, Determinant Factors of Work-Related Complaints, International Journal of Public Health Science (IJPHS) 2018: Vol.7, No.1, pp. 46-50
- 19. A. E. Dembe, *et al.*, The impact of overtime and long work hours on occupational injuries and illnesses: new evidence from the United States,2005 *Occup Environ Med*, vol. 62, pp. 588–597
- 20. Norberg GF, NogawaK, Norberg M. Cadmium In: Handbook on the Toxicology of Metals (Nordber GF, Fowler GF, Nordberg M, eds) \$ th ed. Amsterdam, Netherlands .Elsiever 2015 :667-176
- 21. Hsu CW, Ja Liang Lin, Dan Tzu Lin Tan, Wen Huang Huang, Kuan Hsing Chen, Tzung Hai Yen, Association between blood cadmium levels and malnutrition in peritoneal dialysis BMC Neprology 2014, 15-17