

LEMBAR
HASIL PENILAIAN SEJAWAT SEBIDANG ATAU PEER REVIEW
KARYA ILMIAH : JURNAL ILMIAH

Judul Artikel Ilmiah : Skipping And Running With Music In Short-Term Memory Improving In Young Adults

Penulis Artikel Ilmiah : Hikmatunnisa TA, Qonita NQ, Nani M, Budi L, Trianggoro B, **Muflihatul Muniroh**

Status Pengusul : Penulis pertama/penulis anggota/penulis korespondensi

Identitas Jurnal Ilmiah :

- a. Nama Jurnal : Hiroshima Journal of Medical Sciences
- b. ISSN : 182052
- c. Nomor/Volume/Hal : Vol. 67, pages 147-152
- d. Edisi (bulan/tahun) : Special Issue, May, 2018
- e. Penerbit : Hiroshima University School of Medicine
- f. Jumlah halaman : 6 halaman
- g. DOI artikel (Jika ada) :
- h. Alamat web Jurnal : https://ir.lib.hiroshima-u.ac.jp/files/public/4/45858/20180619110258824535/HiroshimaJMedSci_67s_147.pdf
- i. Terindeks di : SCOPUS Q4; SJR 0,1

Kategori Publikasi Jurnal Ilmiah : ☒ Jurnal Ilmiah Internasional
 (beri ✓ pada kategori yang tepat) ☐ Jurnal Ilmiah Nasional Terakreditasi
☐ Jurnal Ilmiah Nasional tidak Terakreditasi

I. Hasil Penilaian Peer Review :

Komponen Yang Dinilai	Nilai Maksimal Karya Ilmiah (isikan di kolom yang sesuai)			Nilai Akhir Yang Diperoleh
	Internasional	Nasional Terakreditasi	Nasional tidak Terakreditasi	
	30			
a. Kelengkapan dan Kesesuaian unsur isi artikel (10%)	3			2.00
b. Ruang lingkup dan kedalaman pembahasan (30%)	9			7.00
c. Kecukupan dan kemutakhiran data/informasi dan metodologi (30%)	9			7.00
d. Kelengkapan unsur dan kualitas penerbit (30%)	9			7.00
Nilai Total = (100%)				23.00
Nilai pengusul =	(40% x 23) =			9.20

KOMENTAR/ULASAN PEER REVIEW


Kelengkapan dan Kesesuaian Unsur : Struktur artikel namun banyak ditemukan grammar error especillay in the method section

Ruang Lingkup dan Kedalaman Pembahasan : Discussion sangat pendek, tidak menerangkan fenomena ilmiah mengapa skipping (post test setelah 8 minggu) dan running (post test setelah exercise) meningkatkan memory. Apa pengaruh music? Skipping vs running?

Kecukupan & Kemutakhiran Data & Metodologi : Method section tidak menyebutkan mengenai ethical approval termasuk inform consent, tools yang digunakan tidak diestablish author tidak mensitasi (DASS 42). Mengapa pre test dan post test kelompok running dan skipping dilakukan berbeda time line tidak dijelaskan

Kelengkapan Unsur dan Kualitas Penerbit : Merupakan spesial issue dari conference ICTMHSI. Hiroshima J Med Science terindex scopus Q4 dengan SJR 0.1 merupakan Institutional Repository Hiroshima University yang menerima beragam jenis tulisan.

Semarang,
 Penilai 1



Prof. Dr. dr. Tri Indah Winarni, M.Si.Med., PA.
 NIP 19660510 199702 2 001
 Unit kerja : Fakultas Kedokteran
 Bidang Ilmu : Ilmu Kedokteran
 Jabatan/Pangkat : Guru Besar/Penata

LEMBAR
HASIL PENILAIAN SEJAWAT SEBIDANG ATAU PEER REVIEW
KARYA ILMIAH : JURNAL ILMIAH

Judul Artikel Ilmiah : Skipping And Running With Music In Short-Term Memory Improving In Young Adults

Penulis Artikel Ilmiah : Hikmatunnisa TA, Qonita NQ, Nani M, Budi L, Trianggoro B, Muflihatur Muniroh

Status Pengusul : Penulis pertama/penulis anggota/penulis korespondensi

Identitas Jurnal Ilmiah :

- a. Nama Jurnal : Hiroshima Journal of Medical Sciences
- b. ISSN : 182052
- c. Nomor/Volume/Hal : Vol. 67, pages 147-152
- d. Edisi (bulan/tahun) : Special Issue, May, 2018
- e. Penerbit : Hiroshima University School of Medicine
- f. Jumlah halaman : 6 halaman
- g. DOI artikel (Jika ada) : https://ir.lib.hiroshima-u.ac.jp/files/public/4/45858/20180619110258824535/HiroshimaJMedSci_67s_147.pdf
- h. Alamat web Jurnal : https://ir.lib.hiroshima-u.ac.jp/files/public/4/45858/20180619110258824535/HiroshimaJMedSci_67s_147.pdf
- i. Terindeks di : SCOPUS Q4; SJR 0,1

Kategori Publikasi Jurnal Ilmiah : ☒ Jurnal Ilmiah Internasional (Special Issue dari ICTMHS ke 1)
 (beri ✓ pada kategori yang tepat) ☐ Jurnal Ilmiah Nasional Terakreditasi
☐ Jurnal Ilmiah Nasional tidak Terakreditasi


I. Hasil Penilaian Peer Review :

Komponen Yang Dinilai	Nilai Maksimal Karya Ilmiah (isikan di kolom yang sesuai)			Nilai Akhir Yang Diperoleh
	Internasional	Nasional Terakreditasi	Nasional tidak Terakreditasi	
	30			
a. Kelengkapan dan Kesesuaian unsur isi artikel (10%)	3			2
b. Ruang lingkup dan kedalaman pembahasan (30%)	9			7
c. Kecukupan dan kemutakhiran data/informasi dan metodologi (30%)	9			8
d. Kelengkapan unsur dan kualitas penerbit (30%)	9			7
Nilai Total = (100%)				24
Nilai pengusul =	(40% x 24) =			9,6

KOMENTAR/ULASAN PEER REVIEW

Kelengkapan dan Kesesuaian Unsur	: Sistematika isi artikel lengkap dan sesuai, diuraikan dalam setiap bagiannya.
Ruang Lingkup dan Kedalaman Pembahasan	: Penelitian merupakan yang pertama mengukur skipping dalam meningkatkan ingatan jangka pendek pada usia dewasa muda. Hasil penelitian menunjukkan hasil yang sesuai dan dibahas secara detail didukung jurnal terkini.
Kecukupan & Kemutakhiran Data & Metodologi	: Metode penelitian diuraikan dengan lengkap termasuk uji yang digunakan dalam test memori.
Kelengkapan Unsur dan Kualitas Penerbit	: Penerbit jurnal yaitu Hiroshima University School of Medicine, jurnal ilmiah internasional terindeks scopus Q4 dengan nilai SJR 0.1

Semarang,
 Penilai 2



dr. Achmad Zulfa Juniarto, M.Si.Med., Sp.And (K), M.M.R., Ph.D.
 NIP 19700608 199702 1 001

Unit kerja : Fakultas Kedokteran
 Bidang Ilmu : Ilmu Kedokteran
 Jabatan/Pangkat : Lektor Kepala/Pembina Tk. I



FREE TRIAL

#1 Backup and Recovery

Microsoft Exchange

veeam

Hiroshima Journal of Medical Sciences

COUNTRY

Japan



Universities and research institutions in Japan

SUBJECT AREA

Medicine
Medicine

Quick and Doodle Videos

Doodle Videos Can Reach Large Audiences. You Can Make Them in Minutes.

Doodly

Quick and Easy Doodle Videos

Doodle Videos Can Reach Large Audiences. You Can Make Them in Minutes.

Doodly

H-INDEX

PUBLICATION TYPE

ISSN

INFORMATION

[Homepage](#)

[How to
publish in
this journal](#)

[medpress@
hiroshima-
u.ac.jp](mailto:medpress@hiroshima-u.ac.jp)







SCOPE


Contributions, letters, and all other communications should be sent to the Editorial Office of the Hiroshima University Medical Press. Or published elsewhere before appearance in the Journal.

 Join the conversation about th

FIND SIMILAR JOURNALS ?

1 Biomedical papers of the Medical Faculty of the CZE 33% similarity	2 Medicine USA 32% similarity	3 Fudan University Journal of Medical Sciences CHN 32% similarity	4 Chinese Medical CHN 31% similarity
---	---	--	--





← Show this widget in
your own website

Just copy the code below
and paste within your html
code:

```
<a href="https://www.scima
```

Metrics based on Scopus® data as of April 2020



Loading comments...

Developed by:



Powered by:



Follow us on @ScimagoJR

Scimago Lab, Copyright 2007-2020. Data Source: Scopus®

EST MODUS IN REBUS

Horatio (Satire 1.1.106)

ISSN: 0018-2052, CODEN: HIJMAC

Volume 67, Special issue

May 2018

Hiroshima Journal of Medical Sciences

*Special Issue for The International Conference on Translational
Medicine and Health Sciences (ICTMHS) 2017*

Published by
Hiroshima University
Medical Press



Hiroshima Journal of Medical Sciences

Special Issue for The International Conference on Translational Medicine and Health Sciences (ICTMHS) 2017

Chief Editor :

Professor Norio SAKAI, M.D., Ph.D

Graduate School of Biomedical & Health Sciences, Hiroshima University, Japan

Executive Editorial Board :

Professor Kaoru KURISU, M.D., Ph.D

Graduate School of Biomedical & Health Sciences, Hiroshima University, Japan

Muflihathul Muniroh, M.D., M.Sc., Ph.D

Faculty of Medicine, Diponegoro University, Indonesia

Nani Maharani, M.D., M.Sc., Ph.D

Faculty of Medicine, Diponegoro University, Indonesia

- Browse

department list (/en/list/department)

Resource Types (/en/list/HU_type)

HU Scholarly Journals (/en/page/bulletin)

Doctoral Theses (/en/list/doctoral_thesis)
- Guide

About HiR (/en/page/about)

How to Deposit (/en/page/touroku)

Hiroshima University Open Access policy (/en/page/oa_policy)

How to use HiR (/en/page/use)

ダウンロード数通知 (/en/page/download)

FAQ (/en/page/faq)

Documents (/en/page/documents)

Related Link (/en/page/link)

Inquiry (/en/page/inquiry)

HU Journals (/en/list/HU_journals) / Hiroshima Journal of Medical Sciences (/en/list/HU_journals/AA00664312) / Volume 67 (/en/list/HU_journals/AA00664312/67) / --

Hiroshima Journal of Medical Sciences Volume 67

sort ▼ ID (asc)

	Factors That Influence the Quality of Doctor's Services in Children's Diarrhea Cases in Indonesia (/en/list/HU_journals/AA00664312/67/--/item/45856) creator Bakri, Saekhol; Gumay, Ainun Rahmasari journal title Hiroshima Journal of Medical Sciences volume Volume 67 date of issued 2018-05
---	--

The Evaluation of PMP22 and Protein 0, Examinations for Early Disability Detection in Leprosy Patients (/en/list/HU_journals/AA00664312/67/--/item/45862)



creator Widasmara, Dhelya; Agusni, Indropo; Turchan, Agus; M, Sri Linuwih
journal title Hiroshima Journal of Medical Sciences
volume Volume 67
date of issued 2018-05



journal title Homocystein Levels and Lipid Profile on Non-DM and DM Individuals with and without Cardiovascular Complications (/en/list/HU_journals/AA00664312/67/--/p/2/item/45863)

creator Rachmawati, Banundari; Hendrianingtyas, Meita; Ksl, Edward
journal title Hiroshima Journal of Medical Sciences
volume Volume 67
date of issued 2018-05



journal title Sojagol from Mung Beans as A Potential Antagonist of Mineralocorticoid Receptor (/en/list/HU_journals/AA00664312/67/--/item/45864)

creator Kusumawati, Ratna; Sulastomo, Heru; Setyawan, Arifin Nur; Yudhani, Ratih Dewi; Muthmainah; Indarto, Dono
journal title Hiroshima Journal of Medical Sciences
volume Volume 67
date of issued 2018-05



journal title Diagnostic Value of Fractional Anisotropy in Detecting Hippocampal Sclerosis: A Study on Intractable Mesial Temporal Lobe Epilepsy with Normal MRI (/en/list/HU_journals/AA00664312/67/--/item/45865)

creator Sukmaningtyas, Hermina; Pandelaki, Jacob; Astuti, Meira Dewi Kusuma; Fauziah, Diah; Riwanto, Ignatius; Muttaqin, Zainal
journal title Hiroshima Journal of Medical Sciences
volume Volume 67
date of issued 2018-05

 (/en/list/HU_journals/AA00664312/67/--/)

1 (/en/list/HU_journals/AA00664312/67/--/)

2

Copyright(C) Hiroshima University Library. All Rights Reserved.

Inquiry (<http://ir.lib.hiroshima-u.ac.jp/en/page/inquiry>)



HIR is Open Archives Compliant
 (<http://ir.lib.hiroshima-u.ac.jp/api/oai/request?verb=Identify>).

Source details

Feedback >

Hiroshima Journal of Medical Sciences

Open Access ⓘ

Scopus coverage years: from 1964 to 2018

Publisher: Hiroshima University School of Medicine

ISSN: 0018-2052

Subject area: Medicine: General Medicine

[View all documents >](#) [Set document alert](#) [Save to source list](#)

CiteScore 2019	0.1	ⓘ
SJR 2019	0.103	ⓘ
SNIP 2019	0.168	ⓘ

CiteScore | CiteScore rank & trend | Scopus content coverage

i Improved CiteScore methodology
CiteScore 2019 counts the citations received in 2016-2019 to articles, reviews, conference papers, book chapters and data papers published in 2016-2019, and divides this by the number of publications published in 2016-2019. [Learn more >](#)

×

CiteScore 2019 ▼
10 Citations 2016 - 2019

CiteScoreTracker 2020 ⓘ
22 Citations to date

CiteScore 2019

0.1 = $\frac{10 \text{ Citations 2016 - 2019}}{80 \text{ Documents 2016 - 2019}}$

Calculated on 06 May, 2020

CiteScore Tracker 2020

0.3 = $\frac{22 \text{ Citations to date}}{69 \text{ Documents to date}}$

Last updated on 07 February, 2021 • Updated monthly

CiteScore rank 2019 ⓘ

Category	Rank	Percentile
Medicine		
General Medicine	#455/529	13th

[View CiteScore methodology >](#) [CiteScore FAQ >](#) [Add CiteScore to your site &](#)

About Scopus

- [What is Scopus](#)
- [Content coverage](#)
- [Scopus blog](#)
- [Scopus API](#)
- [Privacy matters](#)

Language

- [日本語に切り替える](#)
- [切换到简体中文](#)
- [切换到繁體中文](#)
- [Русский язык](#)

Customer Service

- [Help](#)
- [Contact us](#)



[Terms and conditions >](#) [Privacy policy >](#)

Copyright © Elsevier B.V. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

We use cookies to help provide and enhance our service and tailor content. By continuing, you agree to the [use of cookies](#).



Brought to you by Universitas Diponegoro



Search Sources Lists SciVal

Help Notification Institution Create account Sign in

Document details

< Back to results | 1 of 1

Export Download Print E-mail Save to PDF Add to List More...

Hiroshima Journal of Medical Sciences Open Access
Volume 67, Issue Special issue, May 2018, Pages 147-152

Skipping and running improve short-term memory in young adults (Article)

Ardyarini, H.T.^a, Qolby, Q.N.^a, Maharani, N.^b, Laksono, B.^c, Budisulistyo, T.^d, Muniroh, M.^c

View additional authors Save all to author list

^aStudy Program of Medicine, Faculty of Medicine Diponegoro University, Semarang, Indonesia
^bDepartment of Pharmacology and Therapy, Faculty of Medicine Diponegoro University, Semarang, Indonesia
^cDepartment of Physiology, Faculty of Medicine, Diponegoro University, Semarang, Indonesia
^dDepartment of Neurology, Faculty of Medicine, Diponegoro University, Semarang, Indonesia
View additional affiliations

Abstract

Background: Aerobic exercise has been reported to improve memory function. Skipping and running are known as sports that easy to do and like by young adults. However, their effect to improve short-term memory in young adults has not been studied yet. Objective: To know the effect of skipping and running to improve shortterm memory in young adults. Method: This study used quasi experimental research design with pre- A nd post-test unequivalent group. The subjects were medical students of Diponegoro University (n = 80), aged 18-22 years old, who were selected by

Metrics View all metrics

Field-Weighted Citation Impact

Cited by 0 documents

Inform me when this document is cited in Scopus:

Set citation alert

Related documents

Find more related documents in Scopus based on:

Background: Aerobic exercise has been reported to improve memory function. Skipping and running are known as sports that easy to do and like by young adults. However, their effect to improve short-term memory in young adults has not been studied yet. Objective: To know the effect of skipping and running to improve shortterm memory in young adults. Method: This study used quasi experimental research design with pre- A nd post-test unequivalent group. The subjects were medical students of Diponegoro University (n = 80), aged 18-22 years old, who were selected by purposive sampling and divided into 4 groups: Skipping 3 times a week for 8 weeks (n=20), group without exercise as a skipping control (n=20), running with music for 30 minutes (n=20), and running only as its control. Short-term memory in pre- A nd post-test were measured using Scenery Picture Memory Test and data were analyzed using paired ttest, unpaired t-test, Wilcoxon, and Mann-Whitney. Results: There was a significant difference in short-term memory ($p<0.05$) after skipping or running either with music or not ($p=0.000$). Short-term memory in skipping and running with music groups were significantly increase ($p<0.05$) compared with its each control, 3.6 ± 2.63 vs 0.95 ± 3.12 , and 5.0 ± 2.66 vs 3.05 ± 1.76 , respectively Conclusion: Short-term memory can be improved by regular skipping exercise and running particularlry with music in young adults. © 2018 Hiroshima University Medical Press. All rights reserved.

Author keywords

Aerobic exercise Running Short term memory Skipping

Indexed keywords

EMTREE medical terms:

adult aerobic exercise article controlled study female human human experiment major clinical study male medical student memory test music pretest posttest design running sampling short term memory young adult

ISSN: 00182052
CODEN: HIJMA
Source Type: Journal
Original language: English

Document Type: Article
Publisher: Hiroshima University Medical Press

Related documents

Find more related documents in Scopus based on:

[Authors >](#) [Keywords >](#)

References (35)

[View in search results format >](#)

Skipping and Running Improve Short-Term Memory in Young Adults

by Muflihatul Muniroh

Submission date: 25-Feb-2021 08:15AM (UTC-0800)

Submission ID: 1517974871

File name: C4.pdf (257.64K)

Word count: 3362

Character count: 17576

Skiping and Running Improve Short-Term Memory in Young Adults

Hikmatunnisa Tri ARDYARINI¹⁾, Qonita Nur QOLBY¹⁾, Nani MAHARANI²⁾, Budi LAKSONO³⁾, Trianggoro BUDISULISTYO⁴⁾, Muflihatul MUNIROH³⁾ *)

¹Study Program of Medicine, Faculty of Medicine Diponegoro University, Semarang, Indonesia

²Department of Pharmacology and Therapy, Faculty of Medicine Diponegoro University, Semarang, Indonesia

³Department of Physiology, Faculty of Medicine Diponegoro University, Semarang, Indonesia

⁴Department of Neurology, Faculty of Medicine Diponegoro University, Semarang, Indonesia

14

ABSTRACT

Background: Aerobic exercise has been reported to improve memory function. Skiping and running are known as sports that easy to do and like by young adults. However, their effect to improve short-term memory in young adults has not been studied yet. **Objective:** to know the effect of skiping and running to improve short-term memory in young adults. **Method:** This study used quasi experimental research design with pre- and post-test unequivalent group. The subjects were medical students of Diponegoro University (n = 80), aged 18-22 years old, who were selected by purposive sampling and divided into 4 groups: skiping 3 times a week for 8 weeks (n=20), group without exercise as a skiping control (n=20), running with music for 30 minutes (n=20), and running only as its control. Short-term memory in pre- and post-test were measured using Scenery Picture Memory Test and data were analyzed using paired t-test, unpaired t-test, Wilcoxon, and Mann-Whitney. **Results:** There was a significant difference in short-term memory ($p < 0.05$) after skiping or running either with music or not ($p = 0.000$). Short-term memory in skiping and running with music groups were significantly increase ($p < 0.05$) compared with its each control, 3.6 ± 2.63 vs 0.95 ± 3.12 , and 5.0 ± 2.66 vs 3.05 ± 1.76 , respectively. **Conclusion:** Short-term memory can be improved by regular skiping exercise and running particularly with music in young adults.

Keywords: aerobic exercise, short term memory, skiping, running

Memory is the storage of acquired knowledge for later recall. It is one of the fundamental cognitive functions for adapt to human environment.¹ It can be classified into two types: short-term and long-term memory. Short-term memory has limited capacity, but has been proved to present one's intelligence.² Other study also proven that short-term memory affects long-term academic achievement.³ Young adults, for example, college students are known to require good memory function. Short-term memory is required for learning as the beginning of long-term memory formation.^{1,4,5}

Previous studies reveal that short-term memory functions can be improved through aerobic exercise.^{6,7,8,9} However, about 81% of adolescents aged 11-17 years and 23% of young adults aged 18 years and over in the world are still classified to have lack physical activities.¹⁰ This sedentary life lifestyle may interfere the process of learning in student. Many factors affect the process of

memory formation, such as age, genetics, nutrition, hormones, gender, disease, psychology, drugs, and stimulation.^{11,12,13-18} One of stimulation that can affect the process of memory formation is aerobic exercise.

Aerobic exercise increases working memory in healthy adults, by increasing vascularization to the brain so that will cause the viability of nerve cells in the brain.^{19,20,21} Previous study proves that there is a neurotropic stimulation such as BDNF serum that can increase the volume of hippocampus, the part of the brain that plays a role in memory formation. The other brain structures like gray matter, white matter, and brain glia also show changes.²²

Skiping and running are included in aerobic sports activities that has been known by all ages group and are favored because of the easy and simple method. Skiping exercises is quite easy, can be done anywhere and anytime. This sport does not depend on location, time or weather, so it

*)Corresponding author: Muflihatul M, Department of Physiology, Faculty of Medicine Diponegoro University, Email adress: muflihatul.muniroh@fk.undip.ac.id
Author 1 and 2 have equal contributions.

can be one of the alternative sports in the young age group to improve the quality of lifestyle.^{23,24} Running is proven to improve the cardiovascular system function and cognitive function.^{25,26,27} Music, especially motivational music with a tempo >120 bpm, has ergogenic properties that is proved to relieve fatigue, improve sports performance, and affect brain activity.^{28,29} In this study, we analyzed the effects of aerobic exercise in the form of skipping, running, and running with music as a factor affecting short-term memory as an alternative to aerobic exercise for young adults.

METHODS

This research used quasi experimental method with pre and post-test unequivalent group design. Subjects were divided into 4 groups; skipping 3 times a week for 8 weeks (n=20), with group without exercise as control (n=20), running with music for 30 minutes (n=20), and running without music as control. This study was done in March-May 2017 among medical students of Diponegoro University, who are selected by purposive sampling with following inclusion criteria: aged 18-22 years, no sedative drugs and such, Body Mass Index 18.50-24.99 kg/m², and approving to be the subject of this research. Subjects for skipping and no exercise (control) groups should commit to not doing other sports other than skipping during the period of this research, and able to perform the exercise, i.e. skipping 3 times a week for 8 weeks. Otherwise, the subjects for running with and without music should already used to take regular exercise at least twice a week, and have a normal score on Depressive Anxiety Stress Scale 42 (DASS-42), which is 0-9 for depression, 0 - 7 for anxiety, and 0 - 14 for stress scale. The exclusion criteria were subjects with a history of psychiatric disorders, head trauma, systemic infections and diseases, epilepsy, injury or limb disability, and consuming electrolyte and caffeine drinks within 2 hours before a short-term memory test.

Skipping

Skipping has been done indoors with subjects wearing uniform shirts, shoes, and skipping ropes. Warming up and cooling down steps were done for 5 minutes before and after skipping. There were 4 sets of skipping exercises on 1st - 4th week, while on 5-8th week were done as many as 5 sets. 1 set of exercises consisting of 2 cycles. Each cycle was done 30 seconds of skipping and 30 seconds of break. Each odd and even set have different period of rest, i.e. rest for 1 minute on odd set and 5 minutes on even set.

Running

Running has been done outdoors for 30 minutes at Diponegoro University Stadium with moderate intensity or conversational pace of speed, i.e. running by a normal conversation with a little effort comfortably. Running group was divided into 2 groups; running with music and running without music. The music in this research was motivational music type that were selected by subjects (Self-selected music) with Brunel Music Rating Inventory-2 (BMRI-2). BMRI-2 was used to select the motivational quality of the music, with score range was on 36-42 (highly motivated musics). Playlist of 15 selected musics were made on the phone or iPod and played during running for 30 minutes using headsets or headphones with 50% volume.

Scenery Picture Memory Test (SPMT)

Short-term memory was measured using SPMT. It has some advantages, i.e. time effectiveness and ease of understanding from respondents, therefore did not cause floor and ceiling effect. Before the measurement, a forward digit span test is done to outwit the subjects.³⁰

Subjects were asked to memorize the picture in 1 minute and mention 23 objects contained on the picture. After 1 minute, a forward digit span test was done to outwit the subject by mention sequence of 1-7 digits, then the subjects were asked to recall those number. Then, subjects were asked to mention objects previously memorized on the SPMT test. Short-term memory on running groups were done before and after exercise, while skipping and its control groups were examined before and after 8 weeks.

Data Analysis

Saphiro-Wilk test was used to analyze the distribution of short-term memory score before and after treatment in all groups. Then, to analyze short-term memory difference between before and after skipping, running, and running with music, Wilcoxon test was used because the post-test data of short-term memory showed non-normal distribution. Meanwhile, unpaired t-test was used to analyze the difference of short-term memory in no exercise group. We analyzed the difference of short-term memory increase between control and treatment groups using Mann-Whitney test because post-test data showed non-normal distribution. The data showed significantly difference if the value of p<0.05.

Table 1. Characteristic of subject

Characteristic	8 Skipping and No Exercise Group	8 Running and Running with Music Group
	n(%) Mean±SD; Median (Min-Max)	n(%) Mean±SD; Median (Min-Max)
Gender:		
- Male	20(50)	20(50)
- Female	20(50)	20(50)
- Total	40(10)	40(10)
Group		
- Treatment	20(50)	20(50)
- Control	20(50)	20(50)
	40(10)	40(10)
Age	20.53±0.72; 20.50 (19-22)	
Height	161.88±8.95; 160.00 (140-180)	
Weight	54.65±7.44; 54.00 (42-68)	
Body Mass Index	20.72± 1.59; 21.05 (18.59-22.99)	
	20.65±0.949; 21 (18-22)	
	162.335±7.32; 162 (152-182)	
	57.14±8.04; 55.00 (42-78)	
	21.65±1.89; 22.05 (18.6-24.7)	
History of psychiatric disorder		
- Yes	0(0)	0(0)
- No	40(10)	40(10)
Brain Abnormalities		
- Yes	0(0)	0(0)
- No	40(10)	40(10)

Note.SD = Standard deviation; Min = Minimum; Maks = Maximum; n= Total subjects

RESULTS

Characteristic of subjects can be seen in table 1.

Skipping vs without exercise

Short-term memory was measured using SPMT scores in eight-weeks aerobic skipping study. The average of group that performs routine skipping at the initial test is 18.00 ± 3.08 and after routine skipping is 21.60 ± 1.67 , with significantly difference ($p = 0,000$). The control is without exercise group, had an initial SPMT score of 17.75 ± 2.81 and increased after 8 weeks became 18.70 ± 2.68 . This group showed a non-significant increase ($p = 0,189$, see figure 1). The delta of pre-test and post-test between treatment and control group showed a significant difference ($p = 0.008$, see figure 2).

Running vs running with music

Short-term memory was also done through aerobic treatment which was running with music for 30 minutes and running for 30 minutes as control. The treatment group had an initial value of 16.45 ± 2.188 and became 21.45 ± 1.932 after running with music for 30 minutes. The Wilcoxon test showed significant difference of before and after exercise score ($p = 0,000$). The group that runs for 30 minutes also showed an average difference in the initial score of 16.75 ± 2.77 to 19.80 ± 2.387 . This difference is significant based on the Wilcoxon test ($p = 0.000$, see figure 1). Delta between the treatment and control group was tested with Mann-Whitney and showed a significant difference ($p = 0.015$, see figure 2).



Figure 1. The difference of short-term memory score measured by SPMT between groups; A. No exercise, B. Skipping, C. Running, D. Running with music. * $p < 0,05$




Figure 2. The increasing of short term memory measured by SPMT; A. No exercise (control) and Skipping (exercise), B. Running (control) and Running with music (exercise). * $p < 0,05$

DISCUSSIONS

Results showed significant increase in short-term memory on skipping, running, and running with music group after tested using Wilcoxon and unpaired t-test. This result was in accordance with the hypothesis, which is there is an increase of short-term memory score measured with SPMT

before and after treatment. Mann-Whitney and test was done to compare both groups, which showed that skipping group has significantly higher results compared to control group, and running with music group has significantly higher results compared to running as control group.

In this study, both skipping 3 times a week for 8 weeks and 30 minutes of running, as aerobic exercise, significantly improved short-term memory. This was in accordance with previous studies which stated that aerobic exercise, both routine and acute, can improve cognitive function. This happened because aerobic exercise increases cardiovascular function, thus increasing the peripheral and cerebral blood flow. Increased blood flow in hippocampus and anterior cortex will improve neural connections between these areas. As the blood flow increased, oxygen will optimally distributed to neurons and resulting in increasing the viability of neurons.^{7,31,32} Aerobic activity of skipping and running also affects the hippocampus as a brain structure that plays a role in memory and learning. Aerobic activity has been shown to increase serum BDNF, neurotrophin, which helps improve cognitive function including memory.⁸

This study also showed that 30 minutes running with music significantly improved short-term memory of young adults, and was significantly higher compared to control group. This is in accordance with some previous researches that discusses the influence of music during physical exercise. Motivational music used in this study, which has more than 120 beat per minute, can increase ergogenic effects during physical exercise through increased hormone levels, including cortisol and norepinephrine.³³ Increased cortisol in the blood leading to the catabolism in the muscle, adipose, and connective tissue, so that energy will be produced by the metabolism. Increased norepinephrine levels will stimulate the cardiovascular system to increase heart rate and both peripheral and brain blood flow.^{34,35}

The limitation of this study is monitoring other daily life factors that may affect short-term memory, for example, learning activities, playing games, long term nutritional factor, hormonal factor, and history of cardiovascular disease.

CONCLUSION AND SUGGESTION

In conclusion, short-term memory can be improved by regular skipping exercise and running particularly with music in young adults.

This study determines that there is an effect of regular skipping and running in short-term memory on young adults, therefore these exercise can be recommended to young adult group in improving short-term memory performance. Further studies regarding the investigation of the detail mechanisms how skipping and running effect in short-term memory improving are required.

CONFLICT OF INTEREST

Author ¹⁵ declare no conflict of interest.

REFERENCES

1. **Sherwood L.** Introduction to human physiology. 8th Ed. Belmont, CA: Brooks/Cole; 2013. 145-195 p.
2. **Gignac GE, Shankaralingam M, Walker K, Kilpatrick P.** Intelligence Short-term memory for faces relates to general intelligence moderately ☆. *Intelligence* [Internet]. 2016;1–9. Available from: <http://dx.doi.org/10.1016/j.intell.2016.05.001>
3. **Sarver DE, Rapport MD, Ko MJ, Scanlan SW, Raiker JS, Altro TA, et al.** Attention problems , phonological short-term memory , and visuospatial short-term memory: Differential effects on near- and long-term scholastic achievement. 2012;22:8–19.
4. **Hall JE, Guyton.** Guyton and Hall textbook of medical physiology. 12Th Edition. 2012.
5. **May CP, Einstein GO, Freedman S.** A five-day unit lesson plan for high school psychology teachers. USA: TOPPS; 2013.
6. **Draganski B, Busch V, Schuierer G, Bogdahn U, May A.** Neuroplasticity: changes in grey matter induced by training. *Nature*. 2004;427:311–2.
7. **Blanton E, Honerlaw K, Kilian R, Sepe J.** The effects of acute aerobic exercise on cognitive function in young adults. *J Adv Student Sci*. 2013;1–20.
8. **Griffin EW, Mullally S, Foley C, Warmington SA, Mara SMO, Kelly AM.** Aerobic exercise improves hippocampal function and increases BDNF in the serum of young adult males. *Physiol Behav*. 2011;104:934–41.
9. **Sim Y, Kim S, Kim J, Shin M, Kim C.** Treadmill exercise improves short-term memory by suppressing ischemia-induced apoptosis of neuronal cells in gerbils. 2004;372:256–61.
10. **WHO.** Prevalence of insufficient physical activity. 2010;
11. **Jack CR, Wiste HJ, Weigand SD, David S, Vemuri P, Mielke MM, et al.** Age, sex and APOE ε4 effects on memory, brain structure and β- amyloid across the adult lifespan. *JAMA Neurol*. 2015;72(5):511–9.
12. **Dincheva I, Glatt C, Lee F.** Impact of the BDNF Val66Met polymorphism on cognition: implication for behavioral genetics. *Neurosci*. 2012;18(5):439–51.
13. **Williams JH, Phillips TD, Jolly PE, Stiles JK, Jolly CM, Aggarwal D.** Human aflatoxicosis in developing countries : a review

- of toxicology , exposure , potential health consequences , and interventions 1 – 3. *Am J Clin Nutr.* 2004;80:1106–22.
14. **Grantham-mcgregor S.** The relationship between undernutrition and behavioral development in children a review of studies of the effect of severe malnutrition on mental development. *J Nutr.* 1995;125(8):2233–8.
 15. **Li R, Singh M.** Sex differences in cognitive impairment and alzheimer's disease. *Front Neuroendocrinol.* 2014;35(3):385–403.
 16. **Arciniegas DB, Held K, Wagner P.** Cognitive impairment following traumatic brain injury. *Current Treat Options Neurol.* 2002;4(1):43–57.
 17. **Pulopulos MM, Hidalgo V, Almela M, Puig-perez S, Villada C, Salvador A, et al.** Acute stress and working memory in older people. *Stress Int J Biol Stress.* 2015;18(2):178–87.
 18. **Markham JA, Greenough WT.** Experience-driven brain plasticity : beyond the synapse. *Neuron Glia Biol.* 2004;1(4):351–63.
 19. **Young J, Angevaren M, Rusted J, Tabet N.** Aerobic exercise to improve cognitive function in older people without known cognitive impairment (Review). *Cochrane Database Syst Rev.* 2015;(4):1–141.
 20. **Pontifex MB, Hillman CH, Fernhall BO, Thompson KM, Valentini TA.** The Effect of acute aerobic and resistance exercise on working memory. *Med Sci Sports Exerc.* 2009;(13):927–34.
 21. **Erickson KI, Weinstein AM, Sutton BP, Prakash RS, Voss MW, Chaddock L, et al.** Beyond vascularization : aerobic fitness is associated with N-acetylaspartate and working memory. *NAA Fit.* 2012;32–42.
 22. **Thomas AG, Dennis A, Bandettini PA, Johansen-berg H.** The effects of aerobic activity on brain structure. *Front Psychol.* 2012;3(March):1–9.
 23. **Lee B.** Jump rope training. 2nd ed. USA: Human Kinetics; 2010. 37-198 p.
 24. **Chen C-C, Lin Y-C.** Jumping rope intervention on health-related physical fitness in students with intellectual impairment. *J Hum Resour Adult Learn.* 2012;8(June):56–62.
 25. **Guiney H, Machado L.** Benefits of regular aerobic exercise for executive functioning in healthy populations. *Psychon Bull Rev.* 2012;
 26. **Liu SAM, Goodman J, Nolan R, Lacombe S, Thomas SG.** Blood pressure responses to acute and chronic exercise are related in prehypertension. *Med Sci Sports Exerc.* 2012;(4):1644–52.
 27. **Koplan JP, Powell KE, Sikes RK, Shirley RW, Campbell CC.** Epidemiologic study of the benefits and risks of running. *JAMA.* 2015;248(23):3118–3121.
 28. **Kumar K, K PPDS.** Effect of music during exercise on rate of perceived exertion & mood status. *Int J Med Res Rev.* 2016;4(9):1706–12.
 29. **Chizewski A.** Effects of self-selected music on exercise enjoyment, duration, and intensity. University of Illinois; 2016.
 30. **Takechi H, Dodge HH.** Scenery Picture Memory Test: A new type of quick and effective screening test to detect early stage Alzheimer's disease. *Geriatr Gerontol.* 2010;(April).
 31. **Drollette ES, Scudder MR, Raine LB, Moore RD, Saliba BJ, Pontifex MB, et al.** Acute exercise facilitates brain function and cognition in 3 children who need it most: An ERP study of individual differences in inhibitory control capacity. *Dev Cogn Neurosci.* 2014;7:53–64.
 32. **Kraemer W, Fleck S, Deschenes M.** Exercise in physiology: integrating theory and application. Lippincot Williams & Wilkins; 2011. 67-197 p.
 33. **Alisa Yamasaki, Abigail Booker, Varun Kapur, Alexandra Tilt, Hanno Niess KDL.** The impact of music on metabolism. *Nutrition.* 2012;28(11–12):1075–80.
 34. **Bishop DT, Wright MJ, Karageorghis CI, Karageorghis I.** Psychology of music performance during reactive task performance. *Psychol Music.* 2013;1–14.
 35. **Hackney C.** Effects of music on physiological and affective responses to graded treadmill exercise in trained and untrained runners. *Int J Jurnal Psychophysiol.* 1995;19(1995):193–201.

Skipping and Running Improve Short-Term Memory in Young Adults

ORIGINALITY REPORT

7%

SIMILARITY INDEX

4%

INTERNET SOURCES

4%

PUBLICATIONS

2%

STUDENT PAPERS

PRIMARY SOURCES

1	Afifa Safdar, Khairunnuur Fairuz Azman, Rahimah Zakaria, Che Badariah Ab Aziz, Usman Rashid. "Goat milk enhances memory of d-galactose-induced aging rats", Journal of Traditional and Complementary Medicine, 2020 Publication	1%
2	www.scribd.com Internet Source	1%
3	Submitted to Northern Caribbean University Student Paper	1%
4	Submitted to University of Leeds Student Paper	1%
5	journals.lww.com Internet Source	1%
6	pjms.com.pk Internet Source	1%
7	wnyilp.org Internet Source	1%

8

ZhiKui He, Li Yang, WenJie Liang, WenJia Xu, WenXiu Huang, XiaoMin Wang, KaiYong Huang. "Mapping the FACT-G to EQ-5D Utility Index in Cancer: Data From a Cross-sectional Study in China", Research Square, 2020

Publication

<1 %

9

Annalisa Monaco, Ruggero Cattaneo, Eleonora Ortu, Marian Vladimir Constantinescu, Davide Pietropaoli. "Sensory trigeminal ULF-TENS stimulation reduces HRV response to experimentally induced arithmetic stress: A randomized clinical trial", Physiology & Behavior, 2017

Publication

<1 %

10

openaccess.hacettepe.edu.tr:8080

Internet Source

<1 %

11

worldwidescience.org

Internet Source

<1 %

12

www.intechopen.com

Internet Source

<1 %

13

Awal Prasetyo, Aulia Arinindya Sabila, Anugraheni Daiiriyanti, Muhammad Hanif Aufa et al. "Combination of Nephrolepis Exaltata - Hibiscus Rosa Sinensis Herbal Mask Protect The Sinonasal Immune System and Increase Lung Function of Motorcycle Taxi Drivers", Research Square, 2020

<1 %

14

Terri S. Armstrong, Marcia Y. Shade, Ghislain Breton, Mark R. Gilbert et al. "Sleep-wake disturbance in patients with brain tumors", Neuro-Oncology, 2016

Publication

<1 %

15

Marisol Garzón, Luís Pereira-da-Silva, Jorge Seixas, Ana Papoila, Marta Alves. "Subclinical Enteric Parasitic Infections and Growth Faltering in Infants in São Tomé, Africa: A Birth Cohort Study", International Journal of Environmental Research and Public Health, 2018

Publication

<1 %

16

"Abstracts—APASL 2013", Hepatology International, 2013

Publication

<1 %

Exclude quotes On

Exclude matches Off

Exclude bibliography On

mail.yahoo.com

SSO - DashboardPRESENSI UNDIP - PRESENSI KERJA DARING(2.933 belum dibaca) - dr_mufliha@yahoo.com...Kotak Masuk (309) - muflihatul.muniroh@fk.u...C-4 - Google Drive

yahoo!mail

Temukan pesan, dokumen, foto, atau orang

mufliha

Awal

Tulis

Email Masuk 999+Belum DibacaBerbintangDraft 27TerkirimArsipSpamSampahLebih sedikitTampilan SembunyikanFotoDokumenLanggananPromoFolder Sembunyikan+ Folder BaruBBDM dan KKD 31CEBIORKUFSAMoslem Kago...NotesPPIKSelingan

Kembali

Arsipkan

Pindahkan

Hapus

Spam

conference as a venue for your work.

Muflihatul Muniroh

International Conference on Translational Medicine and Health Sciences

International Conference on Translational Research and Health Sciences

<http://conference.fkundip.org/index.php/ictmhs/ictmhs2017/index>

MM

Muflihatul Muniroh <secretariat@fk.undip.ac.id>

Sel, 19 Sep 2017 jam 11.54

Kepada: Muflihatul Muniroh

Muflihatul Muniroh:

Thank you for your submission, "EFFECT OF SKIPPING AND RUNNING WITH MUSIC IN SHORT-TERM MEMORY IMPROVING IN YOUNG ADULTS" to International Conference on Translational Medicine and Health Sciences. With the online conference management system that we are using, you will be able to track its progress through the editorial process by logging in to the conference web site:

Submission URL:

<http://conference.fkundip.org/index.php/ictmhs/ictmhs2017/author/submission/481>

Username: mmuniroh

If you have any questions, please contact me. Thank you for considering this conference as a venue for your work.

Muflihatul Muniroh

International Conference on Translational Medicine and Health Sciences

International Conference on Translational Research and Health Sciences

<http://conference.fkundip.org/index.php/ictmhs/ictmhs2017/index>


MM

Muflihatul Muniroh <secretariat@fk.undip.ac.id>

Jum, 13 Okt 2017 jam 09.35

Kepada: Muflihatul Muniroh

Muflihatul Muniroh:



mail.yahoo.com

SSO - DashboardPRESENSI UNDIP - PRESENSI KERJA DARING(2.917 belum dibaca) - dr_mufliha@yahoo.com...Kotak Masuk (309) - muflihatul.muniroh@fk.u...C-4 - Google Drive

yahoo!mail

Temukan pesan, dokumen, foto, atau orang

mufliha

Awal

Tulis

Email Masuk 999+Belum DibacaBerbintangDraft 27TerkirimArsipSpamSampahLebih sedikitTampilan SembunyikanFotoDokumenLanggananPromoFolder Sembunyikan+ Folder BaruBBDM dan KKD 31CEBIORKUFSAMoslem Kago...NotesPPIKSelingan

Kembali

ArsipkanPindahkanHapusSpam

galley proof of your paper for HJMS

Secretariat ICTMHS <secretariat@fk.undip.ac.id>Kepada: muflihatul.muniroh@fk.undip.ac.id, Mufliha Liha

Sel, 22 Mei 2018 jam 15.04

Dear Author,

Please Kindly see the galley proof of your paper for HJMS Volume 67 Special issue May 2018 as you can find in attachment file. We would like to ask you to see it. If there are some final corrections, please send it with the correction **before May 24th 2018**. We do hope you will reply this email to confirm whether there is a final correction or not for your paper.

Thank you for your good cooperation.

--

Best Regards,

Muflihatul Muniroh, MD, M.Sc, Ph.D

Organizing Chairperson
International Conference on Translational Medicine and Health Sciences (ICTMHS) 2017
Faculty of Medicine, Diponegoro University, Indonesia
email: secretariat@fk.undip.ac.id
website: ictmhs.fk.undip.ac.id

HJMS Spec....pdf

461.1kB

Balas, Balas ke Semua atau Teruskan

Lampiran 1. Ethical Clearance

	KOMISI ETIK PENELITIAN KESEHATAN (KEPK) FAKULTAS KEDOKTERAN UNIVERSITAS DIPONEGORO DAN RSUP dr KARIADI SEMARANG Sekretariat : Kantor Dekanat Lama FK Undip Lt.1 Jl. Dr. Soetomo 18. Semarang Telp/Fax. 024-76928010/024-76928011, Pes. 7820	
ETHICAL CLEARANCE No. 307/EC/FK-RSDK/V/2017		
Komisi Etik Penelitian Kesehatan Fakultas Kedokteran Universitas Diponegoro-RSUP. Dr. Kariadi Semarang, setelah membaca dan menelaah Usulan Penelitian dengan judul :		
PERBEDAAN MEMORI JANGKA PENDEK SEBELUM DAN SESUDAH MENDENGARKAN MUSIK SAAT LARI PADA DEWASA MUDA		
Peneliti Utama : <i>Hikmatunnisa Tri Ardyarini</i>		
Pembimbing : 1. dr. Muflihatul Muniroh, M.Si.Med., PhD 2. dr. Nani Maharani, M.Si.Med., Ph.D		
Penelitian : Dilaksanakan di Stadion Universitas Diponegoro		
Seluju untuk dilaksanakan, dengan memperhatikan prinsip-prinsip yang dinyatakan dalam Deklarasi Helsinki 1975, yang diamandemen di Seoul 2008 dan Pedoman Nasional Etik Penelitian Kesehatan (PNEPK) Departemen Kesehatan RI 2011.		
Penelitian harus melampirkan 2 kopi lembar Informed Consent yang telah disetujui dan ditanda tangani oleh peserta penelitian pada laporan penelitian.		
Peneliti diwajibkan menyerahkan :		
- Laporan kemajuan penelitian (<i>clinical trial</i>) - Laporan kejadian efek samping jika ada ✓ - Laporan ke KEPK jika penelitian sudah selesai & dilampiri Abstrak Penelitian		
Semarang, 30 MAY 2017		
Komisi Etik Penelitian Kesehatan Fakultas Kedokteran Undip-RS. Dr. Kariadi		
Ketua		
<i>Prof. Dr. dr. Suprihati, M.Sc, Sp.THT-KL(K)</i>		
NIP. 19500621 197703 2 001		